acc. to Regulation (EC) No. 1907/2006 (REACH)

#### **Tetramethylammonium chloride ≥98 %, for synthesis**

article number: 4747 date of compilation: 2019-10-21 Version: 3.0 en Revision: 2024-03-03

Replaces version of: 2022-07-22

Version: (2)

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### **Product identifier** 1.1

Identification of the substance **Tetramethylammonium chloride** ≥98 %, for

synthesis

Article number 4747

EC number 200-880-8 CAS number 75-57-0

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-

stuffs.

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

#### 1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification acc. to GHS

United Kingdom (en) Page 1 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### **Tetramethylammonium chloride ≥98 %, for synthesis**

article number: 4747

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	2	Acute Tox. 2	H300
3.1D	Acute toxicity (dermal)	3	Acute Tox. 3	H311
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.8	Specific target organ toxicity - single exposure	1	STOT SE 1	H370
4.1C	Hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16

## The most important adverse physicochemical, human health and environmental effects

Immediate effects can be expected after short-term exposure. Spillage and fire water can cause pollution of watercourses.

#### 2.2 Label elements

#### Labelling

Signal word Danger

#### **Pictograms**

GHS06, GHS08, GHS09







#### **Hazard statements**

H300	Fatal if swallowed
H311	Toxic in contact with skin
H315	Causes skin irritation
H370	Causes damage to organs (central nervous system) (if swallowed)
H411	Toxic to aquatic life with long lasting effects

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P273 Avoid release to the environment

P280 Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary statements - response**

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor

P302+P352 IF ON SKIN: Wash with plenty of water

P312 Call a POISON CENTRE/doctor if you feel unwell P332+P313 If skin irritation occurs: Get medical advice/attention

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

United Kingdom (en) Page 2 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)



### **Tetramethylammonium chloride ≥98 %, for synthesis**

article number: 4747

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance Tetramethylammonium chloride

Molecular formula  ${\rm C_4H_{12}CIN}$  Molar mass  ${\rm 109,6~g/_{mol}}$  CAS No  ${\rm 75-57-0}$  EC No  ${\rm 200-880-8}$ 

	Substance,	Specific	Conc.	Limits.	. M-factors	ATE
--	------------	----------	-------	---------	-------------	-----

Specific Conc. Limits	M-Factors	ATE	Exposure route
-	<del>-</del>	50 <sup>mg</sup> / <sub>kg</sub> >200 <sup>mg</sup> / <sub>kg</sub>	oral dermal

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off immediately all contaminated clothing. Self-protection of the first aider.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. After contact with skin, wash immediately with plenty of water. In case of skin irritation, consult a physician.

#### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

### **Following ingestion**

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

Dizziness, Irritation, Spasms

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

United Kingdom (en) Page 3 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

# ROTH

#### Tetramethylammonium chloride ≥98 %, for synthesis

article number: 4747

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

#### Unsuitable extinguishing media

water jet

## 5.2 Special hazards arising from the substance or mixture

Combustible.

#### **Hazardous combustion products**

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Hydrogen chloride (HCl)

#### **5.3** Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

#### **6.2** Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically. Control of dust.

### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United Kingdom (en) Page 4 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

# ROTH

#### Tetramethylammonium chloride ≥98 %, for synthesis

article number: 4747

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Handle and open container with care. Avoid dust formation. Clear contaminated areas thoroughly.

#### Measures to protect the environment

Avoid release to the environment.

#### Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed. Hygroscopic solid. Keep under inert gas.

#### **Incompatible substances or mixtures**

Observe hints for combined storage.

#### Protect against external exposure, such as

humidity, contact with air/oxygen

#### Consideration of other advice:

Store locked up.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **National limit values**

#### **Occupational exposure limit values (Workplace Exposure Limits)**

This information is not available.

#### **Human health values**

#### Relevant DNELs and other threshold levels **Endpoint Threshold Used** in Protection goal, **Exposure time** level route of exposure 2,9 mg/m<sup>3</sup> DNEL human, inhalatory worker (industry) chronic - systemic effects 0,4 mg/kg bw/ **DNEL** human, dermal worker (industry) chronic - systemic effects

#### **Environmental values**

Relevant	Relevant PNECs and other threshold levels						
End- point	Threshold level	Organism	Environmental com- partment	Exposure time			
PNEC	0,6 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)			
PNEC	0,06 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)			

United Kingdom (en) Page 5 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### **Tetramethylammonium chloride ≥98 %, for synthesis**

article number: 4747

#### **Relevant PNECs and other threshold levels**

End- point	Threshold level	Organism	Environmental com- partment	Exposure time
PNEC	6 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	35 <sup>µg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	3,5 <sup>µg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
PNEC	6,6 <sup>µg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)

#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

#### **Eve/face protection**





Use safety goggle with side protection.

#### Skin protection





#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### type of material

NBR (Nitrile rubber)

#### material thickness

>0,11 mm

#### breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**





United Kingdom (en) Page 6 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Tetramethylammonium chloride ≥98 %, for synthesis

article number: 4747

Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

#### Information on basic physical and chemical properties 9.1

Physical state solid

Form crystalline

Colour white

Odour characteristic - amine

Melting point/freezing point 268 °C (ECHA) not determined

Boiling point or initial boiling point and boiling

range

**Flammability** this material is combustible, but will not ignite

readily

Lower and upper explosion limit not determined Flash point not applicable not determined Auto-ignition temperature

>300 °C Decomposition temperature

6-8 (in aqueous solution:  $100 \, ^{9}/_{l}$ ,  $20 \, ^{\circ}$ C) pH (value)

Kinematic viscosity not relevant

Solubility(ies)

 $>1.000 \, ^{\rm g}/_{\rm l}$  at 20 °C (ECHA) Water solubility

Partition coefficient

Partition coefficient n-octanol/water (log value): <-1,6 (pH value: 7, 20 °C) (ECHA)

Soil organic carbon/water (log KOC) 1,644 (ECHA)

not determined Vapour pressure

Density and/or relative density

 $1,19 \, {}^{9}/_{cm^{3}}$  at 20 °C (ECHA) Density

Relative vapour density Information on this property is not available.

Particle characteristics No data available.

Other safety parameters

United Kingdom (en) Page 7 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Tetramethylammonium chloride ≥98 %, for synthesis

article number: 4747

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics:

Surface tension 72,6  $^{\text{mN}}$ /<sub>m</sub> (20 °C) (ECHA)

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

#### 10.2 Chemical stability

Moisture-sensitive. Hygroscopic solid.

#### 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Alkali (lye)

#### 10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: >300 °C. Protect from moisture.

#### 10.5 Incompatible materials

There is no additional information.

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

### Classification acc. to GHS

#### **Acute toxicity**

Fatal if swallowed. Toxic in contact with skin.

#### **Acute toxicity**

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	50 <sup>mg</sup> / <sub>kg</sub>	rat		TOXNET
dermal	LD50	>200 - <500 <sup>mg</sup> / <sub>kg</sub>	rabbit		ECHA

### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

United Kingdom (en) Page 8 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Tetramethylammonium chloride ≥98 %, for synthesis

article number: 4747

#### **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Causes damage to organs (central nervous system) (if swallowed).

Hazard category	Target organ	Exposure route
1	central nervous system	if swallowed

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

Spasms, dizziness

#### • If in eyes

Data are not available.

#### If inhaled

irritant effects

#### • If on skin

causes skin irritation

#### Other information

Other adverse effects: Poisoning effect on central nervous system can cause convulsions, laboured breathing and loss of consciousness

#### 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

#### 11.3 Information on other hazards

There is no additional information.

# **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

United Kingdom (en) Page 9 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)



### Tetramethylammonium chloride ≥98 %, for synthesis

article number: 4747

#### Aquatic toxicity (acute)

Endpoint	Value	Species	Source	Exposure time
LC50	462 <sup>mg</sup> / <sub>l</sub>	fish	ECHA	96 h
EC50	3 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	48 h
ErC50	96,3 <sup>mg</sup> / <sub>l</sub>	algae	ECHA	72 h

#### **Aquatic toxicity (chronic)**

Endpoint	Value	Species	Source	Exposure time
LC50	130 <sup>µg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	11 d
EC50	80 <sup>µg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	11 d

#### 12.2 Persistence and degradability

Theoretical Oxygen Demand (without nitrification): 1,752 mg/mg Theoretical Oxygen Demand (with nitrification): 2,336 <sup>mg</sup>/<sub>mg</sub> Theoretical Carbon Dioxide: 1,606 <sup>mg</sup>/<sub>mg</sub>

#### **Biodegradation**

The substance is readily biodegradable.

#### **Process of degradability**

Process	Degradation rate	Time
carbon dioxide generation	100 %	28 d

#### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	<-1,6 (pH value: 7, 20 °C) (ECHA)
---------------------------	-----------------------------------

#### 12.4 Mobility in soil

The Organic Carbon normalised adsorption coefficient	1,644 (ECHA)
--	--------------

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

#### 12.7 Other adverse effects

Data are not available.

United Kingdom (en) Page 10 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

# ROTH

#### Tetramethylammonium chloride ≥98 %, for synthesis

article number: **4747** 

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous

**HP 4** irritant - skin irritation and eye damage

**HP 5** specific target organ toxicity (STOT)/aspiration toxicity

**HP 6** acute toxicity

HP 14 ecotoxic

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

# **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADRRID UN 2811
IMDG-Code UN 2811
ICAO-TI UN 2811

#### 14.2 UN proper shipping name

ADRRID TOXIC SOLID, ORGANIC, N.O.S. IMDG-Code TOXIC SOLID, ORGANIC, N.O.S.

ICAO-TI Toxic solid, organic, n.o.s.

Technical name Tetramethylammonium chloride

#### 14.3 Transport hazard class(es)

ADRRID 6.1 IMDG-Code 6.1 ICAO-TI 6.1

United Kingdom (en) Page 11 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

# ROTH

#### Tetramethylammonium chloride ≥98 %, for synthesis

article number: 4747

14.4 Packing group

ADRRID II
IMDG-Code II
ICAO-TI II

**14.5 Environmental hazards** hazardous to the aquatic environment

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### .8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name TOXIC SOLID, ORGANIC, N.O.S.

Particulars in the transport document UN2811, TOXIC SOLID, ORGANIC, N.O.S., (Tetra-

methylammonium chloride), 6.1, II, (D/E), envir-

onmentally hazardous

Classification code T2

Danger label(s) 6.1, "Fish and tree"

Environmental hazards yes (hazardous to the aquatic environment)

Special provisions (SP) 274, 614, 802(ADN)

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code T2

**Danger label(s)** 6.1, "Fish and tree"

Environmental hazards Yes

Hazardous to water

Special provisions (SP) 274, 614, 802(ADN)

Excepted quantities (EQ) E4

United Kingdom (en) Page 12 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

# © **}**OT#

#### Tetramethylammonium chloride ≥98 %, for synthesis

article number: 4747

Limited quantities (LQ)500 gTransport category (TC)2Hazard identification No60

### International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name TOXIC SOLID, ORGANIC, N.O.S.

Particulars in the shipper's declaration UN2811, TOXIC SOLID, ORGANIC, N.O.S., (Tetra-

methylammonium chloride), 6.1, II, MARINE POL-

LUTANT

Marine pollutant yes (hazardous to the aquatic environment)

Danger label(s) 6.1, "Fish and tree"



Special provisions (SP) 274

Excepted quantities (EQ) E4

Limited quantities (LQ) 500 g

EmS F-A, S-A

Stowage category B

#### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Toxic solid, organic, n.o.s.

Particulars in the shipper's declaration UN2811, Toxic solid, organic, n.o.s., (Tetramethyl-

ammonium chloride), 6.1, II

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 6.1



Special provisions (SP)

Excepted quantities (EQ)

Limited quantities (LQ)

A3, A5

E4

Limited quantities (LQ)

1 kg

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

**Seveso Directive** 

United Kingdom (en) Page 13 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### **Tetramethylammonium chloride ≥98 %, for synthesis**

article number: 4747

#### 2012/18/EU (Seveso III)

No	Dangerous substance/hazard categories		(tonnes) for the ap- and upper-tier re- ments	Notes
H2	acute toxic (cat. 2 + cat. 3, inhal.)	50	200	41)
H3	STOT specific target organ toxicity - single exposure (cat. 1)	50	200	42)

#### Notation

- Category 2, all exposure routes - category 3, inhalation exposure route STOT SE category 1 41)

#### **Deco-Paint Directive**

VOC content	0 %
VOC content	0 <sup>g</sup> / <sub>l</sub>

#### **Industrial Emissions Directive (IED)**

VOC content	0 %
VOC content	0 <sup>g</sup> / <sub>l</sub>

#### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

## Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

#### Water Framework Directive (WFD)

#### **List of pollutants (WFD)**

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Tetramethylammonium chloride	Organohalogen compounds and substances which may form such compounds in the aquatic envir- onment		a)	

#### Legend

Indicative list of the main pollutants

## Regulation on the marketing and use of explosives precursors

#### **Regulation on drug precursors**

not listed

## Regulation on substances that deplete the ozone layer (ODS)

not listed

## Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

United Kingdom (en) Page 14 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Tetramethylammonium chloride ≥98 %, for synthesis

article number: 4747

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

not listed

Restrictions according to GB REACH, Annex 17

not listed

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status	
AU	AIIC	substance is listed	
CA	DSL	substance is listed	
CN	IECSC	substance is listed	
EU	ECSI	substance is listed	
EU	REACH Reg.	substance is listed	
JP	CSCL-ENCS	substance is listed	
KR	KECI	substance is listed	
MX	INSQ	substance is listed	
NZ	NZIoC	substance is listed	
PH	PICCS	substance is listed	
TW	TCSI	substance is listed	
US	TSCA	substance is listed (ACTIVE)	
VN	NCI	substance is listed	

Legend

AIIC

Australian Inventory of Industrial Chemicals
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Koras Existing Chemicals Inventory CSCL-ENCS DSL ECSI IECSC

KECI Korea Existing Chemicals Inventory
NCI National Chemical Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances

Taiwan Chemical Substance Inventory **Toxic Substance Control Act** 

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

United Kingdom (en) Page 15 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Tetramethylammonium chloride ≥98 %, for synthesis

article number: 4747

## **SECTION 16: Other information**

## Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1	VOC content: 0 % 0 <sup>g</sup> / <sub>l</sub>	VOC content: 0 %	yes
15.1		VOC content: 0 <sup>g</sup> / <sub>l</sub>	yes
15.1		National inventories: change in the listing (table)	yes

## **Abbreviations and acronyms**

	Descriptions of used abbreviations
Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code

United Kingdom (en) Page 16 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### **Tetramethylammonium chloride ≥98 %, for synthesis**

article number: 4747

Abbr.	Descriptions of used abbreviations
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

#### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

## List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H300	Fatal if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H370	Causes damage to organs (central nervous system) (if swallowed).
H411	Toxic to aquatic life with long lasting effects.

#### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 17 / 17