# **MACHEREY-NAGEL**



# Safety Data Sheet

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 730975	Chromab. QuEChERS Mix V (1.095 g)	Page: 1/9
Printing date: 13.01.2023	Date of issue: 18.07.2022	Version: 2.2.2.2

## SECTION 1: Identification of the substance/mixture and of the company

	Due doot identifien	
1.1	Product identifier	730975
	Product name	Chromab. QuEChERS Mix V (1.095 g)
	REACH Registration number(s): A registration number for the subs the substance or its use is exclude 50 x 1.095 g Chromabond	•
1.2	Relevant identified uses Product for analytical use.	e substance or mixture and uses advised against n according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 ated into sections 1-16.
1.3	Details of the supplier of the s	safety data sheet
	Manufactured by: MACHEREY-NAGEL GmbH & Co. Valencienner Str. 11, 52355 Düren Phone: +49 2421 969 0	, Germany
1.4	Emergency telephone numbe Information not necessary.	Liefera bH + C
	You find our current versions of SDS in Inte	ernet: <http: sds="" www.mn-net.com="">emperienstr. 3-5 Schoemperienstr. 3-5</http:>
		Schoennisruhe, Oc 76185 Karlsruhe, Oc 76185 Karlsruhe, Oc *49 721 5606 0
SECT	ION 2: Hazard identificatio	n 76185 Karlston 5606 0 +49 721 5606 0 sicherheit@carlroth.de
20	Classification of the complete	product according to Pagulation (EC) 1272/2008

## 2.0 Classification of the complete product according to Regulation (EC) 1272/2008

### 2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

### 1.095 g Chromabond® QuEChERS Mix V

Do not need labelling as hazardous

No hazard class

List of H phrases: see section 16.2

Signal word

2.2 Label elements according regulation (EC) 1272/2008

1.095 g Chromabond® QuEChERS Mix V

Do not need labelling as hazardous Signal word: -

### Label elements of the complete product

### 2.3 Other hazards

### Possible hazards from physicochemical properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which - in accordance with EC regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods - have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit. An individual package has considerably less hazardous potential.



 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

 US
 Tel.: +1 888 321 62 24
 sales-us@mn-net.com



# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 730975	Chromab. QuEChERS Mix V (1.095 g)	Page: 2/9
Printing date: 13.01.2023	Date of issue: 18.07.2022	Version: 2.2.2.2

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment

Possible endocrine disrupting effects

no data available

#### Other hazards

It is not possible to declare fine dust (< 12 µm) as dangerous or not. We recommend not to inhale product dust. Dust may cause damage of the inhalatory system if inhaled over a longer period.

### **SECTION 3: Composition / information on ingredients**

#### 3.1 Substances or 3.2 Mixtures

#### 1.095 g Chromabond® QuEChERS Mix V Substance name: magnesium sulfate

CAS No.:	7487-88-9
Substance rating:	No criteria for classification or naming of chemical not required.
Formula:	MgSO 4
REACH Reg. No.:	01-2119486789-11-xxxx
EC No.:	231-298-2
Concentration:	80 - <97 %
acc. CLP (GHS):	The criteria for classification are not fulfilled.
Substance name:	activated charcoal
CAS No.:	7440-44-0
Substance rating:	No criteria for classification or naming of chemical not required.
Formula:	C n
REACH Reg. No.:	01-2119966900-32-xxxx
EC No.:	231-153-3
Concentration:	1 - <10 %
acc. CLP (GHS):	The criteria for classification are not fulfilled.
Substance name:	silica
CAS No.:	7631-86-9
Substance rating:	No criteria for classification or naming of chemical not required.
Formula:	SiO <sub>2</sub>
Pseudonym (de):	Silicagel, Siliziumdioxyd
REACH Reg. No.:	01-2119379499-16-0166
EC No.:	231-545-4
Concentration:	10 - <20 %
acc. CLP (GHS):	The criteria for classification are not fulfilled.

#### 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.List of H and P phrases: see section 16.2.

### **SECTION 4: First aid measures**

4.1 Description of first aid measu	ires
------------------------------------	------

Place insured person out of danger zone to fresh air immediately.

#### 4.1.1 After SKIN Contact

Remove dust with wetted tissue.

#### 4.1.2 After EYE Contact

- Rub dust with teardrops from eyes
- 4.1.3 After INHALATION of vapours



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 730975	Chromab. QuEChERS Mix V (1.095 g)	Page: 3/9
Printing date: 13.01.2023	Date of issue: 18.07.2022	Version: 2.2.2.2

After inhalation of dust fresh air should be inhaled. ---

#### 4.1.4 After ORAL Intake

- 4.2 Most important symptoms and effects, both acute and delayed
- **4.3** Indication of any immediate medical attention and special treatment needed No additionally recommendations. ---

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

#### 5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used. Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used. Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

- 5.1.2 Unsuitable extinguishing media no data available
- 5.2 Special hazards arising from the substance or mixture None.

### 5.3 Advice for firefighters

No, for listed product.Product package burns like paper or plastic.

### 5.4 Additional information

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures Avoid dusting. Do not breathe dust. .

### 6.2 Environmental precautions

not necessary

### 6.3 Methods and material for containment and cleaning up

Remove remaining dust with a vacuum cleaner. If there is no vacuum cleaner, wet dust well and remove mechanical (Inhalation protection). Clean working area with water. Flush used water into drains.

### 6.4 Reference to other sections

### **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling
  - Avoid dusting.

## 7.2 Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging . Storage class (German chemical industry): see chapter 12.1
Storage class (VCI):
11
Water hazard class (DE):
1

7.2.1 Requirements for stock rooms and containers Keep original product packages tightly closed during handling and storage.

### 7.3 Specific end use(s)

Product for analytical use.



 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# **MACHEREY-NAGE**



# Safety Data Sheet

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 730975 Printing date: 13.01.2023		Chromab. QuEChERS Mix V (1.095 g) Date of issue: 18.07.2022	Page: 4/9 Version: 2.2.2.2
	FION 8: Exposure controls /perse		
3.1	Control parameters		
	1.095 g Chromabond® QuEChERS Mix V Chemical: magnesium sulfate DNEL: [inh] 37.6 mg/ DNEL = Derived No-Effect Level (for workers	(m <sup>3</sup>	88-9
	PNEC (fresh water): 0.68 mg/L PNEC = Predicted No Effected Concentration	1	
	Chemical: activated charcoal	CAS No.: 7440-	44-0
	Chemical: <i>silica</i> DNEL: [inh] 4 mg/m³ DNEL = Derived No-Effect Level (for workers	CAS No.: 7631-	86-9
	PNEC (fresh water) : - PNEC = Predicted No Effected Concentration	1	
	TRGS 900 (DE): 1,25 A / 4 E n E/e respirable	ng/m³	
	SUVA(CH) MAK value: 4 e mg/m³ NIOSH: Occupational [TWA] Time-weighted average to a reference	Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certain Carcinogen List yes; [TWA] 6 mg/m <sup>3</sup> period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute per porf / 80 mg/m <sup>3</sup>	
3.2	Exposure controls Not necessary.		
3.2.1	Respiratory protection	ith dry powders a dust mask or a dust protection filter, class P	3.
3.2.2	Skin protection / Hand protection Not necessary, recommended for often use		
3.2.3	Eye / Face Protection Not necessary.		
8.2.4	Skin protection Not necessary.		
3.2.5	Personal hygiene Information not necessary		
8.2.6	Thermal hazards no data available		
3.3	Limitation and monitoring of environ Information not necessary.	nmental exposure	
SEC	ΓΙΟΝ 9: Physical and chemical p	roperties	
9.1	Information on basic physical and c	hemical properties	
	1.095 g Chromabond® QuEChERS Mix V a) State of aggregation:		

a) State of aggregation:	powder (solid)
b) Colour:	slightly grey
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
<ol><li>j) Decomposition temperature:</li></ol>	no data available
k) pH value:	no data available
I) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient (o/w):	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available



Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

MACHEREY-NAGEL GmbH & Co. KG DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# **MACHEREY-NAGEL**



# Safety Data Sheet

### according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 730975	Chromab. QuEChERS Mix V (1.095 g)	Page: 5/9
Printing date: 13.01.2023	Date of issue: 18.07.2022	Version: 2.2.2.2

q) Relative vapour density (air=1):r) Particle size:

no data available no data available

### 9.2 Other information

Properties relevant to substance groups

## **SECTION 10: Stability and reactivity**

10.1	Reactivity
------	------------

- None
- **10.2** Chemical stability no known instability.
- 10.3 Possibility of hazardous reactions None.
- 10.4 Conditions to avoid Not known.
- 10.5 Incompatible materials Not known.

### 10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

## **SECTION 11: Toxicological information**

#### 11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

1.095 g Chromabond® QuEChERS Mix V

Chemical: TSCA Inventory: Korea Exist.Chem.Inv	0	esium sulfate listed KE-22752	CAS No.: 7487-88-9
Chemical: TSCA Inventory: LD50 <sub>orl rat</sub> : LD50 <sub>orl mus</sub> :	activat	ed charcoal listed > 5000 mg/kg > 5000 mg/kg	CAS No.: 7440-44-0
Chemical: TSCA Inventory: Exposure Routes: Target Organs: Symptoms: Australia NICNAS: Japan CSCL/PRTR: Japan ISHL: South Korea TCCA: Korea Exist.Chem.Inv LD50 orl rat : LC50 ihl rat :	silica ventory:	listed California Proposition 65 List: not li inhalation, skin and/or eye contact Eyes, respiratory system irritation eyes, pneumoconiosis not listed Canada CEPA 1999: DSL not listed, Japan PDSCL: not listed listed $\geq 0,1\%/\geq 0,1\%$ , Article 57-2 (SDS required) not listed KE-31032 5000 mg/kg 2,19-5,01 mg/L/4H	

TÜVRheinland CERTIFIED Www.tuv.com MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

RFC

TRGS 905 (DE):

DE Tel.: +49 24 21 969-0 info@mn-net.com

- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
  - FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com



# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 7309 Printing da	975 ate: 13.01.2023	Chromab. QuEChERS Mix V (1.095 g) Date of issue: 18.07.2022		Page: 6/9 Version: 2.2.2.2
11.2	Other hazards			
	Possible endocrine disrupting e no data available Other information no additional data available	ffects		
SECTIC	ON 12: Ecological inform	ation		
12.1	Toxicity			
	Following information is valid for pu	re substances.		
	1.095 g Chromabond® QuEChEl         Chemical:       magnesium         PNEC (fresh water):       PNEC = Predicted No Effected Concentrati         LC50 pimephales promelas/96h:       LC50 fish/96h :         EC50 daphnia/48h:       EC50 chlorella vulgaris/5d :         Water hazard class (DE):       Storage class (VCI):         Chemical:       activated ch         Water hazard class (DE):       Storage class (VCI):	sulfate 0.68 mg/L on 680 <sub>Mgx</sub> mg/L [44] 0.68; [48h] 0.72 mg/L 720 <sub>Mgx</sub> mg/L [18d] 2700 mg/L 1 12-13	CAS No.: 7487-88-9 CAS No.: 7440-44-0	
	Chemical: silica PNEC (fresh water) : PNEC = Predicted No Effected Concentrati LC50 fish/96h : EC50 daphnia/48h : EC50 chlorella vulgaris/5d : Water hazard class (DE): Storage class (VCI):	- [4d] 1033-1289 mg/L 512; [4d] 2600 mg/L [4d] 218 mg/L nwg WGK No.: 0849 13	CAS No.: 7631-86-9	
	Persistence and degradability	y .		
12.3	Bioaccumulative potential not necessary			
	Mobility in soil not necessary			
· ·	<b>Results of PBT and vPvB ass</b> This substance/mixture contains no con and very bioaccumulative (vPvB) at lev	nponents considered to be either persistent, bioacc	umulative and toxic (PB <sup>-</sup>	Γ) or very persistent
	Endocrine disrupting propert no data available	ies		
	Other adverse effects no additional data available			
SECTIC	)N 13: Disposal conside	rations		

Not necessary.

### 13.1 Waste treatment methods

GENERAL: Empty solids into municipal waste, empty liquids diluted into drains.



MACHEREY-NAGEL GmbH & Co. KG DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 730975	Chromab. QuEChERS Mix V (1.095 g)	Page: 7/9
Printing date: 13.01.2023	Date of issue: 18.07.2022	Version: 2.2.2.2

### **SECTION 14: Transport information**

14.1 - 14.4 Not necessary

- 14.5 Environmental hazards
- 14.6 Special precautions for user not necessary
- **14.7** Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable.

### **SECTION 15: Regulatory information**

**15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020 Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017 If necessary, observe other country-specific regulations.

15.2 Chemical safety assessment

## **SECTION 16: Other information**

- 16.1 Changes compared to the last version
- in preparation 16.2 List of H and P phrases
- 16.2.1 List of relevant H phrases
- 16.2.2 List of relevant P phrases
- 16.3 Recommended restriction on use
- None

#### 16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021

Directive 97/69/EG, mineral fibersDirective 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres

TRGS 521, German engineering regulations for rehabilitation, repair and demolition with old mineral wool, February 2008 , TRGS 521 "Mineral fibres" in the new versionSUVA .CH, limit values in the air at work 2009, revised on 01/2009

Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)

Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG

TRGS 559, German technical rules for mineral dusts from July 2011 Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)

Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)

Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP) Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP) Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP) TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019 Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP) Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1272/2008/EC to technical and scientific progress (15th ATP) Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP) Regulation 643/201/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)

### Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)

#### revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary 2014-04 adjustment according Regulation 487/2013/EU 2016-03 adjustment according Regulation 1221/2015/EU

2017-11 adjustment according the ECHA registration dossier 2022-11 adjustment according Regulation 878/2020/EU



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

- DE Tel.: +49 24 21 969-0 info@mn-net.com
- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
  - FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
  - US Tel.: +1 888 321 62 24 sales-us@mn-net.com



## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 730975	Chromab. QuEChERS Mix V (1.095 g)	Page: 8/9
Printing date: 13.01.2023	Date of issue: 18.07.2022	Version: 2.2.2.2

### 16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose. MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

#### 16.6 Legend / Abbreviations

Legenu / F	
acc:	according
ADR:	Convention concerning the International Carriage of Dangerous Goods by Road
Act:	acute
BAT:	biological workplace tolerance value
CAO:	Cargo Aircraft Only
Carc:	carcinogen
CAS:	Chemical Abstracts Service
CLP:	Classification, Labelling and Packaging regulation
CMR:	carcinogen, mutagen, reproduction toxic
Corr:	corrosive
COD:	chemical oxigen demand
CSCL:	Chemical Substance Control Law (Jp)
Dam: DNEL:	damage
derm:	Derived No-Effect Level (for workers) dermal
dog: EC10:	dog Concentration causing a toxic effect in 10% of the test organisms
EC:	European Community
EC-Nr:	Substance number of the EC substance inventory
EmS:	Guide to accident management measures on ships
EU:	European Union
fish:	fish (not spezified)
GHS:	Global Harmonized System of Classification and Labeling of Chemicals
gpg:	guinea pig
ICAO:	International Civil Aviation Organization
ihl:	inhaled
IMDG:	International Maritime Dangerous Goods Code
intrav:	intravenous
ipt:	intraperitonaeal
ISHL:	Industrial Safety and Health Law (Jp)
LC50:	letale concentration 50%
LD50:	letale dosis 50%
leuciscus idus	s: fisch, ide, orfe
MAK:	maximum workplace concentration
Met:	Metall
mus:	mouse
Muta:	mutagen
NIOSH:	National Institute for Occupational Safety and Health (US)
NRD:	Non-rapidly degradable
onchorhynchu	
orl:	oral
OSHA:	Occupational Safety and Health Administration
PAX:	transport on passenger planes allowed
PBT:	persistent, bioaccumulating, toxic substance
pH:	pH value
pimephales p	
PNEC:	Predicted No Effected Concentration
PROC 15:	Process category 'for laboratory use'
PRTR:	Law for PRTR and Promotion of Chemical Management (Jp)
PVC:	polyvinyl chloride
quail:	bird, quail
rat:	rat rak bit
rbt:	rabbit
RD: RE:	rapidly degradable
RE: REACh:	repeated Registration, Evaluation, Authorisation and Restriction of Chemicals
REF:	item number. reference number
Reg.No.:	rRegistration number
1.0g.110	





# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 730975	Chromab. QuEChERS Mix V (1.095 g)	Page: 9/9
Printing date: 13.01.2023	Date of issue: 18.07.2022	Version: 2.2.2.2

Repr: Resp: RIP: SDS: Sens: STEL: STOT: SVHC: t/a: TCCA: TOX: TSCA: TWA:	harmful to reproduction respiratory REACH Implementations Projects sub cutan safety data sheet sensitisation short term exposure limit Specific Target Organ Toxicity Substance of Very High Concern tons per year Toxic Chemicals Control Act (S. Korea) toxic The Toxic Substances Control Act (US) time weighted average

### 16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com