

Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



Caesium chloride ROTI®METIC 99,999 % (5N)

article number: **5061**
Version: **GHS 3.0 en**
Replaces version of: 2022-05-05
Version: (GHS 2)

date of compilation: 2020-03-30
Revision: 2024-03-04

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance **Caesium chloride ROTI®METIC 99,999 % (5N)**
Article number 5061
CAS number 7647-17-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical
Laboratory and analytical use
Uses advised against: Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-stuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone:+49 (0) 721 - 56 06 0
Telefax: +49 (0) 721 - 56 06 149
e-mail: sicherheit@carlroth.de
Website: www.carlroth.de

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

e-mail (competent person): **sicherheit@carlroth.de**

1.4 Emergency telephone number

| Name | Street | Postal code/city | Telephone | Website |
|--|-----------------|--------------------|-----------|---------|
| NSW Poisons Information Centre Childrens Hospital | Hawkesbury Road | 2145 Westmead, NSW | 131126 | |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

| Section | Hazard class | Category | Hazard class and category | Hazard statement |
|---------|-----------------------|----------|---------------------------|------------------|
| 3.7 | Reproductive toxicity | 2 | Repr. 2 | H361fd |

For full text of abbreviations: see SECTION 16

2.2 Label elements

Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



Caesium chloride ROTI®METIC 99,999 % (5N)

article number: 5061

Labelling

Signal word

Warning

Pictograms

GHS08



Hazard statements

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child

Precautionary statements

Precautionary statements - prevention

P202 Do not handle until all safety precautions have been read and understood
P280 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statements - response

P308+P313 IF exposed or concerned: Get medical advice/attention

Precautionary statements - storage

P405 Store locked up

Precautionary statements - disposal

P501 Dispose of contents/container to industrial combustion plant

For professional users only

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

| | |
|-------------------|------------------|
| Name of substance | Caesium chloride |
| Molecular formula | CsCl |
| Molar mass | 168.4 g/mol |
| CAS No | 7647-17-8 |

Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



Caesium chloride ROTI®METIC 99,999 % (5N)

article number: 5061

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings!
water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated:

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

Caesium chloride ROTI®METIC 99,999 % (5N)

article number: 5061

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid exposure. Avoid dust formation.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Hygroscopic solid.

Incompatible substances or mixtures

Observe hints for combined storage.

Protect against external exposure, such as

humidity

Consideration of other advice:

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



Caesium chloride ROTI®METIC 99,999 % (5N)

article number: 5061

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

| Country | Name of agent | CAS No | Identifier | TWA [mg/m ³] | STEL [mg/m ³] | Ceiling-C [mg/m ³] | Notation | Source |
|---------|----------------|--------|------------|--------------------------|---------------------------|--------------------------------|----------|--------|
| AU | nuisance dusts | | WES | 10 | | | i | WES |

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

i Inhalable fraction

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Human health values

| Relevant DNELs and other threshold levels | | | | |
|---|------------------------|------------------------------------|-------------------|----------------------------|
| Endpoint | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
| DNEL | 1.47 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| DNEL | 4.18 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |

Environmental values

| Relevant PNECs and other threshold levels | | | | |
|---|-----------------|-----------------------|------------------------------|------------------------------|
| Endpoint | Threshold level | Organism | Environmental compartment | Exposure time |
| PNEC | 1.25 mg/l | aquatic organisms | freshwater | short-term (single instance) |
| PNEC | 0.13 mg/l | aquatic organisms | marine water | short-term (single instance) |
| PNEC | 100.3 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| PNEC | 4.9 mg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| PNEC | 0.49 mg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| PNEC | 0.25 mg/kg | terrestrial organisms | soil | short-term (single instance) |

8.2 Exposure controls

Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



Caesium chloride ROTI®METIC 99,999 % (5N)

article number: 5061

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

• material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



Caesium chloride ROTI®METIC 99,999 % (5N)

article number: 5061

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|--|--|
| Physical state | solid |
| Form | crystalline |
| Colour | white |
| Odour | odourless |
| Melting point/freezing point | 642 °C at 1,013 hPa (ECHA) |
| Boiling point or initial boiling point and boiling range | 1,303 °C at 1,013 hPa |
| Flammability | non-combustible |
| Lower and upper explosion limit | not determined |
| Flash point | not applicable |
| Auto-ignition temperature | >400 °C (ECHA) |
| Decomposition temperature | not relevant |
| pH (value) | 7 – 9 (in aqueous solution: 50 g/l, 20 °C) |
| Kinematic viscosity | not relevant |
| <u>Solubility(ies)</u> | |
| Water solubility | >1,000 g/l at 20 °C (ECHA) |
| <u>Partition coefficient</u> | |
| Partition coefficient n-octanol/water (log value): | not relevant (inorganic) |
| Vapour pressure | not determined |
| <u>Density and/or relative density</u> | |
| Density | 3.97 g/cm ³ at 20 °C (ECHA) |
| Relative vapour density | Information on this property is not available. |
| Bulk density | ~1,800 kg/m ³ |
| Particle characteristics | No data available. |
| <u>Other safety parameters</u> | |
| Oxidising properties | none |

9.2 Other information

| | |
|---|---|
| Information with regard to physical hazard classes: | hazard classes acc. to GHS (physical hazards): not relevant |
|---|---|

Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



Caesium chloride ROTI®METIC 99,999 % (5N)

article number: 5061

Other safety characteristics:

Surface tension 72.8 mN/m (20 °C) (ECHA)

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

Hygroscopic solid.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Protect from moisture.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful in contact with skin.

| Acute toxicity | | | | | |
|----------------|----------|--------------|---------|--------|--------|
| Exposure route | Endpoint | Value | Species | Method | Source |
| dermal | LD50 | >2,000 mg/kg | rat | | ECHA |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Suspected of damaging the unborn child. Suspected of damaging fertility.

Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



Caesium chloride ROTI®METIC 99,999 % (5N)

article number: 5061

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

Data are not available.

• If in eyes

Data are not available.

• If inhaled

Data are not available.

• If on skin

Data are not available.

• Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life.

| Aquatic toxicity (acute) | | | | |
|--------------------------|----------------------|-----------------------|--------|---------------|
| Endpoint | Value | Species | Source | Exposure time |
| LC50 | $>79 \text{ mg/l}$ | fish | ECHA | 96 h |
| EC50 | 37.4 mg/l | aquatic invertebrates | ECHA | 48 h |
| ErC50 | 106.1 mg/l | algae | ECHA | 72 h |

| Aquatic toxicity (chronic) | | | | |
|----------------------------|----------------------|-----------------------|--------|---------------|
| Endpoint | Value | Species | Source | Exposure time |
| EC50 | $>12.5 \text{ mg/l}$ | aquatic invertebrates | ECHA | 21 d |

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



Caesium chloride ROTI®METIC 99,999 % (5N)

article number: 5061

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

| | | |
|------|---|---|
| 14.1 | UN number | not subject to transport regulations |
| 14.2 | UN proper shipping name | not assigned |
| 14.3 | Transport hazard class(es) | not assigned |
| 14.4 | Packing group | not assigned |
| 14.5 | Environmental hazards | non-environmentally hazardous acc. to the dangerous goods regulations |
| 14.6 | Special precautions for user | There is no additional information. |
| 14.7 | Transport in bulk according to IMO instruments | The cargo is not intended to be carried in bulk. |
| 14.8 | <u>Information for each of the UN Model Regulations</u> | |
| | Transport information | National regulations |
| | | Additional information(UN RTDG) |
| | | Not subject to transport regulations. UN RTDG |

Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



Caesium chloride ROTI®METIC 99,999 % (5N)

article number: 5061

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

| Country | Inventory | Status |
|---------|------------|------------------------------|
| AU | AIIC | substance is listed |
| CA | DSL | substance is listed |
| CN | IECSC | substance is listed |
| EU | ECSI | substance is listed |
| EU | REACH Reg. | substance is listed |
| JP | CSCL-ENCS | substance is listed |
| KR | KECI | substance is listed |
| NZ | NZIoC | substance is listed |
| PH | PICCS | substance is listed |
| TW | TCSI | substance is listed |
| US | TSCA | substance is listed (ACTIVE) |
| VN | NCI | substance is listed |

Legend

| | |
|------------|---|
| AIIC | Australian Inventory of Industrial Chemicals |
| CSCL-ENCS | List of Existing and New Chemical Substances (CSCL-ENCS) |
| DSL | Domestic Substances List (DSL) |
| ECSI | EC Substance Inventory (EINECS, ELINCS, NLP) |
| IECSC | Inventory of Existing Chemical Substances Produced or Imported in China |
| KECI | Korea Existing Chemicals Inventory |
| NCI | National Chemical Inventory |
| NZIoC | New Zealand Inventory of Chemicals |
| PICCS | Philippine Inventory of Chemicals and Chemical Substances (PICCS) |
| REACH Reg. | REACH registered substances |
| TCSI | Taiwan Chemical Substance Inventory |
| TSCA | Toxic Substance Control Act |

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



Caesium chloride ROTI®METIC 99,999 % (5N)

article number: 5061

SECTION 16: Other information

Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) | Safety-relevant |
|---------|---------------------------|---|-----------------|
| 2.2 | | Hazard statements: change in the listing (table) | yes |
| 2.3 | | Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$. | yes |
| 15.1 | | National inventories: change in the listing (table) | yes |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-----------|--|
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| ED | Endocrine disruptor |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| ErC50 | \equiv EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| IMDG | International Maritime Dangerous Goods Code |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| STEL | Short-term exposure limit |
| TWA | Time-weighted average |
| UN RTDG | UN Recommendations on the Transport of Dangerous Good |

Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



Caesium chloride ROTI®METIC 99,999 % (5N)

article number: 5061

| Abbr. | Descriptions of used abbreviations |
|-------|---|
| vPvB | Very Persistent and very Bioaccumulative |
| WES | Safe Work Australia: Workplace exposure standards for airborne contaminants |

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|--------|--|
| H361fd | Suspected of damaging fertility. Suspected of damaging the unborn child. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.