acc. to Regulation (EC) No. 1907/2006 (REACH)

Strontium nitrate ROTI®METIC 99,999 % (5N)

article number: 5078 date of compilation: 2016-10-04 Version: **4.0 en** Revision: 2024-03-04

Replaces version of: 2022-06-01

Version: (3)



Product identifier 1.1

Identification of the substance **Strontium nitrate ROTI®METIC 99,999 % (5N)**

Article number 5078

EC number 233-131-9 CAS number 10042-76-9

Relevant identified uses of the substance or mixture and uses advised against 1.2

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

Details of the supplier of the safety data sheet 1.3

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data
Department Health, Safety and Environment

sheet:

sicherheit@carlroth.de

e-mail (competent person):

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.14	Oxidising solid	1	Ox. Sol. 1	H271
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16

United Kingdom (en) Page 1 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

Strontium nitrate ROTI®METIC 99,999 % (5N)

article number: 5078



Signal word **Danger**

Pictograms

GHS03, GHS05





Hazard statements

H271 May cause fire or explosion; strong oxidiser

H318 Causes serious eye damage

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking

P280 Wear protective gloves/eye protection

Precautionary statements - response

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P310 Immediately call a POISON CENTER/doctor

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

Name of substance Strontium nitrate

Molecular formula $Sr(NO_3)_2$ Molar mass 211,6 g/_{mol} CAS No 10042-76-9 EC No 233-131-9

United Kingdom (en) Page 2 / 16



2.2

Labelling

acc. to Regulation (EC) No. 1907/2006 (REACH)

Strontium nitrate ROTI®METIC 99,999 % (5N)

article number: 5078



SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Risk of blindness, Risk of serious damage to eyes

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Explosive when mixed with combustible material. Oxidising property. Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

United Kingdom (en) Page 3 / 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

Strontium nitrate ROTI®METIC 99,999 % (5N)

article number: 5078



SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid dust formation.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits. Keep away from combustible material.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage. Keep/store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles.

Consideration of other advice:

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

United Kingdom (en) Page 4 / 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

Strontium nitrate ROTI®METIC 99,999 % (5N)

article number: 5078



SECTION 8: Exposure controls/personal protection

Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	dust		WEL	10			i	EH40/2005
GB	dust		WEL	4			r	EH40/2005

Notation

Ceiling value is a limit value above which exposure should not occur Inhalable fraction Ceiling-C

Respirable fraction

STEL

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 **TWA**

hours time-weighted average (unless otherwise specified)

Human health values

Relevant DNELs and other threshold levels **Endpoint Threshold** Protection goal, **Used in Exposure time** level route of exposure human, inhalatory DNEL 7,9 mg/m³ worker (industry) chronic - systemic effects DNFI 40,1 mg/kg bw/ human, dermal worker (industry) chronic - systemic effects

Environmental values

Relevant PNECs and other threshold levels

day

End- point	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	2,1 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
PNEC	4,2 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	1.811 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	332 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)

8.2 **Exposure controls**

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

United Kingdom (en) Page 5 / 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

Strontium nitrate ROTI®METIC 99,999 % (5N)

article number: 5078





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

>0,3 mm

· breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state solid

Form powder, crystalline

Colour white

Odour odourless

Melting point/freezing point 570 °C

Boiling point or initial boiling point and boiling

range

645 °C at 1.013 hPa

Flammability non-combustible

Lower and upper explosion limit not determined

United Kingdom (en) Page 6 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

Strontium nitrate ROTI®METIC 99,999 % (5N)

article number: 5078

Flash point not applicable
Auto-ignition temperature not determined

Decomposition temperature not relevant

pH (value) 6,7 (in aqueous solution: $10^{9}/_{l}$, 20° C) (ECHA)

Kinematic viscosity not relevant

Solubility(ies)

Water solubility ~660 ^g/_l at 20 °C

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure not determined

Density and/or relative density

Density 2,986 ^g/_{cm³} at 20 °C

Relative vapour density Information on this property is not available.

Bulk density $\sim 1.000 \text{ kg/m}^3$

Particle characteristics No data available.

Other safety parameters

Oxidising properties

9.2 Other information

Information with regard to physical hazard

classes:

Other safety characteristics: There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Oxidising property.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

There is no additional information.

10.3 Possibility of hazardous reactions

Violent reaction with: Magnesium-Powder, Metal powder, PVC: polyvinyl chloride, Sulphur, **Danger of explosion:** Combustible materials, Reducing agents, Acetic anhydride, Heat, Hydrides

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

United Kingdom (en) Page 7 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

Strontium nitrate ROTI®METIC 99,999 % (5N)



combustible materials, PVC: polyvinyl chloride

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful if swallowed.

Acute toxicity Exposure route Endpoint Value Species Method **Source** >2.000 ^{mg}/_{kg} LD50 **ECHA** oral rat inhalation: dust/ LC50 >4,5 ^{mg}/_I/4h ECHA rat mist

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

Data are not available.

If in eyes

Causes serious eye damage, risk of blindness

United Kingdom (en) Page 8 / 16



article number: 5078

acc. to Regulation (EC) No. 1907/2006 (REACH)

Strontium nitrate ROTI®METIC 99,999 % (5N)

article number: 5078

If inhaled

Inhalation of dust may cause irritation of the respiratory system

• If on skin

Irritating to skin

• Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)							
Endpoint	Value	Species	Source	Exposure time			
LC50	>92,8 ^{mg} / _l	fish	ECHA	96 h			
ErC50	>43,3 ^{mg} / _l	algae	ECHA	72 h			
EC50	>43,3 ^{mg} / _l	algae	ECHA	72 h			

Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
EC50	>100 ^{mg} / _I	microorganisms	ECHA	3 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

12.7 Other adverse effects

Data are not available.

United Kingdom (en) Page 9 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

Strontium nitrate ROTI®METIC 99,999 % (5N)

article number: 5078



SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

HP 2 oxidising

HP 4 irritant - skin irritation and eye damage

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 l	JN	number	or ID	number
--------	----	--------	-------	--------

ADRRID	UN 1507
IMDG-Code	UN 1507
ICAO-TI	UN 1507

14.2 UN proper shipping name

ADRRID	STRONTIUM NITRATE
IMDG-Code	STRONTIUM NITRATE
ICAO-TI	Strontium nitrate

14.3 Transport hazard class(es)

ADRRID	5.1
IMDG-Code	5.1
ICAO-TI	5.1

14.4 Packing group


ADRRID	III
IMDG-Code	III
ICAO-TI	III

United Kingdom (en) Page 10 / 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

Strontium nitrate ROTI®METIC 99,999 % (5N)

article number: 5078



gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name STRONTIUM NITRATE

Particulars in the transport document UN1507, STRONTIUM NITRATE, 5.1, III, (E)

Classification code O2
Danger label(s) 5.1



Excepted quantities (EQ) E1
Limited quantities (LQ) 5 kg

Transport category (TC) 3
Tunnel restriction code (TRC) E

Hazard identification No 50

Emergency Action Code 1Z

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code O2

Danger label(s) 5.1



Excepted quantities (EQ) E1 **Limited quantities (LQ)** 5 kg

Transport category (TC) 3
Hazard identification No 50

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name STRONTIUM NITRATE

Particulars in the shipper's declaration UN1507, STRONTIUM NITRATE, 5.1, III

Marine pollutant -

Danger label(s) 5.1



United Kingdom (en) Page 11 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

Strontium nitrate ROTI®METIC 99,999 % (5N)

article number: 5078

Special provisions (SP)

Excepted quantities (EQ) E1

Limited quantities (LQ) 5 kg

EmS F-A, S-Q

Stowage category A

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Strontium nitrate

Particulars in the shipper's declaration UN1507, Strontium nitrate, 5.1, III

Danger label(s) 5.1



Excepted quantities (EQ) E1

Limited quantities (LQ) 10 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/	2012/18/EU (Seveso III)						
No	Dangerous substance/hazard categories	Qualifying quantity plication of lower quirer	and upper-tier re-	Notes			
P8	oxidising liquids and solids	50	200	55)			

Notation

55) Oxidising liquids, category 1, 2 or 3, or oxidising solids, category 1, 2 or 3

Deco-Paint Directive

VOC content	0 %
VOC content	0 ^g / ₁

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content	0 g/l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

United Kingdom (en) Page 12 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

Strontium nitrate ROTI®METIC 99,999 % (5N)

article number: 5078



Water Framework Directive (WFD)

List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Strontium nitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
Strontium nitrate	Metals and their compounds		a)	

Legend

a)

Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

not listed

Restrictions according to GB REACH, Annex 17

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed

United Kingdom (en) Page 13 / 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

Strontium nitrate ROTI®METIC 99,999 % (5N)

article number: 5078



Country	Inventory	Status
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

AIIC Australian Inventory of Industrial Chemicals
CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)
DSL Domestic Substances List (DSL)
ECSI EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC Inventory of Existing Chemical Substances Produced or Imported in China INSQ National Inventory of Chemical Substances
KECI Korea Existing Chemicals Inventory
NCI National Chemical Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory
Toxic Substance Control Act

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1	VOC content: 0 % 0 ^g / _l	VOC content: 0 %	yes
15.1		VOC content: 0 ^g / _l	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)	
ED	Endocrine disruptor	

United Kingdom (en) Page 14 / 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

Strontium nitrate ROTI®METIC 99,999 % (5N)

article number: 5078



Abbr.	Descriptions of used abbreviations
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H271	May cause fire or explosion; strong oxidiser.
H318	Causes serious eye damage.

United Kingdom (en) Page 15 / 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

Strontium nitrate ROTI®METIC 99,999 % (5N)

article number: **5078**



Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 16 / 16