according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

## Barium chloride dihydrate ROTI®METIC 99,999 % (5N)

article number: 5115 date of compilation: 2016-11-14 Version: 3.0 en Revision: 2024-03-02

Replaces version of: 2023-07-27

Version: (2)

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### **Product identifier** 1.1

Identification of the substance Barium chloride dihydrate ROTI®METIC 99,999

% (5N)

Article number 5115

It is not required to list the identified uses be-Registration number (REACH)

cause the substance is not subject to registration

according to REACH (< 1 t/a).

Index number in CLP Annex VI 056-004-00-8

EC number 233-788-1

CAS number 10326-27-9

#### Relevant identified uses of the substance or mixture and uses advised against 1.2

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

sicherheit@carlroth.de

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-

stuffs.

#### Details of the supplier of the safety data sheet 1.3

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment

sheet:

## e-mail (competent person): **Emergency telephone number** 1.4

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	+353 1 809 2166	https:// www.poisons.ie/

Ireland (en) Page 1 / 16

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Barium chloride dihydrate ROTI®METIC 99,999 % (5N)

article number: 5115

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	3.10 Acute toxicity (oral)  3.11 Acute toxicity (inhal.)		Hazard class and category	Hazard statement
3.10			Acute Tox. 3	H301
3.1I			Acute Tox. 4	H332

For full text of abbreviations: see SECTION 16

## 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

**Pictograms** 

GHS06



## **Hazard statements**

H301 Toxic if swallowed H332 Harmful if inhaled

## **Precautionary statements**

## **Precautionary statements - response**

P312 Call a POISON CENTRE/doctor if you feel unwell

P330 Rinse mouth

## Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)



H301 Toxic if swallowed.
P330 Rinse mouth.

## 2.3 Other hazards

## Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

## **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

Ireland (en) Page 2 / 16

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Barium chloride dihydrate ROTI®METIC 99,999 % (5N)

article number: 5115

# **SECTION 3: Composition/information on ingredients**

## 3.1 Substances

Name of substance Barium chloride dihydrate

Molecular formula BaCl<sub>2</sub>

Molar mass 244,3 g/<sub>mol</sub>
CAS No 10326-27-9
EC No 233-788-1
Index No 056-004-00-8

## Substance, Specific Conc. Limits, M-factors, ATE

Specific Conc. Limits	M-Factors	ATE	Exposure route
-	-	118 <sup>mg</sup> / <sub>kg</sub> >1,5 <sup>mg</sup> / <sub>l</sub> /4h	oral inhalation: dust/ mist

# **SECTION 4: First aid measures**

## 4.1 Description of first aid measures



## **General notes**

Take off contaminated clothing.

## Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

## Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

## Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

# **Following ingestion**

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

## 4.2 Most important symptoms and effects, both acute and delayed

Cardiac arrhythmias, Cough, Irritant effects, Dyspnoea

## 4.3 Indication of any immediate medical attention and special treatment needed

Give sodium sulfate as laxative (1 tablespoon in 1 glass of water).

Ireland (en) Page 3 / 16

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Barium chloride dihydrate ROTI®METIC 99,999 % (5N)

article number: 5115

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media



## Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

## Unsuitable extinguishing media

water jet

## 5.2 Special hazards arising from the substance or mixture

Non-combustible.

## **Hazardous combustion products**

In case of fire may be liberated: Hydrogen chloride (HCl)

## 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

# **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures



## For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Do not breathe dust.

## 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

## 6.3 Methods and material for containment and cleaning up

## Advice on how to contain a spill

Covering of drains. Take up mechanically.

## Advice on how to clean up a spill

Take up mechanically. Control of dust.

## Other information relating to spills and releases

Place in appropriate containers for disposal.

## 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Ireland (en) Page 4 / 16

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Barium chloride dihydrate ROTI®METIC 99,999 % (5N)

article number: 5115

# SECTION 7: Handling and storage

## Precautions for safe handling

Avoid dust formation. Clear contaminated areas thoroughly.

## Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

## **Incompatible substances or mixtures**

Observe hints for combined storage.

## Consideration of other advice:

Store locked up.

## **Ventilation requirements**

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

## Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

# SECTION 8: Exposure controls/personal protection

#### **Control parameters** 8.1

## **National limit values**

## **Occupational exposure limit values (Workplace Exposure Limits)**

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	barium, soluble com- pounds	10361-37-2	IOELV	0,5			Ва	2006/15/EC
IE	barium, soluble com- pounds	10361-37-2	OELV	0,5			Ва	S.I. No. 619 of 2001

Notation

TWA

Calculated as Ba (barium)

Ceiling-C

Ceiling value is a limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-**STEL** 

minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

## **Human health values**

Ireland (en) Page 5 / 16

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Barium chloride dihydrate ROTI®METIC 99,999 % (5N)

article number: 5115

Relevant DNELs and other threshold levels							
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time			
DNEL	8,8 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects			
DNEL	43,2 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects			

## **Environmental values**

Relevant PNECs and other threshold levels							
End- point			Environmental compartment	Exposure time			
PNEC	174 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)			
PNEC	94,3 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)			
PNEC	908 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)			
PNEC	314,9 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)			

## 8.2 Exposure controls

## Individual protection measures (personal protective equipment)

## **Eye/face protection**



Use safety goggle with side protection.

## Skin protection



## hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

## • type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

Ireland (en) Page 6 / 16

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

## Barium chloride dihydrate ROTI®METIC 99,999 % (5N)

article number: 5115

## breakthrough times of the glove material

>480 minutes (permeation: level 6)

## other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

## **Respiratory protection**





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White).

## **Environmental exposure controls**

Keep away from drains, surface and ground water.

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state solid

Form -

Colour white

Odour odourless

Melting point/freezing point >600 °C at 1.003 hPa (ECHA)

Boiling point or initial boiling point and boiling 1.560 °C

range

Flammability non-combustible
Lower and upper explosion limit not determined
Flash point not applicable
Auto-ignition temperature not determined

Decomposition temperature >100 °C

pH (value) 5,2 – 8 (in aqueous solution:  $50 \, {}^{9}/_{l}$ ,  $20 \, {}^{\circ}$ C)

Kinematic viscosity not relevant

Solubility(ies)

Water solubility 370 <sup>g</sup>/<sub>l</sub> at 20 °C

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure not determined

Ireland (en) Page 7 / 16

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Barium chloride dihydrate ROTI®METIC 99,999 % (5N)

article number: 5115

Density and/or relative density

Density  $3.9 \, {\rm g/_{cm^3}}$  at 20 °C (anhydrous)

Relative vapour density Information on this property is not available.

Bulk density  $1.200 - 1.400 \, \text{kg/m}^3$ 

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics: There is no additional information.

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

This material is not reactive under normal ambient conditions.

## 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

## 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Reducing agents, Acids

## 10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: >100 °C.

## 10.5 Incompatible materials

There is no additional information.

## 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

## **Acute toxicity**

Toxic if swallowed. Harmful if inhaled.

Acute toxicity							
Exposure route	Endpoint	Value	Species	Method	Source		
oral	LD50	118 <sup>mg</sup> / <sub>kg</sub>	rat	anhydrous	IUCLID		

Ireland (en) Page 8 / 16

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

## Barium chloride dihydrate ROTI®METIC 99,999 % (5N)

article number: 5115

## Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

## Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

## Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

## **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

## Carcinogenicity

Shall not be classified as carcinogenic.

## **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

## Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

## Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

## **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

## Symptoms related to the physical, chemical and toxicological characteristics

## If swallowed

Data are not available.

## • If in eyes

Data are not available.

## • If inhaled

Data are not available.

## • If on skin

Data are not available.

## Other information

Cardiac arrhythmias, Dyspnoea

## 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

## 11.3 Information on other hazards

There is no additional information.

Ireland (en) Page 9 / 16

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



72 h

## Barium chloride dihydrate ROTI®METIC 99,999 % (5N)

article number: 5115

# **SECTION 12: Ecological information**

## 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

>1,15 <sup>mg</sup>/<sub>I</sub>

# Endpoint Value Species Source time LC50 >3,5 mg/I fish ECHA 96 h

algae

**ECHA** 

# Endpoint Value Species Source Exposure time EC50 >1.000 mg/i microorganisms ECHA 3 h

## 12.2 Persistence and degradability

Data are not available.

ErC50

## 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

BCF	68,4 (ECHA)

## 12.4 Mobility in soil

Data are not available.

## 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

## 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

## 12.7 Other adverse effects

Data are not available.

# **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

## Sewage disposal-relevant information

Do not empty into drains.

Ireland (en) Page 10 / 16

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Barium chloride dihydrate ROTI®METIC 99,999 % (5N)

article number: 5115

## Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

## 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

## Properties of waste which render it hazardous

**HP 6** acute toxicity

## 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

# **SECTION 14: Transport information**

## 14.1 UN number or ID number

ADRRID	UN 1564
IMDG-Code	UN 1564
ICAO-TI	UN 1564

## 14.2 UN proper shipping name

ADRRID	BARIUM COMPOUND, N.O.S.
IMDG-Code	BARIUM COMPOUND, N.O.S.
ICAO-TI	Barium compound, n.o.s.
Technical name	Barium chloride dihydrate

## 14.3 Transport hazard class(es)

ADRRID	6.1
IMDG-Code	6.1
ICAO-TI	6.1

## 14.4 Packing group

ADRRID	III
IMDG-Code	III
ICAO-TI	III

# **14.5 Environmental hazards** non-environmentally hazardous acc. to the dan-

gerous goods regulations

## 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

## 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

## 14.8 Information for each of the UN Model Regulations

Ireland (en) Page 11 / 16

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

## Barium chloride dihydrate ROTI®METIC 99,999 % (5N)

article number: 5115

# Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name BARIUM COMPOUND, N.O.S.

Particulars in the transport document UN1564, BARIUM COMPOUND, N.O.S., (Barium

chloride dihydrate), 6.1, III, (E)

Classification code T5
Danger label(s) 6.1

Special provisions (SP) 177, 274, 513, 587, 802(ADN)

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 kg
Transport category (TC) 2
Tunnel restriction code (TRC) E
Hazard identification No 60

# Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code T5

Danger label(s) 6.1

**Special provisions (SP)** 177, 274, 513, 587, 802(ADN)

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 kg
Transport category (TC) 2
Hazard identification No 60

## International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name BARIUM COMPOUND, N.O.S.

Particulars in the shipper's declaration UN1564, BARIUM COMPOUND, N.O.S., (Barium

chloride dihydrate), 6.1, III

Marine pollutant Danger label(s) 6.1

Special provisions (SP) 177, 223, 274

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 kg
EmS F-A, S-A

Ireland (en) Page 12 / 16

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Barium chloride dihydrate ROTI®METIC 99,999 % (5N)

article number: 5115

Stowage category

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Barium compound, n.o.s.

Particulars in the shipper's declaration UN1564, Barium compound, n.o.s., (Barium chlor-

Α

ide dihydrate), 6.1, III

Danger label(s) 6.1

Special provisions (SP) A3, A82

Excepted quantities (EQ) E1

Limited quantities (LQ) 10 kg

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

not listed

**List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list** Not listed.

## **Seveso Directive**

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

## **Deco-Paint Directive**

VOC content	0 %
VOC content	0 <sup>9</sup> / <sub>I</sub>

## **Industrial Emissions Directive (IED)**

VOC content	0 %
VOC content	0 <sup>g</sup> / <sub>l</sub>

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Ireland (en) Page 13 / 16

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Barium chloride dihydrate ROTI®METIC 99,999 % (5N)

article number: 5115

## **Water Framework Directive (WFD)**

List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Barium chloride dihydrate	Metals and their compounds		a)	

Legend

Indicative list of the main pollutants

## Regulation on the marketing and use of explosives precursors

not listed

## **Regulation on drug precursors**

not listed

# Regulation on substances that deplete the ozone layer (ODS)

not listed

# Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

## Regulation on persistent organic pollutants (POP)

not listed

## Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

## **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

AIIC Australian Inventory of Industrial Chemicals CICR CSCL-ENCS

Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS) Domestic Substances List (DSL)

Ireland (en) Page 14 / 16

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Barium chloride dihydrate ROTI®METIC 99,999 % (5N)

article number: 5115

Legend

EC Substance Inventory (EINECS, ELINCS, NLP) Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances

ECSI IECSC INSQ KECI Korea Existing Chemicals Inventory
NCI National Chemical Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances

Taiwan Chemical Substance Inventory

TSCA **Toxic Substance Control Act** 

## 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

# **SECTION 16: Other information**

## Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes

## **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations

Ireland (en) Page 15 / 16

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



# Barium chloride dihydrate ROTI®METIC 99,999 % (5N)

article number: 5115

Abbr.	Descriptions of used abbreviations	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008	
IOELV	Indicative occupational exposure limit value	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)	
S.I. No. 619 of 2001	Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001	
STEL	Short-term exposure limit	
SVHC	Substance of Very High Concern	
TWA	Time-weighted average	
VOC	Volatile Organic Compounds	
vPvB	Very Persistent and very Bioaccumulative	

## Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

## List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H301	Toxic if swallowed.
H332	Harmful if inhaled.

### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Ireland (en) Page 16 / 16