

article number: **5146** Version: **2.0 en** Replaces version of: 2016-10-18 Version: (1)

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 Product identifier

Identification of the substance

Article number

Nickel nitrate matrix modifier solution 10 g/l Ni(NO<sub>3</sub>)<sub>2</sub> (99,999 %) in 1 % HNO<sub>3</sub>

5146

Registration number (REACH)

not relevant (mixture)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

#### **1.3** Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

#### e-mail (competent person):

#### sicherheit@carlroth.de

#### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.4R	Respiratory sensitisation	1	Resp. Sens. 1	H334



date of compilation: 2016-10-18 Revision: 2022-04-11

according to Regulation (EC) No. 1907/2006 (REACH)



#### Nickel nitrate matrix modifier solution 10 g/l Ni(NO<sub>3</sub>)<sub>2</sub> (99,999 %) in 1 % HNO<sub>3</sub>

#### article number: 5146

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.4S	Skin sensitisation	1	Skin Sens. 1	H317
3.5	Germ cell mutagenicity	2	Muta. 2	H341
3.6	Carcinogenicity	1A	Carc. 1A	H350i
3.7	Reproductive toxicity	1B	Repr. 1B	H360D
3.9	Specific target organ toxicity - repeated exposure	1	STOT RE 1	H372
4.1C	Hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

For full text of abbreviations: see SECTION 16

#### The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP)

#### Pictograms

GHS05, GHS08



#### **Hazard statements**

H290	May be corrosive to metals
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H341	Suspected of causing genetic defects
H350i	May cause cancer by inhalation
H360D	May damage the unborn child
H372	Causes damage to organs through prolonged or repeated exposure
H412	Harmful to aquatic life with long lasting effects

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P280 Wear protective gloves/protective clothing/eye protection/face protection

For professional users only

Hazardous ingredients for labelling:

Nickel dinitrate

Labelling of packages where the contents do not exceed 125 ml Signal word: Danger

according to Regulation (EC) No. 1907/2006 (REACH)



#### Nickel nitrate matrix modifier solution 10 g/l Ni(NO<sub>3</sub>)<sub>2</sub> (99,999 %) in 1 % HNO<sub>3</sub>

#### article number: 5146

Symbol(s)	
H317	May cause an allergic skin reaction.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341	Suspected of causing genetic defects.
H350i	May cause cancer by inhalation.
H360D	May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
contains:	Nickel dinitrate

#### 2.3 **Other hazards**

#### **Results of PBT and vPvB assessment**

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

not relevant (mixture)

#### 3.2 **Mixtures**

#### **Description of the mixture**

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
nickel dinitrate	CAS No 13138-45-9 EC No 236-068-5 Index No 028-012-00-1	1	Ox. Sol. 2 / H272 Acute Tox. 4 / H302 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Resp. Sens. 1 / H314 Skin Sens. 1 / H317 Muta. 2 / H341 Carc. 1A / H350i Repr. 1B / H360D STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		GHS-HC
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2 EC No 231-714-2 Index No 007-030-00-3	1	Ox. Liq. 3 / H272 Met. Corr. 1 / H290 Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318 EUH071		B(a) GHS-HC IOELV

Notes

B(a): The classification refers to an aqueous solution GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/ 2008/EC, Annex VI) IOELV: Substance with a community indicative occupational exposure limit value

according to Regulation (EC) No. 1907/2006 (REACH)



#### Nickel nitrate matrix modifier solution 10 g/l Ni(NO<sub>3</sub>)<sub>2</sub> (99,999 %) in 1 % HNO<sub>3</sub>

#### article number: 5146

Name of sub- stance	Identifier	Specific Conc. Limits	<b>M-Factors</b>	ATE	Exposure route
nickel dinitrate	CAS No 13138-45-9 EC No 236-068-5 Index No 028-012-00-1	Skin Irrit. 2; H315: C ≥ 20 % Skin Sens. 1; H317: C ≥ 0,01 % STOT RE 1; H372: C ≥ 1 % STOT RE 2; H373: 0,1 % ≤ C < 1 %	-	1.620 <sup>mg</sup> / <sub>kg</sub> 1,5 <sup>mg</sup> / <sub>l</sub> /4h	oral inhalation: dust/ mist
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2 EC No 231-714-2 Index No 007-030-00-3	Ox. Liq. 3; H272: C ≥ 65 % Skin Corr. 1A; H314: C ≥ 20 % Skin Corr. 1B; H314: 5 % ≤ C < 20 %	-	2,65 <sup>mg</sup> / <sub>l</sub> /4h	inhalation: va- pour

For full text of abbreviations: see SECTION 16

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

#### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician. In case of skin irritation, consult a physician.

#### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

#### **Following ingestion**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### 4.2 Most important symptoms and effects, both acute and delayed

Irritation, Allergic reactions, Cough, Dyspnoea

### 4.3 Indication of any immediate medical attention and special treatment needed

none

according to Regulation (EC) No. 1907/2006 (REACH)

Nickel nitrate matrix modifier solution 10 g/l Ni(NO<sub>3</sub>)<sub>2</sub> (99,999 %) in 1 % HNO<sub>3</sub>



article number: 5146

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

#### Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

according to Regulation (EC) No. 1907/2006 (REACH)

#### Nickel nitrate matrix modifier solution 10 g/l Ni(NO<sub>3</sub>)<sub>2</sub> (99,999 %) in 1 % HNO<sub>3</sub>

article number: 5146

### **SECTION 7: Handling and storage**

7.1 **Precautions for safe handling** 

Use extractor hood (laboratory). Provision of sufficient ventilation. Avoid exposure.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

#### Incompatible substances or mixtures

Observe hints for combined storage.

**Consideration of other advice:** 

# Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1 **Control parameters**

#### National limit values

#### **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	nitric acid	7697-37- 2	IOELV			1	2,6				2006/15/ EC
GB	nickel, soluble com- pounds	13138- 45-9	WEL		0,1					Ni	EH40/ 2005
GB	nitric acid	7697-37- 2	WEL			1	2,6				EH40/ 2005

#### Notation

Ni

Ceiling value is a limit value above which exposure should not occur Ceiling-C

Calculated as Ni (nickel) Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) STEL

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

#### 8.2 **Exposure controls**

### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection.



according to Regulation (EC) No. 1907/2006 (REACH)

#### Nickel nitrate matrix modifier solution 10 g/l Ni(NO<sub>3</sub>)<sub>2</sub> (99,999 %) in 1 % HNO<sub>3</sub>

#### article number: **5146**

#### Skin protection



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

#### material thickness

>0,11 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**



Respiratory protection necessary at: Aerosol or mist formation.

#### Environmental exposure controls

Keep away from drains, surface and ground water.

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	characteristic
Melting point/freezing point	~0 °C
Boiling point or initial boiling point and boiling range	~100 °C (unknown)
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined



### **Safety data sheet** according to Regulation (EC) No. 1907/2006 (REACH)

Nickel nitrate matrix modifier solution 10 g/l Ni(NO<sub>3</sub>)<sub>2</sub> (99,999 %) in 1 % HNO<sub>3</sub>

#### article number: 5146

Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	<2
Kinematic viscosity	not determined
Solubility(ies)	
Water solubility	miscible in any proportion
Partition coefficient	
Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
Vapour pressure	23 hPa at 20 °C
Density and/or relative density	-
Density	1,016 <sup>g</sup> / <sub>cm³</sub> at 20 °C
Relative vapour density	information on this property is not available
Particle characteristics	not relevant (liquid)
Other safety parameters	
Oxidising properties	none
Other information	none
Information with regard to physical hazard classes:	
Corrosive to metals	category 1: corrosive to metals
Other safety characteristics:	
Miscibility	completely miscible with water

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

9.2

Substance or mixture corrosive to metals.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### **10.3** Possibility of hazardous reactions

Violent reaction with: Ammonia (NH3), Bases, Metals, Reducing agents, Strong alkali, Organic solvents

#### 10.4 Conditions to avoid

Keep away from heat.



according to Regulation (EC) No. 1907/2006 (REACH)

#### Nickel nitrate matrix modifier solution 10 g/l Ni(NO<sub>3</sub>)<sub>2</sub> (99,999 %) in 1 % HNO<sub>3</sub>

article number: 5146

#### 10.5 Incompatible materials

different metals (due to the release of hydrogen in an acid/alkaline medium)

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

### **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

#### **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

#### Acute toxicity

Shall not be classified as acutely toxic.

#### Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No Exposure route		ATE
nickel dinitrate	13138-45-9	oral	1.620 <sup>mg</sup> / <sub>kg</sub>
nickel dinitrate	13138-45-9	inhalation: dust/mist	1,5 <sup>mg</sup> /ı/4h
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: vapour	2,65 <sup>mg</sup> / <sub>l</sub> /4h

#### Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
nickel dinitrate	13138-45-9	oral	LD50	1.620 <sup>mg</sup> / <sub>kg</sub>	rat
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: va- pour	LC50	>2,65 <sup>mg</sup> / <sub>l</sub> /4h	rat

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### **Respiratory or skin sensitisation**

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

#### Germ cell mutagenicity

Suspected of causing genetic defects.

#### Carcinogenicity

May cause cancer by inhalation.

#### **Reproductive toxicity**

May damage the unborn child.



according to Regulation (EC) No. 1907/2006 (REACH)

#### Nickel nitrate matrix modifier solution 10 g/l Ni(NO<sub>3</sub>)<sub>2</sub> (99,999 %) in 1 % HNO<sub>3</sub>

#### article number: 5146

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

Data are not available.

• If in eyes

Causes serious eye irritation

#### • If inhaled

May produce an allergic reaction, cough, Dyspnoea

#### • If on skin

causes skin irritation, May produce an allergic reaction, pruritis, localised redness

#### Other information

This information is based upon the present state of our knowledge.

#### **11.2 Endocrine disrupting properties** None of the ingredients are listed.

#### 11.3 Information on other hazards

There is no additional information.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Harmful to aquatic life with long lasting effects.

#### Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

## 12.2 Process of degradability

Data are not available.

**12.3 Bioaccumulative potential** Data are not available.

# 12.4 Mobility in soil

Data are not available.

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Endocrine disrupting properties** None of the ingredients are listed.
- 12.7 Other adverse effects

Data are not available.



according to Regulation (EC) No. 1907/2006 (REACH)

Nickel nitrate matrix modifier solution 10 g/l Ni(NO<sub>3</sub>)<sub>2</sub> (99,999 %) in 1 % HNO<sub>3</sub>



#### article number: 5146

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

### **SECTION 14: Transport information**

14.1	UN number or ID number	
	ADRRID	UN 3264
	IMDG-Code	UN 3264
	ICAO-TI	UN 3264
14.2	UN proper shipping name	
	ADRRID	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
	IMDG-Code	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
	ICAO-TI	Corrosive liquid, acidic, inorganic, n.o.s.
	Technical name (hazardous ingredients)	Nitric acid% [C ≤ 70 %], Nickel dinitrate
14.3	Transport hazard class(es)	
	ADRRID	8
	IMDG-Code	8
	ICAO-TI	8
14.4	Packing group	
	ADRRID	III
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations

according to Regulation (EC) No. 1907/2006 (REACH)



#### Nickel nitrate matrix modifier solution 10 g/l Ni(NO<sub>3</sub>)<sub>2</sub> (99,999 %) in 1 % HNO<sub>3</sub>

article number: 5146

# **14.6** Special precautions for userProvisions for dangerous goods (ADR) should be complied within the premises.

### **14.7** Maritime transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional
information

Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Particulars in the transport document	UN3264, CORROSIVE LIQUID, ACIDIC, INORGAN- IC, N.O.S., (Nitric acid% [C ≤ 70 %], nickel dini- trate, solution), 8, III, (E)
Classification code	C1
Danger label(s)	8
Special provisions (SP)	274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Tunnel restriction code (TRC)	E
Hazard identification No	80
Emergency Action Code	2X
Regulations concerning the International Carrie information	age of Dangerous Goods by Rail (RID)Additional
	0

Classification code	8
Danger label(s)	8
Special provisions (SP)	274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Hazard identification No	80

according to Regulation (EC) No. 1907/2006 (REACH)

#### Nickel nitrate matrix modifier solution 10 g/l Ni(NO<sub>3</sub>)<sub>2</sub> (99,999 %) in 1 % HNO<sub>3</sub>

article number: 5146

International Maritime Dangerous Goods Code	(IMDG) - Additional information
Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Particulars in the shipper's declaration	UN3264, CORROSIVE LIQUID, ACIDIC, INORGAN- IC, N.O.S., (Nitric acid% [C ≤ 70 %], nickel dini- trate, solution), 8, III
Marine pollutant	-
Danger label(s)	8
Special provisions (SP)	223, 274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-B
Stowage category	A
Segregation group	1 - Acids
International Civil Aviation Organization (ICAO	-IATA/DGR) - Additional information
Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s.
Particulars in the shipper's declaration	UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (Nitric acid% [C ≤ 70 %], nickel dinitrate, solu- tion), 8, III
Danger label(s)	8
Special provisions (SP)	A3
Excepted quantities (EQ)	E1
Limited quantities (LQ)	1 L

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

**Restrictions according to REACH, Annex XVII** 

Dangerous substances with re	ngerous substances with restrictions (REACH, Annex XVII)			
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Nickel nitrate matrix modifier solution	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
nickel dinitrate	carcinogenic		R28-30	28
nickel dinitrate	toxic for reproduction		R28-30	30
nickel dinitrate	nickel compounds		R27	27



according to Regulation (EC) No. 1907/2006 (REACH)



#### article

-	Dangerous substances with restrictions (REACH, Annex XVII)				
	Name of substance	Name acc. to inventory	CAS No	Restriction	No
	Nitric acid% [C ≤ 70 %]	substances in tattoo inks and perman- ent make-up		R75	75
Legen( 27	<ol> <li>Shall not be used:         <ul> <li>(a) in any post assemblies whicl rate of nickel release from such</li> <li>(b) in articles intended to come</li> <li>earrings,</li> <li>necklaces, bracelets and chain</li> <li>wrist-watch cases, watch strap</li> <li>rivet buttons, tighteners, rivets</li> <li>if the rate of nickel release from greater than 0,5 µg/cm2/week.</li> <li>(c) in articles referred to in poin that the rate of nickel release from will not exceed 0,5 µg/cm2/week</li> <li>(d) in articles referred to in poin that the rate of nickel release from will not exceed 0,5 µg/cm2/week</li> <li>Articles which are the subject ments set out in that paragraph</li> <li>The standards adopted by th demonstrating the conformity of</li> <li>Shall not be placed on the mat- as substances,</li> <li>as constituents of other substate in mixtures,</li> <li>for supply to the general public than:</li> <li>either the relevant specific con the relevant concentration spec of Annex VI to Regulation (EC) N</li> <li>Without prejudice to the implen labelling of substances and mix such substances and mixtures is 'Restricted to professional users' 2. By way of derogation, paragr (a) medicinal or veterinary prod (b) cosmetic products as definee (c) the following fuels and oil pre- motor fuels which are covered</li> </ul> </li> </ol>	s and tighteners, s, zippers and metal marks, when these ar the parts of these articles coming into dir the parts of these articles coming into dir the parts of such articles coming int those parts of such articles coming int k for a period of at least two years of norn t of paragraph 1 shall not be placed on the de European Committee for Standardisatio of articles to paragraphs 1 and 2. ances, or, when the individual concentration in the s centration limit specified in Part 3 of Anne cified in Directive 1999/45/EC where no sp to 1272/2008. nentation of other Community provisions tures, suppliers shall ensure before the pla s marked visibly, legibly and indelibly as for different specified in Standardiset of tures as defined by Directive 2001/82/EC ar d by Directive 76/768/EEC; oducts:	veek (migration e skin such as: e used in garn rect and prolor g unless such o direct and prolor al use of the a e market unles n (CEN) shall b substance or n ex VI to Regula becific concent relating to the acing on the m ollows:	n limit); nged contact with th coating is sufficient rolonged contact with article. is they conform to th be used as the test m nixture is equal to or tion (EC) No 1272/20 ration limit is set our classification, packa narket that the packa	e skin is to ensu h the sk re requi rethods greate 08, or, t in Part ging an
R3	<ul> <li>fuels sold in closed systems (e. (d) artists' paints covered by Dir (e) the substances listed in Appea a date is specified in column 2 o (f) devices covered by Regulatio 1. Shall not be used in:</li> <li>ornamental articles intended t mental lamps and ashtrays,</li> <li>tricks and jokes,</li> <li>games for one or more particit 2. Articles not complying with p. 3. Shall not be placed on the mator both, if they:</li> <li>can be used as fuel in decora</li> <li>present an aspiration hazard 4. Decorative oil lamps for supp European Standard on Decorati (CEN).</li> <li>Without prejudice to the implaging of substances and mixtur ments are met:</li> <li>(a) lamp oils, labelled with H304 follows: "Keep lamps filled with - or even sucking the wick of lar (b) grill lighter fluids, labelled with 1 December 2010 as follows: "Lamp of lows: "Lamp of lows: "Lamps follows: "Lamp of lows: "Lamps follows: "Lamps follows: "Lamp of lows: "Lamps follows: "L</li></ul>	g. liquid gas bottles); ective 1999/45/EC; endix 11, column 1, for the applications or f Appendix 11, the derogation shall apply n (EU) 2017/745. o produce light or colour effects by means pants, or any article intended to be used a aragraph 1 shall not be placed on the mar urket if they contain a colouring agent, unl tive oil lamps for supply to the general pu and are labelled with H304. ly to the general public shall not be placed ve oil lamps (EN 14059) adopted by the Eu ementation of other Union provisions rela es, suppliers shall ensure, before the placi , intended for supply to the general public this liquid out of the reach of children"; an mps – may lead to life-threatening lung da ith H304, intended for supply to the general abelled with H304, intended for supply to	uses listed in <i>J</i> until the said of s of different p s such, even w ket. ess required fo blic, and d on the marke ropean Comm ting to the cla ing on the marke d, by 1 Decem mage"; al public are le threatening lu	date; hases, for example i vith ornamental aspe or fiscal reasons, or hittee for Standardise ssification, labelling ssification, labelling gibly and indelibly m ber 2010, "Just a sip egibly and indelibly r ung damage";	n orna- ects, perfum and par and par ng requ barked a of lamp narked



Nickel nitrate matrix modifier solution 10 g/l Ni(NO<sub>3</sub>)<sub>2</sub> (99,999 %) in 1 % HNO<sub>3</sub>

#### article number: 5146



tattooing purposes.



according to Regulation (EC) No. 1907/2006 (REACH)



### Nickel nitrate matrix modifier solution 10 g/l Ni(NO $_3$ )<sub>2</sub> (99,999 %) in 1 % HNO $_3$

#### article number: 5146

#### Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

#### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed.

#### **Seveso Directive**

2012/	2012/18/EU (Seveso III)		
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes
	not assigned		

#### **Deco-Paint Directive**

VOC content	0 % 0 <sup>9</sup> / <sub>1</sub>
-------------	--------------------------------------

#### **Industrial Emissions Directive (IED)**

VOC content	0 %
VOC content (Water content was discounted)	0 <sup>g</sup> / <sub>l</sub>

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed


# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

#### Water Framework Directive (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
nickel dinitrate	nickel compounds		b)	
nickel dinitrate	nickel compounds	7440-02-0	c)	
nickel dinitrate	Substances which contribute to eutrophication (in particular, ni- trates and phosphates)		a)	

according to Regulation (EC) No. 1907/2006 (REACH)



#### article number: 5146

Г

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
nickel dinitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
nickel dinitrate	Metals and their compounds		a)	

Legend

A) B) C) Indicative list of the main pollutants

List of priority substances in the field of water policy

Environmental Quality Standards for Priority Substances and certain other pollutants

#### Regulation on the marketing and use of explosives precursors

Explosives precursors which are subject to restrictions					
Name of substance	CAS No	Type of registration	Remarks	Limit value	Upper limit value for the pur- pose of licensing under Article 5(3)
Nitric acid% [C ≤ 70 %]	7697-37-2	Annex I		3 % w/w	10 % w/w

Legend

annex I Substances which shall not be made available to members of the general public on their own, or in mixtures or substances including them, except if the concentration is equal to or lower than the limit values set out below

#### Additional statements

If the product is passed on to third parties, in accordance with Article 7 "Notification of the supply chain" of Regulation EU 2019/1148, the information obligation is subject to the entire supply chain and all other provisions mentioned in Article 7 on restricted and regulated raw materials.

#### **Regulation on drug precursors**

none of the ingredients are listed

#### Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

#### Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

#### **Regulation on persistent organic pollutants (POP)**

none of the ingredients are listed

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.



according to Regulation (EC) No. 1907/2006 (REACH)

#### Nickel nitrate matrix modifier solution 10 g/l Ni(NO<sub>3</sub>)<sub>2</sub> (99,999 %) in 1 % HNO<sub>3</sub>

#### article number: 5146

National invento
------------------

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

#### Legend

Legena	
AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

### Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section	າ 9, section 14	
------------------------	-----------------	--

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.1	Remarks: For full text of Hazard- and EU Hazard-state- ments: see SECTION 16.		yes



according to Regulation (EC) No. 1907/2006 (REACH)



### Nickel nitrate matrix modifier solution 10 g/l Ni(NO<sub>3</sub>)<sub>2</sub> (99,999 %) in 1 % HNO<sub>3</sub>

#### article number: 5146

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		The most important adverse physicochemical, human health and environmental effects: Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Hazard statements: change in the listing (table)	yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2	Precautionary statements - response		yes
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)

according to Regulation (EC) No. 1907/2006 (REACH)



### Nickel nitrate matrix modifier solution 10 g/l Ni(NO<sub>3</sub>)<sub>2</sub> (99,999 %) in 1 % HNO<sub>3</sub>

#### article number: 5146

Abbr.	Descriptions of used abbreviations
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an ident fier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval
Met. Corr.	Substance or mixture corrosive to metals
Muta.	Germ cell mutagenicity
NLP	No-Longer Polymer
Ox. Liq.	Oxidising liquid
Ox. Sol.	Oxidising solid
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
Resp. Sens.	Respiratory sensitisation
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation

according to Regulation (EC) No. 1907/2006 (REACH)



#### Nickel nitrate matrix modifier solution 10 g/l Ni(NO<sub>3</sub>)<sub>2</sub> (99,999 %) in 1 % HNO<sub>3</sub>

#### article number: **5146**

Abbr.	Descriptions of used abbreviations
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

#### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341	Suspected of causing genetic defects.
H350i	May cause cancer by inhalation.
H360D	May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.



### Nickel nitrate matrix modifier solution 10 g/l Ni(NO<sub>3</sub>)<sub>2</sub> (99,999 %) in 1 % HNO<sub>3</sub>

#### article number: 5146

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.