

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Karl Fischer ROTI®Hydroquant C5 K 5 mg H<sub>2</sub>O/ml, for KF titration, for aldehydes and ketones

article number: 5211  
Version: 1.0 en

date of compilation: 31.03.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Identification of the substance	<b>Karl Fischer ROTI®Hydroquant C5 K 5 mg H<sub>2</sub>O/ml, for KF titration, for aldehydes and ketones</b>
Article number	5211
Registration number (REACH)	not relevant (mixture)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:	Laboratory chemical Laboratory and analytical use
Uses advised against:	Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:** +49 (0) 721 - 56 06 0  
**Telefax:** +49 (0) 721 - 56 06 149  
**e-mail:** sicherheit@carlroth.de  
**Website:** www.carlroth.de

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

#### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
Tox Info Suisse	Freiestrasse 16	Zürich	145	

#### 1.5 Importer

ROTH AG  
Fabrikmattenweg 12  
4144 Arlesheim  
Switzerland

**Telephone:** +41 61 7121160  
**Telefax:** -  
**e-Mail:** info@carlroth.ch  
**Website:** www.carlroth.ch

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



**Karl Fischer ROTI®Hydroquant C5 K 5 mg H<sub>2</sub>O/ml, for KF titration, for aldehydes and ketones**

article number: 5211

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
3.2	Skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.7	Reproductive toxicity	1B	Repr. 1B	H360D
3.9	Specific target organ toxicity - repeated exposure	1	STOT RE 1	H372

For full text of abbreviations: see SECTION 16

#### The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure.

### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP)

##### Signal word

**Danger**

##### Pictograms

GHS05, GHS08



##### Hazard statements

H314 Causes severe skin burns and eye damage  
H360D May damage the unborn child  
H372 Causes damage to organs (thyroid gland) through prolonged or repeated exposure (if swallowed)

##### Precautionary statements

###### Precautionary statements - prevention

P202 Do not handle until all safety precautions have been read and understood  
P280 Wear protective gloves/protective clothing/eye protection/face protection

###### Precautionary statements - response

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P308+P313 IF exposed or concerned: Get medical advice/attention

For professional users only

##### Hazardous ingredients for labelling:

Imidazole, Iodine, Sulphur dioxide

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Karl Fischer ROTI® Hydroquant C5 K 5 mg H<sub>2</sub>O/ml, for KF titration, for aldehydes and ketones

article number: 5211

### Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**

Hazard pictogram(s):



H314	Causes severe skin burns and eye damage.
H360D	May damage the unborn child.
H372	Causes damage to organs (thyroid gland) through prolonged or repeated exposure (if swallowed).
P202	Do not handle until all safety precautions have been read and understood.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
contains:	Imidazole, Iodine, Sulphur dioxide

### Labelling of packages where the contents do not exceed 10 ml

Signal word: Not required

Hazard pictogram(s):



Hazard statements: Not required

Precautionary statements: Not required

## 2.3 Other hazards

This material is combustible, but will not ignite readily.

### Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of  $\geq 0,1\%$ .

### Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

not relevant (mixture)

### 3.2 Mixtures

#### Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Diethylene glycol monoethyl ether	CAS No 111-90-0  EC No 203-919-7  REACH Reg. No 01-2119475105- 42-xxxx	$\geq 50$			
Imidazole	CAS No 288-32-4  EC No 206-019-2	$> 15 - 20$	Acute Tox. 4 / H302 Skin Corr. 1C / H314 Eye Dam. 1 / H318 Repr. 1B / H360D		GHS-HC

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Karl Fischer ROTI® Hydroquant C5 K 5 mg H<sub>2</sub>O/ml, for KF titration, for aldehydes and ketones

article number: 5211

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
	Index No 613-319-00-0  REACH Reg. No 01-2119485825-24-xxxx				
Iodine	CAS No 7553-56-2  EC No 231-442-4  Index No 053-001-00-3  REACH Reg. No 01-2119485285-30-xxxx	> 10 – 15	Acute Tox. 4 / H302 Acute Tox. 4 / H312 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 STOT SE 3 / H335 STOT RE 1 / H372 Aquatic Acute 1 / H400		GHS-HC
Sulphur dioxide	CAS No 7446-09-5  EC No 231-195-2  Index No 016-011-00-9	> 5 – 10	Press. Gas C / H280 Acute Tox. 3 / H331 Skin Corr. 1B / H314 Eye Dam. 1 / H318 STOT SE 1 / H370		5 GHS-HC IOELV U(b)

### Notes

5: The concentration limits for gaseous mixtures are expressed as volume per volume percentage.

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)

IOELV: Substance with a community indicative occupational exposure limit value

U(b): The allocation to the group 'compressed gas' is based on the physical state in which the gas is packaged

Name of substance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Imidazole	CAS No 288-32-4  EC No 206-019-2  Index No 613-319-00-0	-	-	970 mg/kg	oral
Iodine	CAS No 7553-56-2  EC No 231-442-4  Index No 053-001-00-3	-	-	1.500 mg/kg 1.100 mg/kg >4,588 mg/l /4h	oral dermal inhalation: dust/mist
Sulphur dioxide	CAS No 7446-09-5  EC No 231-195-2  Index No 016-011-00-9	-	-	1.000 ppmV/4h	inhalation: gas

### Remarks

For full text of abbreviations: see SECTION 16

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



**Karl Fischer ROTI®Hydroquant C5 K 5 mg H<sub>2</sub>O/ml, for KF titration, for aldehydes and ketones**

article number: 5211

## SECTION 4: First aid measures

### 4.1 Description of first aid measures



#### General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

#### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

#### Following ingestion

Rinse mouth immediately and drink plenty of water. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### 4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Risk of blindness, Gastric perforation, Risk of serious damage to eyes

### 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings!  
water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Combustible.

#### Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NO<sub>x</sub>), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Sulphur oxides (SO<sub>x</sub>), May produce toxic fumes of carbon monoxide if burning.

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



**Karl Fischer ROTI®Hydroquant C5 K 5 mg H<sub>2</sub>O/ml, for KF titration, for aldehydes and ketones**

article number: 5211

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Provision of sufficient ventilation. Handle and open container with care. Avoid exposure. Clear contaminated areas thoroughly.

#### Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

#### Incompatible substances or mixtures

Observe hints for combined storage. See also TRGS 510 (Germany). Incompatible materials: see section 10.

#### Consideration of other advice:

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

#### Storage of hazardous substances in non-stationary containers (TRGS 510) (Germany)

storage class (LGK):

### 7.3 Specific end use(s)

No information available.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Karl Fischer ROTI® Hydroquant C5 K 5 mg H<sub>2</sub>O/ml, for KF titration, for aldehydes and ketones

article number: 5211

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### National limit values

##### Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [ppm]	Ceiling-C [mg/m <sup>3</sup> ]	Notation	Source
CH	ethyldiglycol	111-90-0	MAK		50		100			va, i	SUVA
CH	sulfur dioxide	7446-09-5	MAK	0,5	1,3	1	2,7				SUVA
CH	iodine	7553-56-2	MAK	0,1	1	0,1	1			va, H	SUVA
EU	sulfur dioxide	7446-09-5	IOELV	0,5	1,3	1	2,7				2017/164/EU

##### Notation

Ceiling-C	Ceiling value is a limit value above which exposure should not occur
H	Absorbed through the skin
i	Inhalable fraction
STEL	Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)
va	As vapours and aerosols

##### Relevant DNELs of components

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Diethylene glycol monoethyl ether	111-90-0	DNEL	61 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Diethylene glycol monoethyl ether	111-90-0	DNEL	83 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Diethylene glycol monoethyl ether	111-90-0	DNEL	30 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
Imidazole	288-32-4	DNEL	10,6 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Imidazole	288-32-4	DNEL	1,5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Iodine	7553-56-2	DNEL	0,07 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Iodine	7553-56-2	DNEL	0,01 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Karl Fischer ROTI® Hydroquant C5 K 5 mg H<sub>2</sub>O/ml, for KF titration, for aldehydes and ketones

article number: 5211

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Diethylene glycol monoethyl ether	111-90-0	PNEC	500 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Diethylene glycol monoethyl ether	111-90-0	PNEC	1,98 mg/l	aquatic organisms	freshwater	short-term (single instance)
Diethylene glycol monoethyl ether	111-90-0	PNEC	0,198 mg/l	aquatic organisms	marine water	short-term (single instance)
Diethylene glycol monoethyl ether	111-90-0	PNEC	7,32 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Diethylene glycol monoethyl ether	111-90-0	PNEC	0,732 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Diethylene glycol monoethyl ether	111-90-0	PNEC	0,34 mg/kg	terrestrial organisms	soil	short-term (single instance)
Imidazole	288-32-4	PNEC	0,13 mg/l	aquatic organisms	freshwater	short-term (single instance)
Imidazole	288-32-4	PNEC	0,013 mg/l	aquatic organisms	marine water	short-term (single instance)
Imidazole	288-32-4	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Imidazole	288-32-4	PNEC	0,336 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Imidazole	288-32-4	PNEC	0,034 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Imidazole	288-32-4	PNEC	0,043 mg/kg	terrestrial organisms	soil	short-term (single instance)
Iodine	7553-56-2	PNEC	18,13 µg/l	aquatic organisms	freshwater	short-term (single instance)
Iodine	7553-56-2	PNEC	60,01 µg/l	aquatic organisms	marine water	short-term (single instance)
Iodine	7553-56-2	PNEC	11 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Iodine	7553-56-2	PNEC	3,99 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Iodine	7553-56-2	PNEC	20,22 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Iodine	7553-56-2	PNEC	5,95 mg/kg	terrestrial organisms	soil	short-term (single instance)

## 8.2 Exposure controls

### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection. Wear face protection.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Karl Fischer ROTI®Hydroquant C5 K 5 mg H<sub>2</sub>O/ml, for KF titration, for aldehydes and ketones

article number: 5211

### Skin protection



#### • hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

#### • material thickness

0,4 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

### Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C, colour code: Brown). Type: E (against acidic gases like sulphur dioxide or hydrogen chloride, colour code: Yellow).

### Environmental exposure controls

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	red brown
Odour	odourless
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	194 °C
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	1,2 vol% (LEL) - 12,2 vol% (UEL) (data apply to the main component)

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Karl Fischer ROTI®Hydroquant C5 K 5 mg H<sub>2</sub>O/ml, for KF titration, for aldehydes and ketones

article number: 5211

Flash point	90 °C
Auto-ignition temperature	204 °C (data apply to the main component)
Decomposition temperature	not relevant
pH (value)	~8 (20 °C)
Kinematic viscosity	not determined

### Solubility(ies)

Water solubility	not determined
------------------	----------------

### Partition coefficient

Partition coefficient n-octanol/water (log value):	this information is not available
--	-----------------------------------

Vapour pressure	3,4 hPa at 20 °C
-----------------	------------------

### Density and/or relative density

Density	1,17 g/cm <sup>3</sup> at 20 °C
Relative vapour density	Information on this property is not available.

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

### Other safety parameters

Oxidising properties	none
----------------------	------

## 9.2 Other information

Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
---	---

Other safety characteristics:

Temperature class (EU, acc. to ATEX)	T3 Maximum permissible surface temperature on the equipment: 200°C
--------------------------------------	---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### **If heated**

Vapours may form explosive mixtures with air.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

**Violent reaction with:** strong oxidiser

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Karl Fischer ROTI®Hydroquant C5 K 5 mg H<sub>2</sub>O/ml, for KF titration, for aldehydes and ketones

article number: 5211

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

different metals

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

#### Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components			
Name of substance	CAS No	Exposure route	ATE
Imidazole	288-32-4	oral	970 mg/kg
Iodine	7553-56-2	oral	1.500 mg/kg
Iodine	7553-56-2	dermal	1.100 mg/kg
Iodine	7553-56-2	inhalation: dust/mist	>4,588 mg/l/4h
Sulphur dioxide	7446-09-5	inhalation: gas	1.000 ppmV/4h

Acute toxicity of components					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Diethylene glycol monoethyl ether	111-90-0	oral	LD50	6.031 mg/kg	mouse
Diethylene glycol monoethyl ether	111-90-0	dermal	LD50	9.143 mg/kg	rabbit
Imidazole	288-32-4	oral	LD50	970 mg/kg	rat
Iodine	7553-56-2	oral	LD50	14.000 mg/kg	not specified
Iodine	7553-56-2	inhalation: dust/mist	LC50	>4,588 mg/l/4h	rat
Iodine	7553-56-2	dermal	LD50	>2.000 mg/kg	rabbit

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Karl Fischer ROTI® Hydroquant C5 K 5 mg H<sub>2</sub>O/ml, for KF titration, for aldehydes and ketones

article number: 5211

### Carcinogenicity

Shall not be classified as carcinogenic.

### Reproductive toxicity

May damage the unborn child.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Causes damage to organs (thyroid gland) through prolonged or repeated exposure (if swallowed).

Hazard category	Target organ	Exposure route
1	thyroid gland	if swallowed

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

#### • If in eyes

causes burns, Causes serious eye damage, risk of blindness

#### • If inhaled

Data are not available.

#### • If on skin

causes severe burns, causes poorly healing wounds

#### • Other information

none

### 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

### 11.3 Information on other hazards

There is no additional information.

## SECTION 12: Ecological information

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Diethylene glycol monoethyl ether	111-90-0	LC50	6.010 mg/l	fish	96 h
Diethylene glycol monoethyl ether	111-90-0	ErC50	14.861 mg/l	algae	72 h
Imidazole	288-32-4	LC50	283,6 mg/l	fish	48 h
Imidazole	288-32-4	EC50	341,5 mg/l	aquatic invertebrates	48 h
Imidazole	288-32-4	ErC50	133 mg/l	algae	72 h

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Karl Fischer ROTI®Hydroquant C5 K 5 mg H<sub>2</sub>O/ml, for KF titration, for aldehydes and ketones

article number: 5211

### Aquatic toxicity (acute) of components

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Iodine	7553-56-2	LC50	1,67 mg/l	fish	96 h
Iodine	7553-56-2	ErC50	0,13 mg/l	algae	72 h

### Aquatic toxicity (chronic) of components

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Imidazole	288-32-4	EC50	>1.000 mg/l	microorganisms	30 min
Iodine	7553-56-2	EC50	280 mg/l	microorganisms	3 h

## 12.2 Persistence and degradability

### Degradability of components

Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
Diethylene glycol monoethyl ether	111-90-0	biotic/abiotic	90 %	28 d		
Diethylene glycol monoethyl ether	111-90-0	carbon dioxide generation	7,1 %	3 d		ECHA
Imidazole	288-32-4	biotic/abiotic	86 %	19 d		
Imidazole	288-32-4	DOC removal	90 - 100 %	18 d		ECHA

## 12.3 Bioaccumulative potential

Data are not available.

### Bioaccumulative potential of components

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Diethylene glycol monoethyl ether	111-90-0		-0,54 (pH value: 7, 20 °C)	
Imidazole	288-32-4		0,0586	
Iodine	7553-56-2		2,49 (20 °C)	

## 12.4 Mobility in soil

Data are not available.

## 12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of  $\geq 0,1\%$ .

## 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

## 12.7 Other adverse effects

Data are not available.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



**Karl Fischer ROTI®Hydroquant C5 K 5 mg H<sub>2</sub>O/ml, for KF titration, for aldehydes and ketones**

article number: 5211

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous

- HP 4** irritant - skin irritation and eye damage
- HP 5** specific target organ toxicity (STOT)/aspiration toxicity
- HP 6** acute toxicity
- HP 8** corrosive
- HP 10** toxic for reproduction

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR/RID/ADN	UN 1760
IMDG-Code	UN 1760
ICAO-TI	UN 1760

### 14.2 UN proper shipping name

ADR/RID/ADN	CORROSIVE LIQUID, N.O.S.
IMDG-Code	CORROSIVE LIQUID, N.O.S.
ICAO-TI	Corrosive liquid, n.o.s.
Technical name (hazardous ingredients)	Imidazole, Iodine

### 14.3 Transport hazard class(es)

ADR/RID/ADN	8
IMDG-Code	8
ICAO-TI	8

### 14.4 Packing group

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Karl Fischer ROTI®Hydroquant C5 K 5 mg H<sub>2</sub>O/ml, for KF titration, for aldehydes and ketones

article number: 5211

ADR/RID/ADN II

IMDG-Code II

ICAO-TI II


**14.5 Environmental hazards** non-environmentally hazardous acc. to the dangerous goods regulations

**14.6 Special precautions for user**  
Provisions for dangerous goods (ADR) should be complied within the premises.


**14.7 Maritime transport in bulk according to IMO instruments**  
The cargo is not intended to be carried in bulk.

### 14.8 Information for each of the UN Model Regulations

#### Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name	CORROSIVE LIQUID, N.O.S.
Particulars in the transport document	UN1760, CORROSIVE LIQUID, N.O.S., (contains: Imidazole, Iodine), 8, II, (E)
Classification code	C9
Danger label(s)	8
	
Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Tunnel restriction code (TRC)	E
Hazard identification No	80

#### International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name	CORROSIVE LIQUID, N.O.S.
Particulars in the shipper's declaration	UN1760, CORROSIVE LIQUID, N.O.S., (contains: Imidazole, Iodine), 8, II
Marine pollutant	-
Danger label(s)	8
	
Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
EmS	F-A, S-B

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Karl Fischer ROTI®Hydroquant C5 K 5 mg H<sub>2</sub>O/ml, for KF titration, for aldehydes and ketones

article number: 5211

Stowage category B

### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Corrosive liquid, n.o.s.

Particulars in the shipper's declaration UN1760, Corrosive liquid, n.o.s., (contains: Imidazole, Iodine), 8, II

Danger label(s) 8



Special provisions (SP) A3

Excepted quantities (EQ) E2

Limited quantities (LQ) 0,5 L

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

#### Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Karl Fischer ROTI®Hydroquant C5 K	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3	3
Imidazole	toxic for reproduction		R28-30	30
Imidazole	substances in tattoo inks and permanent make-up		R75	75
Sulphur dioxide	substances in tattoo inks and permanent make-up		R75	75
Iodine	substances in tattoo inks and permanent make-up		R75	75

#### Legend

- R28-30 1. Shall not be placed on the market, or used,  
- as substances,  
- as constituents of other substances, or,  
- in mixtures,  
for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:  
- either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or,  
- the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008.  
Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:  
'Restricted to professional users'.  
2. By way of derogation, paragraph 1 shall not apply to:  
(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;  
(b) cosmetic products as defined by Directive 76/768/EEC;  
(c) the following fuels and oil products:  
- motor fuels which are covered by Directive 98/70/EC,  
- mineral oil products intended for use as fuel in mobile or fixed combustion plants,  
- fuels sold in closed systems (e.g. liquid gas bottles);  
(d) artists' paints covered by Regulation (EC) No 1272/2008;  
(e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date;  
(f) devices covered by Regulation (EU) 2017/745.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Karl Fischer ROTI® Hydroquant C5 K 5 mg H<sub>2</sub>O/ml, for KF titration, for aldehydes and ketones

article number: 5211

### Legend

- R3
1. Shall not be used in:
    - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
    - tricks and jokes,
    - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
  2. Articles not complying with paragraph 1 shall not be placed on the market.
  3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
    - can be used as fuel in decorative oil lamps for supply to the general public, and
    - present an aspiration hazard and are labelled with H304.
  4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
  5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
    - (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
    - (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
    - (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.;
- R75
1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:
    - (a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
    - (b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
    - (c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
    - (d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:
      - (i) 0,1 % by weight, if the substance is used solely as a pH regulator;
      - (ii) 0,01 % by weight, in all other cases;
    - (e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (\*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
    - (f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:
      - (i) "Rinse-off products";
      - (ii) "Not to be used in products applied on mucous membranes";
      - (iii) "Not to be used in eye products";
    - (g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column;
    - (h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.
  2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.
  3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.
  4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:
    - (a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);
    - (b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).
  5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification.
  6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.
  7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:
    - (a) the statement "Mixture for use in tattoos or permanent make-up";
    - (b) a reference number to uniquely identify the batch;
    - (c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Karl Fischer ROTI®Hydroquant C5 K 5 mg H<sub>2</sub>O/ml, for KF titration, for aldehydes and ketones

article number: 5211

### Legend

names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation;

(d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;

(e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;

(f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below the concentration limit specified in Appendix 13;

(g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.

The information shall be clearly visible, easily legible and marked in a way that is indelible.

The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise.

Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use.

Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph.

8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

none of the ingredients are listed

### Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

### Deco-Paint Directive

VOC content	>70 %
VOC content	819 g/l

### Industrial Emissions Directive (IED)

VOC content	>70 %
VOC content	819 g/l

### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

### Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Karl Fischer ROTI®Hydroquant C5 K 5 mg H<sub>2</sub>O/ml, for KF titration, for aldehydes and ketones

article number: 5211

### Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Imidazole	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		a)	

#### Legend

a) Indicative list of the main pollutants

### Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

### Regulation on drug precursors

none of the ingredients are listed

### Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

### Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

### Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

### National regulations (Germany)

### Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water)(AwSV)

Wassergefährdungsklasse, WGK 2 (obviously hazardous to water)  
(water hazard class):

### Technical instructions on air quality control (Germany)

Number	Group of substances	Class	Conc.	Mass flow	Mass concentration	Notation
5.2.4	gaseous inorganic substances	class IV	10 – < 25 wt%	1,8 kg/h	0,35 g/m <sup>3</sup>	1)
5.2.5	organic substances		≥ 25 wt%	0,5 kg/h	50 mg/m <sup>3</sup>	3)
5.2.7.1.3	reproductive toxic substances		10 – < 25 wt%			4)

#### Notation

- 1) Attention: mass flow or mass concentration per substance
- 3) A total mass flow of 0.50 kg/h or a total mass concentration of 50 mg/m<sup>3</sup>, each of which to be indicated as total carbon, shall not be exceeded (except organic particulate matter)
- 4) In compliance with the emission reduction dictate

### Storage of hazardous substances in non-stationary containers (TRGS 510) (Germany)

Storage class (LGK): 6.1 C (combustible substances of acute toxicity, category 3 (PG III) / hazardous substances that are toxic or produce chronic effects)

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Karl Fischer ROTI®Hydroquant C5 K 5 mg H<sub>2</sub>O/ml, for KF titration, for aldehydes and ketones

article number: 5211

### Chemikalien-Verbotsverordnung (Chemicals Prohibition Ordinance) - ChemVerbotsV

Anforderungen in Bezug auf die Abgabe		
Name acc. to inventory	Anforderungen	Erleichterte Anforderungen
Produkt mit GHS08 und Signalwort "Gefahr", H340, H350, H350i, H360, H360F, H360D, H360FD, H360Fd, H360Df, H370 oder H372	A1	EA1

#### Legend

- A1
1. Erlaubnispflicht nach § 6 Absatz 1 Satz 1
  2. Grundanforderungen zur Durchführung der Abgabe nach § 8 Absatz 1, 3 und 4
  3. Identitätsfeststellung und Dokumentation nach § 9 Absatz 1 bis 3
  4. Ausschluss des Versandweges nach § 10
- EA1
1. Anzeigepflicht nach § 7 Absatz 1 Satz 1
  2. Grundanforderungen zur Durchführung der Abgabe nach § 8 Absatz 2 bis 4
  3. Identitätsfeststellung und Dokumentation nach § 9 Absatz 2 Nummer 1 und Absatz 4

### National regulations(Switzerland)

#### Ordinance on the incentive tax on volatile organic compounds (VOCV)

The product is exempt from the tax. Product in which the VOC content does not exceed 3 per cent (% by weight).

### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

### National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)

#### Legend

- AIIC Australian Inventory of Industrial Chemicals  
CICR Chemical Inventory and Control Regulation  
CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)  
DSL Domestic Substances List (DSL)  
ECSI EC Substance Inventory (EINECS, ELINCS, NLP)  
IECSC Inventory of Existing Chemical Substances Produced or Imported in China  
INSQ National Inventory of Chemical Substances  
KECI Korea Existing Chemicals Inventory  
NZIoC New Zealand Inventory of Chemicals  
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)  
REACH Reg. REACH registered substances  
TCSI Taiwan Chemical Substance Inventory

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Karl Fischer ROTI® Hydroquant C5 K 5 mg H<sub>2</sub>O/ml, for KF titration, for aldehydes and ketones

article number: 5211

### Legend

TSCA Toxic Substance Control Act

### 15.2 Chemical safety assessment

According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.

## SECTION 16: Other information

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2017/164/EU	Commission Directive establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Karl Fischer ROTI®Hydroquant C5 K 5 mg H<sub>2</sub>O/ml, for KF titration, for aldehydes and ketones

article number: 5211

Abbr.	Descriptions of used abbreviations
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
LGK	Lagerklasse (storage class according to TRGS 510, Germany)
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Press. Gas	Gas under pressure
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
SUVA	Grenzwerte am Arbeitsplatz, Suva
SVHC	Substance of Very High Concern
TRGS	Technische Regeln für Gefahrstoffe (technical rules for hazardous substances, Germany)
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.

Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Karl Fischer ROTI® Hydroquant C5 K 5 mg H<sub>2</sub>O/ml, for KF titration, for aldehydes and ketones

article number: 5211

### Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H360D	May damage the unborn child.
H370	Causes damage to organs.
H372	Causes damage to organs (thyroid gland) through prolonged or repeated exposure (if swallowed).
H400	Very toxic to aquatic life.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.