acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Karl-Fischer-Roti®hydroquant S CM for KF titration

article number: 5218 Version: **3.0 en** 

Replaces version of: 2021-09-01

Version: (2)



## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### **Product identifier** 1.1

Identification of the substance Karl-Fischer-Roti®hydroquant S CM for KF titra-

tion

5218 Article number

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into direct

contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink

and animal feedingstuffs.

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data 
Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

#### **Emergency telephone number** 1.4

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

### **SECTION 2: Hazards identification**


#### 2.1 Classification of the substance or mixture

#### Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	3	Flam. Liq. 3	H226
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.1D	Acute toxicity (dermal)	4	Acute Tox. 4	H312

United Kingdom (en) Page 1 / 25

acc. to Regulation (EC) No. 1907/2006 (REACH)



article number: 5218



Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.1I	Acute toxicity (inhal.)	3	Acute Tox. 3	H331
3.2	Skin corrosion/irritation	1C	Skin Corr. 1C	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.6	Carcinogenicity	2	Carc. 2	H351
3.7	Reproductive toxicity	1B	Repr. 1B	H360D
3.8	Specific target organ toxicity - single exposure	1	STOT SE 1	H370
3.9	Specific target organ toxicity - repeated exposure	1	STOT RE 1	H372

For full text of abbreviations: see SECTION 16

#### The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure. The product is combustible and can be ignited by potential ignition sources.

#### 2.2 Label elements

#### Labelling

Signal word Danger

## **Pictograms**

GHS02, GHS05, GHS06, GHS08









#### **Hazard statements**

H226 Flammable liquid and vapour

H302+H312 Harmful if swallowed or in contact with skin H314 Causes severe skin burns and eye damage

H331 Toxic if inhaled

H351 Suspected of causing cancer H360D May damage the unborn child H370 Causes damage to organs (eye)

H372 Causes damage to organs (kidney, liver) through prolonged or repeated expos-

ure

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P280 Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary statements - response**

P302+P352 IF ON SKIN: Wash with plenty of water

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P310 Immediately call a POISON CENTER/doctor

United Kingdom (en) Page 2 / 25

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Karl-Fischer-Roti®hydroquant S CM for KF titration

article number: 5218

Precautionary statements - storage

P405 Store locked up

For professional users only

**Hazardous ingredients for labelling:** Trichloromethane, Imidazole, Methanol, Sulphur

dioxide

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of  $\geq 0.1\%$ .

**Endocrine disrupting properties** 

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

not relevant (mixture)

#### 3.2 Mixtures

#### **Description of the mixture**

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Trichloromethane	CAS No 67-66-3	> 50 - < 100	Acute Tox. 4 / H302 Acute Tox. 3 / H331 Skin Irrit. 2 / H315		GHS-HC IOELV
	EC No 200-663-8		Eye Irrit. 2 / H319 Carc. 2 / H351 Repr. 2 / H361d	*	
	Index No 602-006-00-4		STOT RE 1 / H372		
Methanol	CAS No 67-56-1	> 10 - 25	Flam. Liq. 2 / H225 Acute Tox. 3 / H301 Acute Tox. 3 / H311		GHS-HC IOELV
	EC No 200-659-6		Acute Tox. 3 / H331 STOT SE 1 / H370		
	Index No 603-001-00-X				
Imidazole	CAS No 288-32-4	> 0,1 - 5	Acute Tox. 4 / H302 Skin Corr. 1C / H314 Eye Dam. 1 / H318		GHS-HC
	EC No 206-019-2		Repr. 1B / H360D		
	Index No 613-319-00-0			***	
Sulphur dioxide	CAS No 7446-09-5	> 0,1 - 5	Press. Gas C / H280 Acute Tox. 3 / H331 Skin Corr. 1B / H314		5 GHS-HC IOELV
	EC No 231-195-2		Eye Dam. 1 / H318		U(b)
	Index No 016-011-00-9				

Notes

5: The concentration limits for gaseous mixtures are expressed as volume per volume percentage.

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/

2008/EC, Annex VI)

IOELV: Substance with a community indicative occupational exposure limit value

United Kingdom (en) Page 3 / 25



acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Karl-Fischer-Roti®hydroquant S CM for KF titration

article number: 5218



U(b): The allocation to the group 'compressed gas' is based on the physical state in which the gas is packaged

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Trichlorometh- ane	CAS No 67-66-3	-	-	908 <sup>mg</sup> / <sub>kg</sub> 3 <sup>mg</sup> / <sub>l</sub> /4h	oral inhalation: va- pour
	EC No 200-663-8				pour
Methanol	CAS No 67-56-1	STOT SE 1; H370: C ≥ 10 % STOT SE 2; H371: 3 % ≤ C < 10 %	-	100 <sup>mg</sup> / <sub>kg</sub> 300 <sup>mg</sup> / <sub>kg</sub> >3 <sup>mg</sup> / <sub>l</sub> /4h	oral dermal inhalation: va-
	EC No 200-659-6				pour
Sulphur dioxide	CAS No 7446-09-5	-	-	>700 <sup>ppmV</sup> / <sub>4h</sub>	inhalation: gas
	EC No 231-195-2				
Imidazole	CAS No 288-32-4	<del>-</del>	-	970 <sup>mg</sup> / <sub>kg</sub>	oral
	EC No 206-019-2				

#### Remarks

For full text of abbreviations: see SECTION 16

#### **SECTION 4: First aid measures**

#### 4.1 **Description of first aid measures**



#### **General notes**

Take off immediately all contaminated clothing. Self-protection of the first aider.

#### Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

### Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

#### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

#### Following ingestion

Rinse mouth immediately and drink plenty of water. Rinse mouth with water (only if the person is conscious). If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

United Kingdom (en) Page 4 / 25



#### Notes

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Karl-Fischer-Roti®hydroquant S CM for KF titration

article number: 5218



#### 4.2 Most important symptoms and effects, both acute and delayed

Cough, Dyspnoea, Spasms, Nausea, Vomiting, Headache, Vertigo, Dizziness, Unconsciousness, Loss of righting reflex, and ataxia, Corrosion, Risk of blindness, Gastric perforation, Risk of serious damage to eyes

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

## Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

#### **Hazardous combustion products**

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide ( $CO_2$ ), Hydrogen chloride (HCl), Hydrogen halides (HX), May produce toxic fumes of carbon monoxide if burning.

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources. Provide adequate ventilation.

## **6.2** Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

United Kingdom (en) Page 5 / 25

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Karl-Fischer-Roti®hydroquant S CM for KF titration

article number: 5218



#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Provision of sufficient ventilation. Use extractor hood (laboratory). Handle and open container with care. Avoid exposure. When not in use, keep containers tightly closed. Clear contaminated areas thoroughly.

#### Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. When using do not smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight.

#### **Incompatible substances or mixtures**

Observe hints for combined storage.

#### Consideration of other advice:

Store locked up. Ground/bond container and receiving equipment.

#### **Ventilation requirements**

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

#### 7.3 Specific end use(s)

No information available.

United Kingdom (en) Page 6 / 25

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Karl-Fischer-Roti®hydroquant S CM for KF titration

article number: 5218



## **SECTION 8: Exposure controls/personal protection**

#### **Control parameters**

#### **National limit values**

#### **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	methanol	67-56-1	IOELV	200	260					Н	2006/15/ EC
EU	chloroform	67-66-3	IOELV	2	10					H	2000/39/ EC
EU	sulfur dioxide	7446-09- 5	IOELV	0,5	1,3	1	2,7				2017/ 164/EU
GB	methanol	67-56-1	WEL	200	266	250	333				EH40/ 2005
GB	chloroform	67-66-3	WEL	2	9,9						EH40/ 2005
GB	sulfur dioxide	7446-09- 5	WEL	0,5	1,3	1	2,7				EH40/ 2005

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

H STEL

Absorbed through the skin

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 **TWA** 

hours time-weighted average (unless otherwise specified)

### **Relevant DNELs of components**

•							
Name of sub- stance	CAS No	point d level goal, ro		Protection goal, route of exposure	Used in	Exposure time	
Trichloromethane	67-66-3	DNEL	2,5 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - systemic effects	
Trichloromethane	67-66-3	DNEL	333 mg/m³	human, inhalat- ory	worker (industry)	acute - systemic effects	
Trichloromethane	67-66-3	DNEL 2,5 mg/m³ human, inhalat- ory		human, inhalat- ory	worker (industry)	chronic - local ef- fects	
Trichloromethane	67-66-3	DNEL 0,94 mg/kg human, der bw/day		human, dermal	worker (industry)	chronic - systemic effects	
Methanol	67-56-1	DNEL	130 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - systemic effects	
Methanol	67-56-1	DNEL	130 mg/m³	human, inhalat- ory	worker (industry)	acute - systemic effects	
Methanol	67-56-1	DNEL	130 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - local ef- fects	
Methanol	67-56-1	7-56-1 DNEL 130 mg/m <sup>2</sup>		human, inhalat- ory	worker (industry)	acute - local ef- fects	

United Kingdom (en) Page 7 / 25

acc. to Regulation (EC) No. 1907/2006 (REACH)

## Karl-Fischer-Roti®hydroquant S CM for KF titration

article number: 5218



# Relevant DNELs of components

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time	
Methanol	67-56-1	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects	
Methanol	67-56-1	DNEL	20 mg/kg bw/day	human, dermal worker (industry)		acute - systemic effects	
Sulphur dioxide	7446-09-5	DNEL	1,3 mg/m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects	
Sulphur dioxide	7446-09-5	DNEL	2,7 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	acute - local ef- fects	
Imidazole	288-32-4	DNEL	10,6 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects	
Imidazole	288-32-4	DNEL	1,5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects	

## **Relevant PNECs of components**

·						
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Trichloromethane	67-66-3	PNEC	0,146 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Trichloromethane	67-66-3	PNEC	0,015 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Trichloromethane	67-66-3	PNEC	0,048 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Trichloromethane	67-66-3	PNEC	0,45 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Trichloromethane	67-66-3	PNEC	0,09 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)
Trichloromethane	67-66-3	PNEC	0,56 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
Methanol	67-56-1	PNEC	20,8 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Methanol	67-56-1	PNEC	2,08 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Methanol	67-56-1	PNEC	100 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Methanol	67-56-1	PNEC	77 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Methanol	67-56-1	PNEC	7,7 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)
Methanol	67-56-1	PNEC	100 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
Imidazole	288-32-4	PNEC	0,13 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms		
Imidazole	288-32-4	PNEC	0,013 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)

United Kingdom (en) Page 8 / 25

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Karl-Fischer-Roti®hydroquant S CM for KF titration

article number: 5218



Relevant PNECs of components								
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time		
Imidazole	288-32-4	PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)		
Imidazole	288-32-4	PNEC	0,336 <sup>mg</sup> / kg	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)		
Imidazole	288-32-4	PNEC 0,034 <sup>mg</sup> / aquatic organ- kg isms		marine sediment	short-term (single instance)			
Imidazole	288-32-4	PNEC	0,043 <sup>mg</sup> /	terrestrial organ- isms	soil	short-term (single instance)		

#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

### **Eye/face protection**





Use safety goggle with side protection. Wear face protection.

#### Skin protection





#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

FKM (fluoro rubber)

material thickness

≥0,4 mm

#### breakthrough times of the glove material

>480 minutes (permeation: level 6)

## other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

United Kingdom (en) Page 9 / 25

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Karl-Fischer-Roti®hydroquant S CM for KF titration

article number: 5218

#### **Respiratory protection**





Respiratory protection necessary at: Aerosol or mist formation. Type: AX (gas filters and combined filters against low-boiling point organic compounds, colour code: Brown).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless

Odour characteristic

Melting point/freezing point not determined

Boiling point or initial boiling point and boiling

range

60 - 65 °C

Flammability flammable liquid in accordance with GHS criteria

Lower and upper explosion limit not determined

Flash point 42 – 54 °C

Auto-ignition temperature not determined

Decomposition temperature not relevant

pH (value) <2 (20 °C)

Kinematic viscosity not determined

Solubility(ies)

Water solubility not determined

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure 211 hPa at 20 °C

Density and/or relative density

Density 1,277 <sup>g</sup>/<sub>cm³</sub> at 20 °C

Relative vapour density Information on this property is not available.

Particle characteristics not relevant (liquid)

United Kingdom (en) Page 10 / 25



acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Karl-Fischer-Roti®hydroquant S CM for KF titration

article number: 5218

Other safety parameters

Other safety characteristics:

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

There is no additional information.

There is no additional information.

**SECTION 10: Stability and reactivity** 

10.1 Reactivity

The mixture contains reactive substance(s). Risk of ignition.

If heated

Risk of ignition. Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

**Violent reaction with:** strong oxidiser, Acetone, Alkali metals, Alkaline earth metal, Mineral acids, Strong alkali, Metal powder, Nitro compound, Peroxides, => Explosive properties

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

different plastics, Rubber articles, Light metals

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

**SECTION 11: Toxicological information** 

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS


**Acute toxicity** 

Harmful if swallowed. Harmful in contact with skin. Toxic if inhaled.

United Kingdom (en) Page 11 / 25



acc. to Regulation (EC) No. 1907/2006 (REACH)



article number: 5218



# Acute toxicity estimate (ATE) of components

Name of substance	CAS No	Exposure route	ATE
Trichloromethane	67-66-3	oral	908 <sup>mg</sup> / <sub>kg</sub>
Trichloromethane	67-66-3	inhalation: vapour	3 <sup>mg</sup> / <sub>l</sub> /4h
Methanol	67-56-1	oral	100 <sup>mg</sup> / <sub>kg</sub>
Methanol	67-56-1	dermal	300 <sup>mg</sup> / <sub>kg</sub>
Methanol	67-56-1	inhalation: vapour	>3 <sup>mg</sup> / <sub>l</sub> /4h
Sulphur dioxide	7446-09-5	inhalation: gas	>700 <sup>ppmV</sup> / <sub>4h</sub>
Imidazole	288-32-4	oral	970 <sup>mg</sup> / <sub>kg</sub>

### **Acute toxicity of components**

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Trichloromethane	67-66-3	oral	LD50	908 <sup>mg</sup> / <sub>kg</sub>	rat
Methanol	67-56-1	inhalation: va- pour	LC50	131 <sup>mg</sup> / <sub>l</sub> /4h	rat
Methanol	67-56-1	oral	LD50	5.628 <sup>mg</sup> / <sub>kg</sub>	rat
Methanol	67-56-1	oral	LDLo	143 <sup>mg</sup> / <sub>kg</sub>	human
Methanol	67-56-1	dermal	LD50	15.800 <sup>mg</sup> / <sub>kg</sub>	rabbit
Imidazole	288-32-4	oral	LD50	970 <sup>mg</sup> / <sub>kg</sub>	rat

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

### Serious eye damage/eye irritation

Causes serious eye damage.

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Suspected of causing cancer.

### **Reproductive toxicity**

May damage the unborn child.

### Specific target organ toxicity - single exposure

Causes damage to organs (eye).

Hazard category	Target organ	Exposure route
1	eye	if exposed

United Kingdom (en) Page 12 / 25

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Karl-Fischer-Roti®hydroquant S CM for KF titration

article number: 5218



#### **Specific target organ toxicity - repeated exposure**

Causes damage to organs (kidney, liver) through prolonged or repeated exposure.

Hazard category	Target organ	Exposure route
1	kidney	if exposed
1	liver	if exposed

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

vomiting, nausea, If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

#### • If in eyes

causes burns, Causes serious eye damage, risk of blindness

#### If inhaled

vertigo, dizziness, deficits in perception and coordination, reaction time, or sleepiness, loss of righting reflex, and ataxia, cough, headache, poisoning effect on central nervous system can cause convulsions, laboured breathing and loss of consciousness

#### If on skin

causes severe burns, Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation), causes poorly healing wounds

#### Other information

none

#### 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0.1\%$ .

#### 11.3 Information on other hazards

There is no additional information.

## SECTION 12: Ecological information

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

# Aquatic toxicity (acute) of components

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Trichloromethane	67-66-3	EC50	152,5 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Trichloromethane	67-66-3	ErC50	13,3 <sup>mg</sup> / <sub>l</sub>	algae	72 h
Methanol	67-56-1	LC50	15.400 <sup>mg</sup> / <sub>l</sub>	fish	96 h
Methanol	67-56-1	ErC50	22.000 <sup>mg</sup> / <sub>l</sub>	algae	96 h
Imidazole	288-32-4	LC50	283,6 <sup>mg</sup> / <sub>l</sub>	fish	48 h

United Kingdom (en) Page 13 / 25

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Karl-Fischer-Roti®hydroquant S CM for KF titration

article number: 5218



Aquatic toxicity (acute) of components					
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Imidazole	288-32-4	EC50	341,5 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Imidazole	288-32-4	ErC50	133 <sup>mg</sup> / <sub>l</sub>	algae	72 h

#### Aquatic toxicity (chronic) of components Exposure time **Endpoint** Name of sub-**CAS No Value Species** stance $0,48 \, \text{mg/}_{\text{I}}$ Trichloromethane 67-66-3 EC50 microorganisms 24 h >1.000 <sup>mg</sup>/<sub>I</sub> 288-32-4 EC50 30 min **Imidazole** microorganisms

#### 12.2 Persistence and degradability

Degradability of components						
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Trichlorometh- ane	67-66-3	biotic/abiotic	0 %	14 d		
Methanol	67-56-1	biotic/abiotic	99 %	30 d		
Methanol	67-56-1	oxygen deple- tion	69 %	5 d		ECHA
Imidazole	288-32-4	biotic/abiotic	86 %	19 d		
Imidazole	288-32-4	DOC removal	90 – 100 %	18 d		ECHA

#### 12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Trichloromethane	67-66-3		1,97 (25 °C)	
Methanol	67-56-1		-0,77	
Imidazole	288-32-4		0,0586	

## 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of  $\geq 0.1\%$ .

#### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

#### 12.7 Other adverse effects

Data are not available.

United Kingdom (en) Page 14 / 25

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Karl-Fischer-Roti®hydroquant S CM for KF titration

article number: 5218



## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous

- **HP3** flammable
- **HP 4** irritant skin irritation and eye damage
- **HP 5** specific target organ toxicity (STOT)/aspiration toxicity
- **HP 6** acute toxicity
- **HP 7** carcinogenic
- **HP8** corrosive
- **HP 10** toxic for reproduction

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADRRID	UN 1992
IMDG-Code	UN 1992
ICAO-TI	UN 1992

#### 14.2 UN proper shipping name

ADRRID	FLAMMABLE LIQUID, TOXIC, N.O.S.
IMDG-Code	FLAMMABLE LIQUID, TOXIC, N.O.S.
ICAO-TI	Flammable liquid, toxic, n.o.s.
Technical name (hazardous ingredients)	Methanol, Trichloromethane

#### 14.3 Transport hazard class(es)

ADRRID	3 (6.1)
IMDG-Code	3 (6.1)
ICAO-TI	3 (6.1)

United Kingdom (en) Page 15 / 25

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Karl-Fischer-Roti®hydroquant S CM for KF titration

article number: 5218

14.4 Packing group

ADRRID III
IMDG-Code III
ICAO-TI III

**14.5** Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name FLAMMABLE LIQUID, TOXIC, N.O.S.

Particulars in the transport document UN1992, FLAMMABLE LIQUID, TOXIC, N.O.S.,

(contains: Methanol, Trichloromethane), 3 (6.1),

İII, (D/E)

Classification code FT1

Danger label(s) 3+6.1



Special provisions (SP) 274, 802(ADN)

Excepted quantities (EQ)

Limited quantities (LQ)

Transport category (TC)

Tunnel restriction code (TRC)

Hazard identification No

36

Emergency Action Code 3W

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code FT1

Danger label(s) 3+6.1



Special provisions (SP) 274, 802(ADN)

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
Transport category (TC) 3

United Kingdom (en) Page 16 / 25



acc. to Regulation (EC) No. 1907/2006 (REACH)

**Hazard identification No** 

#### Karl-Fischer-Roti®hydroquant S CM for KF titration

article number: 5218



#### International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name FLAMMABLE LIQUID, TOXIC, N.O.S.

Particulars in the shipper's declaration UN1992, FLAMMABLE LIQUID, TOXIC, N.O.S.,

(contains: Methanol, Trichloromethane), 3 (6.1),

ÌII, 42°C c.c.

Marine pollutant

Danger label(s) 3+6.1





Special provisions (SP) 223, 274

Excepted quantities (EQ) E1 Limited quantities (LQ) 5 L

**EmS** F-E, S-D

Stowage category Α

#### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Flammable liquid, toxic, n.o.s.

Particulars in the shipper's declaration UN1992, Flammable liquid, toxic, n.o.s., (contains:

Methanol, Trichloromethane), 3 (6.1), III

Danger label(s) 3+6.1





Special provisions (SP) **A3** Excepted quantities (EQ) E1 Limited quantities (LQ) 2 L

## **SECTION 15: Regulatory information**

## Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

#### **Seveso Directive**

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories		(tonnes) for the ap- and upper-tier re- ments	Notes
H2	acute toxic (cat. 2 + cat. 3, inhal.)	50	200	41)

#### Notation

- Category 2, all exposure routes - category 3, inhalation exposure route

United Kingdom (en) Page 17 / 25



acc. to Regulation (EC) No. 1907/2006 (REACH)



article number: 5218



#### **Deco-Paint Directive**

VOC content	93 %
VOC content	1.188 <sup>g</sup> / <sub>l</sub>

#### **Industrial Emissions Directive (IED)**

VOC content	93 %
VOC content	1.188 <sup>g</sup> / <sub>l</sub>

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

### Pollutant release and transfer registers (PRTR)

Name of substance	CAS No	Remarks	Threshold for releases to air (kg/year)
Trichloromethane	67-66-3		500

#### **Water Framework Directive (WFD)**

#### **List of pollutants (WFD)**

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Imidazole	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Methanol	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Trichloromethane	trichloromethane (chloroform)	67-66-3	b)	
Trichloromethane	trichloromethane	67-66-3	c)	
Trichloromethane	Organohalogen compounds and substances which may form such compounds in the aquatic envir- onment		a)	

United Kingdom (en) Page 18 / 25

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Karl-Fischer-Roti®hydroquant S CM for KF titration

article number: 5218



List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Trichloromethane	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	

#### Legend

a) b) c) Indicative list of the main pollutants List of priority substances in the field of water policy Environmental Quality Standards for Priority Substances and certain other pollutants

## Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

#### Regulation on drug precursors

none of the ingredients are listed

#### Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

#### Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

Name of substance	Name acc. to inventory	CAS No	Wt%	Category / subcat- egory	Use limita- tion
Trichloromethane	chloroform	67-66-3	73	i(2)	b

#### Legend

Use limitation: ban (for the sub-category or sub-categories concerned) according to Union legislation Sub-category: i(2) - industrial chemical for public use b i(2)

#### Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

#### National regulations(GB)

## List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list none of the ingredients are listed

### Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
Karl-Fischer-Roti®hydroquant S CM	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3
Imidazole	toxic for reproduction		30
Methanol	Methanol	67-56-1	69
Methanol	flammable / pyrophoric		40
Trichloromethane	Chloroform	67-66-3	32

United Kingdom (en) Page 19 / 25

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Karl-Fischer-Roti®hydroquant S CM for KF titration

article number: 5218



#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)
VN	NCI	all ingredients are listed

Legend

Australian Inventory of Industrial Chemicals
Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Korea Existing Chemicals Inventory AIIC CICR CSCL-ENCS DSL ECSI

**IECSC** 

INSQ

KECI Korea Existing Chemicals Inventory
NCI National Chemical Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances

Taiwan Chemical Substance Inventory **TCSI** 

**TSCA Toxic Substance Control Act** 

#### 15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

#### **Indication of changes (revised safety data sheet)**

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.2		Hazard statements: change in the listing (table)	yes

United Kingdom (en) Page 20 / 25

acc. to Regulation (EC) No. 1907/2006 (REACH)

## Karl-Fischer-Roti®hydroquant S CM for KF titration

article number: **5218** 



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2	contains: Trichloromethane, Imidazole, Methanol, Sul- phur dioxide		yes
2.3	Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance at a concentration of ≥ 0,1%.	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8		Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID)Addition- al information	yes
14.8		Classification code: FT1	yes
14.8		Danger label(s): 3+6.1	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Special provisions (SP): 274, 802(ADN)	yes
14.8		Excepted quantities (EQ): E1	yes
14.8		Limited quantities (LQ): 5 L	yes
14.8		Transport category (TC):	yes
14.8		Hazard identification No: 36	yes
15.1	Restrictions according to REACH, Annex XVII		yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1	List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: None of the ingredients are listed. (Or Concentration of the substance in a mixture: <0.1 % Mass concentration)		yes
l Vinadona (		Dec	20 21 / 25

United Kingdom (en) Page 21 / 25

acc. to Regulation (EC) No. 1907/2006 (REACH)

## Karl-Fischer-Roti®hydroquant S CM for KF titration

article number: 5218



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
15.1	VOC content: 93 % , 1.188 <sup>g</sup> / <sub>l</sub>	VOC content: 93 %	yes
15.1		VOC content: 1.188 <sup>g</sup> / <sub>l</sub>	yes
15.1		Regulation concerning the export and import of hazardous chemicals (PIC): change in the listing (table)	yes
15.1		National regulations(GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: none of the ingredients are listed	yes
15.1		Restrictions according to GB REACH, Annex 17	yes
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

## **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
2017/164/EU	Commission Directive establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval

United Kingdom (en) Page 22 / 25

acc. to Regulation (EC) No. 1907/2006 (REACH)

## Karl-Fischer-Roti®hydroquant S CM for KF titration

article number: **5218** 



Abbr.	Descriptions of used abbreviations
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Press. Gas	Gas under pressure
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)

United Kingdom (en) Page 23 / 25

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Karl-Fischer-Roti®hydroquant S CM for KF titration

article number: 5218



Abbr.	Descriptions of used abbreviations
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

#### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H280	Contains gas under pressure; may explode if heated.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H351	Suspected of causing cancer.
H360D	May damage the unborn child.
H361d	Suspected of damaging the unborn child.
H370	Causes damage to organs (eye).
H372	Causes damage to organs (kidney, liver) through prolonged or repeated exposure.

United Kingdom (en) Page 24 / 25

acc. to Regulation (EC) No. 1907/2006 (REACH)

## Karl-Fischer-Roti®hydroquant S CM for KF titration

article number: 5218



#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 25 / 25