acc. to Safe Work Australia - Code of Practice



### Orange terpenes, Cable cleanser

article number: **5235** Version: **GHS 6.0 en** Replaces version of: 2023-07-28 Version: (GHS 5)

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

5235

8028-48-6

### 1.1 Product identifier

Identification of the substance

Article number

CAS number

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Orange terpenes, Cable cleanser

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

### e-mail (competent person):

### sicherheit@carlroth.de

### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

# **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	3	Flam. Liq. 3	H226
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.4S	Skin sensitisation	1	Skin Sens. 1	H317
3.10	Aspiration hazard	1	Asp. Tox. 1	H304

date of compilation: 2017-02-06 Revision: 2024-03-02

acc. to Safe Work Australia - Code of Practice

### Orange terpenes, Cable cleanser



#### article number: 5235

For full text of abbreviations: see SECTION 16


**The most important adverse physicochemical, human health and environmental effects** The product is combustible and can be ignited by potential ignition sources.

### 2.2 Label elements

Labelling

Signal word Danger

### **Pictograms**





### **Hazard statements**

H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction

### **Precautionary statements**

#### **Precautionary statements - prevention**

P210	Keep away from heat/sparks/open flames/hot surfaces No smoking
P280	Wear protective gloves

#### **Precautionary statements - response**

P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
P302+P352	IF ON SKIN: Wash with plenty of soap and water
P331	Do NOT induce vomiting
P370+P378	In case of fire: Use sand, carbon dioxide or powder extinguisher for extinction

### **Precautionary statements - storage**

P403+P235 Store in a well-ventilated place. Keep cool

### 2.3 Other hazards

### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

acc. to Safe Work Australia - Code of Practice

### Orange terpenes , Cable cleanser

article number: 5235

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

"UVCB substance" (substance of unknown or variable composition).

Name of substance

CAS No

# Orange terpenes

8028-48-6

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures



### **General notes**

Take off contaminated clothing.

### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

### Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

### **Following ingestion**

Call a physician immediately. Observe aspiration hazard if vomiting occurs.

# **4.2 Most important symptoms and effects, both acute and delayed** Aspiration hazard, Irritation, Allergic reactions

# **4.3 Indication of any immediate medical attention and special treatment needed** none

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media



### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

### Unsuitable extinguishing media

water jet

acc. to Safe Work Australia - Code of Practice

### Orange terpenes , Cable cleanser

article number: 5235

### 5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

### Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), May produce toxic fumes of carbon monoxide if burning.

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures



### For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Provision of sufficient ventilation.

### Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

acc. to Safe Work Australia - Code of Practice

### Orange terpenes , Cable cleanser

article number: 5235



Take precautionary measures against static discharge.

### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight.

### Incompatible substances or mixtures

Observe hints for combined storage.

### Consideration of other advice:

Ground/bond container and receiving equipment.

### Ventilation requirements

Use local and general ventilation.

### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

### 7.3 Specific end use(s)

No information available.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### National limit values

### **Occupational exposure limit values (Workplace Exposure Limits)**

This information is not available.

### Human health values

Relevant DN	Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time	
DNEL	31.1 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects	
DNEL	8.89 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects	
DNEL	185.8 µg/cm²	human, dermal	worker (industry)	acute - local effects	

### **Environmental values**

Relevant	Relevant PNECs and other threshold levels					
End- point	Threshold level	Organism	Environmental com- partment	Exposure time		
PNEC	5.4 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)		
PNEC	0.54 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)		

acc. to Safe Work Australia - Code of Practice



### Orange terpenes , Cable cleanser

article number: 5235

Relevant PNECs and other threshold levels				
End- point	Threshold level	Organism	Environmental com- partment	Exposure time
PNEC	2.1 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	1.3 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	0.13 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
PNEC	0.261 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)

### 8.2 Exposure controls

### Individual protection measures (personal protective equipment)

### Eye/face protection



Use safety goggle with side protection.

### **Skin protection**



### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

#### material thickness

≥0,3 mm

### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

### **Respiratory protection**



acc. to Safe Work Australia - Code of Practice

### Orange terpenes , Cable cleanser

#### article number: 5235

Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65  $^{\circ}$ C, colour code: Brown).

### **Environmental exposure controls**

Keep away from drains, surface and ground water.

### **SECTION 9: Physical and chemical properties**

9.1	Information on basic physical and chemical properties		
	Physical state	liquid	
	Colour	clear	
	Odour	fruity	
	Melting point/freezing point	<-25 °C (ECHA)	
	Boiling point or initial boiling point and boiling range	160 °C at 1,026 hPa (ECHA)	
	Flammability	flammable liquid in accordance with GHS criteria	
	Lower and upper explosion limit	0.7 vol% (LEL) - 6.1 vol% (UEL)	
	Flash point	53.4 °C (ECHA)	
	Auto-ignition temperature	235 °C at 1,016 hPa (ECHA)	
	Decomposition temperature	not relevant	
	pH (value)	not determined	
	Kinematic viscosity	1.17 <sup>mm²</sup> / <sub>s</sub> at 20 °C	
	Dynamic viscosity	0.99 mPa s at 20 °C	
	Solubility(ies)		
	Water solubility	≤1.767 <sup>g</sup> / <sub>l</sub> at 25 °C (ECHA)	
	Partition coefficient		
	Partition coefficient n-octanol/water (log value):	2.78 – 4.88 (ECHA)	
	Vapour pressure	1.9 hPa at 25 °C	
	Density and/or relative density		
	Density	0.846 <sup>g</sup> / <sub>cm³</sub> at 20 °C (ECHA)	
	Relative vapour density	Information on this property is not available.	
	Particle characteristics	not relevant (liquid)	
	Other safety parameters		
	Oxidising properties	none	



acc. to Safe Work Australia - Code of Practice

### Orange terpenes, Cable cleanser

article number: 5235

### 9.2 Other information

Information with regard to physical hazard classes:

Other safety characteristics:

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

It's a reactive substance. Risk of ignition.

### If heated

Risk of ignition. Vapours may form explosive mixtures with air.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### **10.3** Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Acids

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### **10.5** Incompatible materials

Rubber articles, different plastics

### **10.6 Hazardous decomposition products** Hazardous combustion products: see section 5.

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### **Classification acc. to GHS**

#### Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>5,000 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA
dermal	LD50	>5,000 <sup>mg</sup> / <sub>kg</sub>	rabbit		ECHA

### Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### **Respiratory or skin sensitisation**

May cause an allergic skin reaction.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.



There is no additional information.

There is no additional information.

acc. to Safe Work Australia - Code of Practice

### Orange terpenes, Cable cleanser

article number: 5235

### Carcinogenicity

Shall not be classified as carcinogenic.

### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### **Aspiration hazard**

May be fatal if swallowed and enters airways.

### Symptoms related to the physical, chemical and toxicological characteristics

### • If swallowed

vomiting, nausea, gastrointestinal complaints, aspiration hazard

### • If in eyes

slightly irritant but not relevant for classification

### • If inhaled

slightly irritant but not relevant for classification

### If on skin

causes skin irritation, May produce an allergic reaction, pruritis, localised redness

### Other information

none

### **11.2** Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

### 12.2 Persistence and degradability

### Biodegradation

The substance is readily biodegradable.

### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	2.78 – 4.88 (ECHA)
BCF	32 – 156 (ECHA)

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.



acc. to Safe Work Australia - Code of Practice



### Orange terpenes , Cable cleanser

article number: 5235

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

12.7 Other adverse effects

Data are not available.

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

### Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

### **Relevant provisions relating to waste(Basel Convention)**

Properties of waste which render it hazardous

H3 Flammable liquids

H11 Toxic (Delayed or chronic)

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

### SECTION 14: Transport information 14.1 UN number **UN RTDG** UN 2319 IMDG-Code UN 2319 ICAO-TI UN 2319 14.2 UN proper shipping name **UN RTDG TERPENE HYDROCARBONS, N.O.S.** IMDG-Code **TERPENE HYDROCARBONS, N.O.S.** ICAO-TI Terpene hydrocarbons, n.o.s. 14.3 Transport hazard class(es) 3 **UN RTDG** IMDG-Code 3 ICAO-TI 3 14.4 Packing group

acc. to Safe Work Australia - Code of Practice



### Orange terpenes , Cable cleanser

article number: 5235

article	e number: <b>5235</b>	
	UN RTDG	III
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	hazardous to the aquatic environment
14.6	<b>Special precautions for user</b> There is no additional information.	
14.7	Transport in bulk according to IMO instrument	S
	The cargo is not intended to be carried in bulk.	
14.8	Information for each of the UN Model Regulation	ons
	Transport informationNational regulationsAdd	itional information(UN RTDG)
	UN number	2319
	Class	3
	Environmental hazards	Yes Hazardous to the aquatic environment
	Packing group	III
	Danger label(s)	3 Fish and tree
	Special provisions (SP)	- UN RTDG
	Excepted quantities (EQ)	E1 UN RTDG
	Limited quantities (LQ)	5 L UN RTDG
	Emergency Action Code	3Y
	International Maritime Dangerous Goods Code	(IMDG) - Additional information
	Proper shipping name	TERPENE HYDROCARBONS, N.O.S.
	Particulars in the shipper's declaration	UN2319, TERPENE HYDROCARBONS, N.O.S., 3, III, 53.4°C c.c., MARINE POLLUTANT
	Marine pollutant	<b>Yes</b> (hazardous to the aquatic environment)
	Danger label(s)	3, "Fish and tree"
	Special provisions (SP)	-
	Excepted quantities (EQ)	E1
	Limited quantities (LQ)	5 L
	EmS	F-E, S-D

acc. to Safe Work Australia - Code of Practice

### Orange terpenes , Cable cleanser

article number: 5235



International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information		
Proper shipping name	Terpene hydrocarbons, n.o.s.	
Particulars in the shipper's declaration	UN2319, Terpene hydrocarbons, n.o.s., 3, III	
Environmental hazards	<b>Yes</b> (hazardous to the aquatic environment)	
Danger label(s)	3	
Excepted quantities (EQ)	E1	
Limited quantities (LQ)	10 L	

### **SECTION 15: Regulatory information**

**15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

### National regulations(Australia)

### Australian Inventory of Chemical Substances(AICS)

Substance is listed.

### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
VN	NCI	substance is listed

#### Legend

AIIC	
CICR	
DSL	
ECSI	
IECSC	
INSQ	
KECI	
NCI	

Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation Domestic Substances List (DSL) EC Substance Inventory (EINECS, ELINCS, NLP) Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances Korea Existing Chemicals Inventory National Chemical Inventory

Australia (en)

acc. to Safe Work Australia - Code of Practice

### Orange terpenes , Cable cleanser



### article number: 5235

Legend	
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory

### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

# **SECTION 16: Other information**

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
BCF	Bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
UEL	Upper explosion limit (UEL)

acc. to Safe Work Australia - Code of Practice



### Orange terpenes , Cable cleanser

### article number: 5235

Abbr.	Descriptions of used abbreviations
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.