

Aluminium powder, ≥99,5 %, <160 µm

article number: 5285 Version: 5.0 en Replaces version of: 27.07.2023 Version: (4)

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

**Product identifier** 1.1

Identification of the substance	Aluminium powder, ≥99,5 %, <160 $\mu$ m
Article number	5285
Registration number (REACH)	01-2119529243-45-xxxx
Index number in CLP Annex VI	013-001-00-6
EC number	231-072-3
CAS number	7429-90-5

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Laboratory chemical Laboratory and analytical use

Uses advised against:

Do not use for private purposes (household). Food, drink and animal feedingstuffs.

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

#### 1.4 **Emergency telephone number**

# SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008 (CLP)

This substance does not meet the criteria for classification in accordance with Regulation No 1272/ 2008/EC.

#### 2.2 Label elements

## Labelling according to Regulation (EC) No 1272/2008 (CLP)

not required

date of compilation: 08.11.2018

Revision: 02.03.2024



### Aluminium powder, ≥99,5 %, <160 µm

article number: 5285

### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance	Aluminium
Molecular formula	Al
Molar mass	26,98 <sup>g</sup> / <sub>mol</sub>
REACH Reg. No	01-2119529243-45-xxxx
CAS No	7429-90-5
EC No	231-072-3
Index No	013-001-00-6

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

#### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower.

#### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

#### **Following ingestion**

Rinse mouth. Call a doctor if you feel unwell.

#### 4.2 Most important symptoms and effects, both acute and delayed

### Symptoms and effects are not known to date.

**4.3 Indication of any immediate medical attention and special treatment needed** none



Aluminium powder, ≥99,5 %, <160 µm

article number: 5285

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings dry extinguishing powder, D-powder, dry sand

#### Unsuitable extinguishing media

water spray, ABC-powder, carbon dioxide (CO<sub>2</sub>)

#### 5.2 Special hazards arising from the substance or mixture

Danger of dust explosion. Water-reactive (in contact with water releases flammable gases).

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

# **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Control of dust. Avoidance of ignition sources.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically.

#### Other information relating to spills and releases

Place in appropriate containers for disposal.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.



## Aluminium powder, ≥99,5 %, <160 µm

article number: 5285

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Handle and open container with care. Provision of sufficient ventilation. Avoid dust formation.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Removal of dust deposits.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed.

### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice:

#### **Ventilation requirements**

Use local and general ventilation.

**Specific designs for storage rooms or vessels** Recommended storage temperature: 15 – 25 °C

**7.3** Specific end use(s) No information available.

# **SECTION 8: Exposure controls/personal protection**

8.1 Control parameters

#### **National limit values**

**Occupational exposure limit values (Workplace Exposure Limits)** 

This information is not available.

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.



## Aluminium powder, ≥99,5 %, <160 $\mu$ m

article number: 5285

**Skin protection** 



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

#### • type of material

NBR (Nitrile rubber)

### material thickness

>0,11 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	solid
Form	powder
Colour	metallic
Odour	odourless
Melting point/freezing point	660 °C
Boiling point or initial boiling point and boiling range	2.500 °C
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	30 g/m³ (LEL)
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	not relevant



## Aluminium powder, ≥99,5 %, <160 µm

#### article number: 5285

	e number. <b>3203</b>	
	pH (value)	not applicable
	Kinematic viscosity	not relevant
	Solubility(ies)	
	Water solubility	(insoluble (< 1 mg/l))
	Water Solubility	
	Partition coefficient	
	Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
	Vapour pressure	not determined
	Density and/or relative density	
	Density	2,7 <sup>g</sup> / <sub>cm<sup>3</sup></sub>
	Relative vapour density	Information on this property is not available.
	Bulk density	$500 - 1.500 \text{ kg/m}^3$
	buik density	500 - 1.500 - 7 <sub>m</sub> 3
	Particle characteristics	
	Particle size	<160 µm
	Other safety parameters	
	Other safety parameters	2020
,	Oxidising properties Other information	none
2		
	Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
	Other safety characteristics:	
	Temperature class (EU, acc. to ATEX)	T2
		Maximum permissible surface temperature on the equipment: 300°C

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

9.2

Dust explosibility. Dust can form an explosive mixture with air.

## 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

## **10.3** Possibility of hazardous reactions

**Violent reaction with:** Halogenated hydrocarbons, Bases, Acids, => Explosive properties

#### 10.4 Conditions to avoid

Do not spray on an open flame or other ignition source.



## Aluminium powder, ≥99,5 %, <160 µm

article number: **5285** 

#### 10.5 Incompatible materials

There is no additional information.

Release of flammable materials with

Water, Acids, Bases

#### **10.6 Hazardous decomposition products**

Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Classification according to GHS (1272/2008/EC, CLP)

This substance does not meet the criteria for classification in accordance with Regulation No 1272/ 2008/EC.

### Acute toxicity

Γ

Shall not be classified as acutely toxic.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>15.900 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

Data are not available.



## Aluminium powder, ≥99,5 %, <160 $\mu m$

article number: **5285** 

• If in eyes

Data are not available.

### • If inhaled

cough, breathing difficulties, slightly irritant but not relevant for classification

### • If on skin

Data are not available.

Other information

none

### **11.2** Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

### **11.3** Information on other hazards

There is no additional information.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

- **12.3 Bioaccumulative potential** Data are not available.
- 12.4 Mobility in soil

Data are not available.

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6** Endocrine disrupting properties Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .
- **12.7 Other adverse effects** Data are not available.

# **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal. Recycling/reclamation of metals and metal compounds.

#### Sewage disposal-relevant information

Do not empty into drains.



## Aluminium powder, ≥99,5 %, <160 µm

article number: **5285** 

#### Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

# **SECTION 14: Transport information**

14.1 UN number or ID number

14.2 UN proper shipping name

14.3 Transport hazard class(es)

14.4 Packing group

14.5 Environmental hazards

not subject to transport regulations

not assigned

none

not assigned

non-environmentally hazardous acc. to the dangerous goods regulations

- **14.6** Special precautions for user There is no additional information.
- **14.7** Maritime transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.
- 14.8 Information for each of the UN Model Regulations

**International Maritime Dangerous Goods Code (IMDG) - Additional information** Not subject to IMDG.

**International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information** Not subject to ICAO-IATA.

# **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**Relevant provisions of the European Union (EU)** 

Restrictions according to REACH, Annex XVII

not listed

**List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list** Not listed.

#### **Deco-Paint Directive**

VOC content

0 %

**Industrial Emissions Directive (IED)** 



## Aluminium powder, ≥99,5 %, <160 µm

article number: 5285

VOC co	ontent	0 %

#### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

#### Regulation concerning the establishment of a European Pollutant Release and Transfer **Register (PRTR)**

not listed

### Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Aluminium	Metals and their compounds		a)	

Legend

Indicative list of the main pollutants a)

### Regulation on the marketing and use of explosives precursors

Explosives precursors whi	Explosives precursors which are subject to restrictions					
Name of substance	CAS No	Wt%	Type of registration	Re- marks	Limit value	Upper limit value for the pur- pose of licens- ing un- der Art- icle 5(3)
Aluminium	7429-90-5	100	Annex II	powd d < 200 µm > 70%		

Legend

As a substance or in mixtures containing 70 % or more, by weight, of aluminium and/or magnesium. Substances on their own or in mixtures or in substances for which suspicious transactions shall be reported With a particle size less than 200 μm. > 70% Annex II d < 200 µm Powder powd

#### **Additional statements**

If the product is passed on to third parties, in accordance with Article 7 "Notification of the supply chain" of Regulation EU 2019/1148, the information obligation is subject to the entire supply chain and all other provisions mentioned in Article 7 on re-stricted and regulated raw materials.

## **Regulation on drug precursors**

not listed

#### Regulation on substances that deplete the ozone layer (ODS)

not listed

#### Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

#### **Regulation on persistent organic pollutants (POP)**



Aluminium powder, ≥99,5 %, <160 µm

article number: 5285

not listed

#### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

#### Legend

AIIC CICR	Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

#### 15.2 Chemical safety assessment

According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.



Aluminium powder, ≥99,5 %, <160 µm

article number: 5285

# **SECTION 16: Other information**

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1		List of pollutants (WFD): change in the listing (table)	yes
15.1		Explosives precursors which are subject to re- strictions: change in the listing (table)	yes

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)	
ED	Endocrine disruptor	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the Untions		
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
IMDG	IDG International Maritime Dangerous Goods Code	
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
LEL	Lower explosion limit (LEL)	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
SVHC	Substance of Very High Concern	
VOC	Volatile Organic Compounds	



### Aluminium powder, ≥99,5 %, <160 µm

#### article number: **5285**

Abbr.	Descriptions of used abbreviations
vPvB	Very Persistent and very Bioaccumulative

#### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.