according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Cobalt(II) nitrate hexahydrate ROTI®METIC 99,999 % (5N)

article number: **5291** Version: **5.0 en** Replaces version of: 2022-02-09 Version: (4)

date of compilation: 2016-08-12 Revision: 2024-03-05

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

Identification of the substance

Article number

**Registration number (REACH)** 

Cobalt(II) nitrate hexahydrate ROTI®METIC 99,999 % (5N)

5291

027-009-00-2

233-402-1

10026-22-9

It is not required to list the identified uses because the substance is not subject to registration according to REACH (< 1 t/a).

Index number in CLP Annex VI

EC number

CAS number

### **1.2** Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

### **1.3** Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

### e-mail (competent person):

### sicherheit@carlroth.de

### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	+353 1 809 2166	https:// www.poisons.ie/

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Cobalt(II) nitrate hexahydrate ROTI®METIC 99,999 % (5N)

article number: 5291

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 (CLP)

Section Hazard class		Cat- egory	Hazard class and category	Hazard statement
2.14	2.14 Oxidising solid		Ox. Sol. 2	H272
3.10 Acute toxicity (oral)		4	Acute Tox. 4	H302
3.3 Serious eye damage/eye irritation		1	Eye Dam. 1	H318
3.4R Respiratory sensitisation		1	Resp. Sens. 1	H334
3.4S	3.4S Skin sensitisation		Skin Sens. 1	H317
3.5	3.5 Germ cell mutagenicity		Muta. 2	H341
3.6	3.6 Carcinogenicity		Carc. 1B	H350i
3.7 Reproductive toxicity		1B	Repr. 1B	H360F
4.1A	4.1A Hazardous to the aquatic environment - acute hazard		Aquatic Acute 1	H400
4.1C Hazardous to the aquatic environment - chronic hazard		1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16

### The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

### 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word

Danger

### Pictograms

GHS03, GHS05, GHS07, GHS08, GHS09

### Hazard statements

H272 H302	May intensify fire; oxidiser Harmful if swallowed
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H341	Suspected of causing genetic defects
H350i	May cause cancer by inhalation
H360F	May damage fertility
H410	Very toxic to aquatic life with long lasting effects

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Cobalt(II) nitrate hexahydrate ROTI®METIC 99,999 % (5N)

article number: 5291

### Precautionary statements

#### **Precautionary statements - prevention**

P201	Obtain special instructions before use
P220	Keep/store away from clothing/combustible materials
P273	Avoid release to the environment
P280	Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary statements - response**

P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor

For professional users only

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger



H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341	Suspected of causing genetic defects.
H350i	May cause cancer by inhalation.
H360F	May damage fertility.
P201	Obtain special instructions before use.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

### 2.3 Other hazards

### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

### **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Name of substance	Cobalt(II) nitrate hexahydrate
Molecular formula	$Co(NO_3)_2 \cdot 6 H_2O$
Molar mass	291 <sup>g</sup> / <sub>mol</sub>
CAS No	10026-22-9
EC No	233-402-1
Index No	027-009-00-2

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Cobalt(II) nitrate hexahydrate ROTI®METIC 99,999 % (5N)

article number: 5291

Substance of Very High Concern (SVHC)						
Name of substance	CAS No	EC No	Listed in	Remarks		
Cobalt(II) nitrate hexahydrate	10141-05-6	233-402-1	Candidate list	Carc. A57a Repr. A57c		

#### Legend

Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV Candidate

list

Carc. A57a Carcinogenic (article 57a) Repr. A57c Toxic for reproduction (article 57c)

### Substance, Specific Conc. Limits, M-factors, ATE

Specific Conc. Limits	M-Factors	ATE	Exposure route
Carc. 1B; H350i: C ≥ 0,01 %	M-factor (acute) = 10 M-factor (chronic) = 10	434 <sup>mg</sup> / <sub>kg</sub>	oral

### **SECTION 4: First aid measures**

#### 4.1 **Description of first aid measures**



### **General notes**

Take off contaminated clothing.

### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### **Following skin contact**

Rinse skin with water/shower. After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician.

### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

### **Following ingestion**

Rinse mouth with water (only if the person is conscious). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### 4.2 Most important symptoms and effects, both acute and delayed

Vomiting, Risk of blindness, Risk of serious damage to eyes, Allergic reactions, Cough, Dyspnoea

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Cobalt(II) nitrate hexahydrate ROTI®METIC 99,999 % (5N)

article number: 5291

### SECTION 5: Firefighting measures

### 5.1 Extinguishing media



### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Oxidising property. Non-combustible.

### Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically. Control of dust.

### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



article number: 5291

### SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Use extractor hood (laboratory). Provision of sufficient ventilation. Avoid exposure. Avoid dust formation.

### Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits. Keep away from combustible material.

### Measures to protect the environment

Avoid release to the environment.

### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed. Hygroscopic solid.

### Incompatible substances or mixtures

Observe hints for combined storage. Keep/store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles.

### Protect against external exposure, such as

high temperatures, humidity, contact with air/oxygen

### Consideration of other advice:

### **Ventilation requirements**

Use local and general ventilation.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

### 7.3 Specific end use(s)

No information available.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **National limit values**

### **Occupational exposure limit values (Workplace Exposure Limits)**

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m <sup>3</sup> ]	Nota- tion	Source
IE	dusts, non-specific		OELV	10			i	S.I. No. 619 of 2001
IE	dusts, non-specific		OELV	4			r	S.I. No. 619 of 2001

Notation

 

 Ceiling-C
 Ceiling value is a limit value above which exposure should not occur

 i
 Inhalable fraction

 r
 Respirable fraction

 STEL
 Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)

 TWA
 Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Page 6 / 20



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Cobalt(II) nitrate hexahydrate ROTI®METIC 99,999 % (5N)

article number: 5291

Human health values							
Relevant DN	ELs and other t	hreshold levels					
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time			
DNEL	124,2 µg/m³	human, inhalatory	worker (industry)	chronic - local effects			

### **Environmental values**

Relevant	Relevant PNECs and other threshold levels							
End- point			Environmental com- partment	Exposure time				
PNEC			freshwater	short-term (single instance)				
PNEC			marine water	short-term (single instance)				
PNEC	0,37 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)				
PNEC	53,8 mg/kgaquatic organisms69,8 mg/kgaquatic organisms		freshwater sediment	short-term (single instance)				
PNEC			marine sediment	short-term (single instance)				
PNEC	10,9 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)				

### 8.2 Exposure controls

### Individual protection measures (personal protective equipment)

#### **Eye/face protection**



Use safety goggle with side protection.

### Skin protection



### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

material thickness

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Cobalt(II) nitrate hexahydrate ROTI®METIC 99,999 % (5N)

article number: 5291

### >0,11 mm

### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

### **Respiratory protection**



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

### **Environmental exposure controls**

Keep away from drains, surface and ground water.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state	solid
Form	crystalline
Colour	red brown
Odour	faintly perceptible
Melting point/freezing point	>55 °C (Release of crystal water)
Boiling point or initial boiling point and boiling range	not determined
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	100 – 105 °C
pH (value)	4 (in aqueous solution: 100 $^{g}/_{\textrm{l}}$ 20 °C)
Kinematic viscosity	not relevant
Solubility(ies)	
Water solubility	>669,6 <sup>g</sup> / <sub>l</sub> at 20 °C (ECHA)
Partition coefficient	
Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
Vapour pressure	not determined

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Cobalt(II) nitrate hexahydrate ROTI®METIC 99,999 % (5N)

article number: 5291

Density and/or relative density	
Density	1,87 <sup>g</sup> / <sub>cm³</sub>
Relative vapour density	Information on this property is not available.
Bulk density	~800 <sup>kg</sup> / <sub>m³</sub>
Particle characteristics	No data available.
Other safety parameters	
Oxidising properties	oxidiser
Other information	
Information with regard to physical hazard classes:	There is no additional information.
Other safety characteristics:	There is no additional information.

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

9.2

It's a reactive substance. Oxidising property.

### 10.2 Chemical stability

Moisture-sensitive. Hygroscopic solid.

### 10.3 Possibility of hazardous reactions

Violent reaction with: Reducing agents

### 10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: 100 – 105 °C. Protect from moisture.

### 10.5 Incompatible materials

combustible materials

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

### Acute toxicity

Harmful if swallowed.

Acute toxicity						
Exposure route	Endpoint	Value	Species	Method	Source	
oral	LD50	434 <sup>mg</sup> / <sub>kg</sub>	rat	anhydrous	ECHA	

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Cobalt(II) nitrate hexahydrate ROTI®METIC 99,999 % (5N)

### article number: 5291

### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

### Serious eye damage/eye irritation

Causes serious eye damage.

### Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

### Germ cell mutagenicity

Suspected of causing genetic defects.

### Carcinogenicity

May cause cancer by inhalation.

### **Reproductive toxicity**

May damage fertility.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

### • If swallowed

diarrhoea, vomiting, Spasms

#### • If in eyes

Causes serious eye damage, risk of blindness

#### • If inhaled

May produce an allergic reaction, cough, Dyspnoea

#### • If on skin

May produce an allergic reaction, pruritis, localised redness

### Other information

Other adverse effects: Blood pressure drop, Irreversible damage to internal organs: Kidney, Heart, Pancreas

### **11.2 Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

### 11.3 Information on other hazards

There is no additional information.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Cobalt(II) nitrate hexahydrate ROTI®METIC 99,999 % (5N)

article number: 5291

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

### Aquatic toxicity (acute)

Aqualle coxiercy (act				
Endpoint Value		Value Species Source		Exposure time
LC50	1,512 <sup>mg</sup> / <sub>l</sub>	fish	ECHA	96 h
EC50	2.618 <sup>µg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	48 h
ErC50	71.314 <sup>µg</sup> / <sub>l</sub>	algae	ECHA	96 h

### Aquatic toxicity (chronic)

Endpoint Value		Species	Source	Exposure time			
EC50	82,2 <sup>µg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	21 d			

### 12.2 Persistence and degradability

Data are not available.

### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

BCF	23 (ECHA)
-----	-----------

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

### 12.7 Other adverse effects

Data are not available.

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Cobalt(II) nitrate hexahydrate ROTI®METIC 99,999 % (5N)

article number: 5291

### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### Properties of waste which render it hazardous

- HP 2 oxidising
- **HP 4** irritant skin irritation and eye damage
- HP 6 acute toxicity
- HP7 carcinogenic
- HP 10 toxic for reproduction
- HP 11 mutagenic
- HP 13 sensitising HP 14 ecotoxic

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SEC	TION 14: Transport information	
14.1	UN number or ID number	
	ADRRID	UN 1477
	IMDG-Code	UN 1477
	ICAO-TI	UN 1477
14.2	UN proper shipping name	
	ADRRID	NITRATES, INORGANIC, N.O.S.
	IMDG-Code	NITRATES, INORGANIC, N.O.S.
	ICAO-TI	Nitrates, inorganic, n.o.s.
14.3	Transport hazard class(es)	
	ADRRID	5.1
	IMDG-Code	5.1
	ICAO-TI	5.1
14.4	Packing group	
	ADRRID	II
	IMDG-Code	П
	ICAO-TI	II
14.5	Environmental hazards	hazardous to the aquatic environment
14.6	Special precautions for user	
	Provisions for dangerous goods (ADR) should be	complied within the premises.

### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Cobalt(II) nitrate hexahydrate ROTI®METIC 99,999 % (5N)

article number: 5291

## 14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name	NITRATES, INORGANIC, N.O.S.
Particulars in the transport document	UN1477, NITRATES, INORGANIC, N.O.S., 5.1, II, (E), environmentally hazardous
Classification code	02
Danger label(s)	5.1, "Fish and tree"
Environmental hazards	<b>Yes</b> (hazardous to the aquatic environment)
Special provisions (SP)	511
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
Transport category (TC)	2
Tunnel restriction code (TRC)	E
Hazard identification No	50
Regulations concerning the International C information	arriage of Dangerous Goods by Rail (RID)Additional
Classification code	02
Danger label(s)	5.1, "Fish and tree"
Environmental hazards	Yes Hazardous to water
Special provisions (SP)	511
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
Transport category (TC)	2
Hazard identification No	50
International Maritime Dangerous Goods C	ode (IMDG) - Additional information
Proper shipping name	NITRATES, INORGANIC, N.O.S.
Particulars in the shipper's declaration	UN1477, NITRATES, INORGANIC, N.O.S., 5.1, II, MARINE POLLUTANT
Marine pollutant	<b>Yes</b> (hazardous to the aquatic environment)
Danger label(s)	5.1, "Fish and tree"

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Cobalt(II) nitrate hexahydrate ROTI®METIC 99,999 % (5N)

Special provisions (SP)	-
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
EmS	F-A, S-Q
Stowage category	A
International Civil Aviation Organization (ICAO-	IATA/DGR) - Additional information
Proper shipping name	Nitrates, inorganic, n.o.s.
Particulars in the shipper's declaration	UN1477, Nitrates, inorganic, n.o.s., 5.1, II
Environmental hazards	<b>Yes</b> (hazardous to the aquatic environment)
Danger label(s)	5.1
Special provisions (SP)	A3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	2,5 kg

### SECTION 15: Regulatory information

#### Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1

### Relevant provisions of the European Union (EU)

### **Restrictions according to REACH, Annex XVII**

Dangerous substances with restrictions (REACH, Annex XVII)					
Name of substance	Name acc. to inventory	CAS No	Restriction	No	
Cobalt(II) nitrate hexahydrate	carcinogenic		R28-30	28	
Cobalt(II) nitrate hexahydrate	toxic for reproduction		R28-30	30	
Cobalt(II) nitrate hexahydrate	substances in tattoo inks and perman- ent make-up		R75	75	

#### Legend

R28-30 1. Shall not be placed on the market, or used,

- as substances,

- as constituents of other substances, or,

- in mixtures

for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:

- either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or, - the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of

such substances and mixtures is marked visibly, legibly and indelibly as follows:

Restricted to professional users'. 2. By way of derogation, paragraph 1 shall not apply to: (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC; (b) cosmetic products as defined by Directive 76/768/EEC;

(c) the following fuels and oil products:

- motor fuels which are covered by Directive 98/70/EC,

- mineral oil products intended for use as fuel in mobile or fixed combustion plants,
- fuels sold in closed systems (e.g. liquid gas bottles);
(d) artists' paints covered by Regulation (EC) No 1272/2008;
(e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date;
(f) davies covered by Regulation (EL) 2017/745 (f) devices covered by Regulation (EU) 2017/745.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Cobalt(II) nitrate hexahydrate ROTI®METIC 99,999 % (5N)

#### article number: 5291



8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Cobalt(II) nitrate hexahydrate ROTI®METIC 99,999 % (5N)

### article number: 5291

#### Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

### Substance of Very High Concern (SVHC)

Name acc. to invent- ory	CAS No	Listed in	Remarks	Latest ap- plication date	Sunset date	Date of in- clusion
cobalt dinitrate	10141- 05-6	Candidate list	Carc. A57a Repr. A57c			2010-12-15

Legend

Candidate list Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV Carc. A57a Carcinogenic (article 57a)

Repr. A57c Toxic for reproduction (article 57c)

### **Seveso Directive**

2012/18/EU (Seveso III)				
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements		Notes
P8	oxidising liquids and solids	50	200	55)

#### Notation

55) Oxidising liquids, category 1, 2 or 3, or oxidising solids, category 1, 2 or 3

#### **Deco-Paint Directive**

VOC content	0 %
-------------	-----

#### **Industrial Emissions Directive (IED)**

VOC content	0 %

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

#### Water Framework Directive (WFD)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Cobalt(II) nitrate hexahydrate ROTI®METIC 99,999 % (5N)

article number: 5291

### List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Cobalt(II) nitrate hexahydrate	Substances which contribute to eutrophication (in particular, ni- trates and phosphates)		a)	
Cobalt(II) nitrate hexahydrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Cobalt(II) nitrate hexahydrate	Metals and their compounds		a)	

Legend

a)

Indicative list of the main pollutants

### Regulation on the marketing and use of explosives precursors

not listed

### **Regulation on drug precursors**

not listed

### Regulation on substances that deplete the ozone layer (ODS)

not listed

### Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

### Regulation on persistent organic pollutants (POP)

not listed

### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Cobalt(II) nitrate hexahydrate ROTI®METIC 99,999 % (5N)

article number: 5291

Country	Inventory	Status
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed
Legend         AIIC       Australian Inventory of Industrial Chemicals         CSCL-ENCS       List of Existing and New Chemical Substances (CSCL-ENCS)         DSL       Domestic Substances List (DSL)         ECSI       EC Substance Inventory (EINECS, ELINCS, NLP)		

DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

### **SECTION 16: Other information**

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8	Classification code: 5.1	Classification code: O2	yes
15.1		National inventories: change in the listing (table)	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

### Cobalt(II) nitrate hexahydrate ROTI®METIC 99,999 % (5N)



### article number: 5291

Abbr.	Descriptions of used abbreviations
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
S.I. No. 619 of 2001	Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Cobalt(II) nitrate hexahydrate ROTI®METIC 99,999 % (5N)

article number: 5291

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text	
H272	May intensify fire; oxidiser.	
H302	Harmful if swallowed.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
H341	Suspected of causing genetic defects.	
H350i	May cause cancer by inhalation.	
H360F	May damage fertility.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.