

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Ultrasonol® 7 - neutral

article number: **5356**  
Version: **2.1 en**  
Replaces version of: 26.01.2021  
Version: (2)

date of compilation: 10.08.2018  
Revision: 27.01.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Identification of the substance **Ultrasonol® 7 - neutral**  
Article number 5356  
Registration number (REACH) not relevant (mixture)

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical  
Cleaning agent  
Uses advised against: Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:**+49 (0) 721 - 56 06 0  
**Telefax:** +49 (0) 721 - 56 06 149  
**e-mail:** sicherheit@carlroth.de  
**Website:** www.carlroth.de

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

**e-mail (competent person):** sicherheit@carlroth.de

### 1.4 Emergency telephone number

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319

For full text of abbreviations: see SECTION 16

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word      Warning

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Ultrasonol® 7 - neutral

article number: 5356

### Pictograms

GHS07



### Hazard statements

H319 Causes serious eye irritation

### Precautionary statements

#### Precautionary statements - prevention

P280 Wear protective gloves/eye protection/face protection

#### Precautionary statements - response

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337+P313 If eye irritation persists: Get medical advice/attention

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: **Warning**

Symbol(s)



### 2.3 Other hazards

There is no additional information.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

not relevant (mixture)

### 3.2 Mixtures

#### Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Hexyl D-glucoside	CAS No 54549-24-5  EC No 259-217-6  REACH Reg. No 01-2119492545- 29-xxxx	1 - < 5	Eye Dam. 1 / H318		
2-Phenoxyethanol	CAS No 122-99-6  EC No 204-589-7  Index No 603-098-00-9	1 - < 5	Acute Tox. 4 / H302 Eye Irrit. 2 / H319		

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Ultrasonol® 7 - neutral

article number: 5356

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Fatty alcohol alkoxylate acid phosphate ester	CAS No 68649-29-6	1 – < 5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319		
Isotridecanol, ethoxylated	CAS No 69011-36-5 EC No 500-241-6	1 – < 5	Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Aquatic Chronic 3 / H412		

Name of substance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Isotridecanol, ethoxylated	CAS No 69011-36-5 EC No 500-241-6	-	-	11 mg <sub>i</sub> /4h 1,6 mg <sub>i</sub> /4h	inhalation: vapour inhalation: dust/mist
2-Phenoxyethanol	CAS No 122-99-6 EC No 204-589-7 Index No 603-098-00-9	-	-	1.840 mg/kg	oral

For full text of abbreviations: see SECTION 16

## SECTION 4: First aid measures

### 4.1 Description of first aid measures



#### General notes

Take off contaminated clothing.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

#### Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

Vomiting, Irritation

### 4.3 Indication of any immediate medical attention and special treatment needed

none

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Ultrasonol® 7 - neutral

article number: 5356

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings  
water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

#### Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), May produce toxic fumes of carbon monoxide if burning.

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Ultrasonol® 7 - neutral

article number: 5356

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

No special measures are necessary.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

#### 7.3 Specific end use(s)

No information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### National limit values

##### Occupational exposure limit values (Workplace Exposure Limits)

Data are not available.

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Isotridecanol, ethoxylated	69011-36-5	DNEL	294 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Isotridecanol, ethoxylated	69011-36-5	DNEL	2,080 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Hexyl D-glucoside	54549-24-5	DNEL	420 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Hexyl D-glucoside	54549-24-5	DNEL	595,000 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
2-Phenoxyethanol	122-99-6	DNEL	8,07 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
2-Phenoxyethanol	122-99-6	DNEL	8,07 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
2-Phenoxyethanol	122-99-6	DNEL	20,83 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Ultrasonol® 7 - neutral

article number: 5356

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Isotridecanol, ethoxylated	69011-36-5	PNEC	0,015 mg/l	aquatic organisms	water	intermittent release
Isotridecanol, ethoxylated	69011-36-5	PNEC	0,074 mg/l	aquatic organisms	freshwater	short-term (single instance)
Isotridecanol, ethoxylated	69011-36-5	PNEC	0,007 mg/l	aquatic organisms	marine water	short-term (single instance)
Isotridecanol, ethoxylated	69011-36-5	PNEC	1,4 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Isotridecanol, ethoxylated	69011-36-5	PNEC	0,604 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Isotridecanol, ethoxylated	69011-36-5	PNEC	0,06 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Isotridecanol, ethoxylated	69011-36-5	PNEC	0,1 mg/kg	terrestrial organisms	soil	short-term (single instance)
Hexyl D-glucoside	54549-24-5	PNEC	111,1 mg/kg	aquatic organisms	water	short-term (single instance)
Hexyl D-glucoside	54549-24-5	PNEC	4,2 mg/l	aquatic organisms	water	intermittent release
Hexyl D-glucoside	54549-24-5	PNEC	0,176 mg/l	aquatic organisms	freshwater	short-term (single instance)
Hexyl D-glucoside	54549-24-5	PNEC	0,018 mg/l	aquatic organisms	marine water	short-term (single instance)
Hexyl D-glucoside	54549-24-5	PNEC	100 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Hexyl D-glucoside	54549-24-5	PNEC	0,722 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Hexyl D-glucoside	54549-24-5	PNEC	0,072 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Hexyl D-glucoside	54549-24-5	PNEC	0,654 mg/kg	terrestrial organisms	soil	short-term (single instance)
2-Phenoxyethanol	122-99-6	PNEC	0,72 mg/cm <sup>3</sup>	unknown	marine sediment	intermittent release
2-Phenoxyethanol	122-99-6	PNEC	0,094 mg/cm <sup>3</sup>	unknown	marine water	intermittent release
2-Phenoxyethanol	122-99-6	PNEC	3,44 mg/cm <sup>3</sup>	unknown	air	intermittent release
2-Phenoxyethanol	122-99-6	PNEC	7,24 mg/cm <sup>3</sup>	unknown	freshwater sediment	intermittent release
2-Phenoxyethanol	122-99-6	PNEC	0,94 mg/cm <sup>3</sup>	unknown	freshwater	intermittent release
2-Phenoxyethanol	122-99-6	PNEC	24,8 mg/cm <sup>3</sup>	unknown	sewage treatment plant (STP)	intermittent release
2-Phenoxyethanol	122-99-6	PNEC	1,26 mg/cm <sup>3</sup>	unknown	soil	intermittent release

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Ultrasonol® 7 - neutral

article number: 5356

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
2-Phenoxyethanol	122-99-6	PNEC	3,44 mg/l	aquatic organisms	water	intermittent release
2-Phenoxyethanol	122-99-6	PNEC	0,943 mg/l	aquatic organisms	freshwater	short-term (single instance)
2-Phenoxyethanol	122-99-6	PNEC	0,094 mg/l	aquatic organisms	marine water	short-term (single instance)
2-Phenoxyethanol	122-99-6	PNEC	24,8 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
2-Phenoxyethanol	122-99-6	PNEC	7,237 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
2-Phenoxyethanol	122-99-6	PNEC	0,724 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
2-Phenoxyethanol	122-99-6	PNEC	1,26 mg/kg	terrestrial organisms	soil	short-term (single instance)

## 8.2 Exposure controls

### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection.

#### Skin protection



#### • hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

#### • material thickness

>0,11 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)




## Ultrasonol® 7 - neutral

article number: 5356

### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

### Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation.

### Environmental exposure controls

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	yellow - brown
Odour	characteristic
Melting point/freezing point	0 °C
Boiling point or initial boiling point and boiling range	(unknown) not determined
Flammability	non-combustible
Lower and upper explosion limit	1,4 vol% - 9 vol%
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	6,3
Kinematic viscosity	2,15 mm <sup>2</sup> /s
<u>Solubility(ies)</u>	
Water solubility	miscible in any proportion
<u>Partition coefficient</u>	
Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
Vapour pressure	not determined
Density	1,07 g/cm <sup>3</sup>
Particle characteristics	no data available



# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Ultrasonol® 7 - neutral

article number: 5356

### Other safety parameters

Oxidising properties none

## 9.2 Other information

Information with regard to physical hazard classes: hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics:

Miscibility completely miscible with water

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

**Violent reaction with:** strong oxidiser

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

There is no additional information.

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

#### Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
Isotridecanol, ethoxylated	69011-36-5	inhalation: vapour	11 mg <sub>l</sub> /4h
Isotridecanol, ethoxylated	69011-36-5	inhalation: dust/mist	1,6 mg <sub>l</sub> /4h
2-Phenoxyethanol	122-99-6	oral	1.840 mg <sub>l</sub> /kg

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Ultrasonol® 7 - neutral

article number: 5356

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Isotridecanol, ethoxylated	69011-36-5	oral	LD50	>2.000 mg/kg	rat
Isotridecanol, ethoxylated	69011-36-5	inhalation: dust/mist	LC50	>1,6 mg/l/4h	rat
Isotridecanol, ethoxylated	69011-36-5	dermal	LD50	5.960 mg/kg	rabbit
2-Phenoxyethanol	122-99-6	oral	LD50	1.840 mg/kg	rat
2-Phenoxyethanol	122-99-6	dermal	LD50	>2.214 mg/kg	rabbit

### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

vomiting

#### • If in eyes

Causes serious eye irritation

#### • If inhaled

cough

#### • If on skin

slightly irritant but not relevant for classification

### Other information

none

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Ultrasonol® 7 - neutral

article number: 5356

### SECTION 12: Ecological information

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Isotridecanol, ethoxylated	69011-36-5	LL50	2,5 mg/l	fish	96 h
Isotridecanol, ethoxylated	69011-36-5	EC50	1,5 mg/l	aquatic invertebrates	48 h
Hexyl D-glucoside	54549-24-5	LC50	420 mg/l	fish	96 h
Hexyl D-glucoside	54549-24-5	EC50	490 mg/l	aquatic invertebrates	48 h
Hexyl D-glucoside	54549-24-5	EL50	435 mg/l	algae	72 h
2-Phenoxyethanol	122-99-6	LC50	344 mg/l	fish	96 h
2-Phenoxyethanol	122-99-6	EC50	>500 mg/l	aquatic invertebrates	48 h
2-Phenoxyethanol	122-99-6	ErC50	625 mg/l	algae	72 h

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Hexyl D-glucoside	54549-24-5	LC50	3,2 mg/l	fish	28 d
Hexyl D-glucoside	54549-24-5	EC50	>1.000 mg/l	microorganisms	4 h
2-Phenoxyethanol	122-99-6	EC50	>1.000 mg/l	microorganisms	30 min

#### 12.2 Persistence and degradability

Degradability of components of the mixture						
Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
Isotridecanol, ethoxylated	69011-36-5	DOC removal	82 %	28 d		ECHA
Hexyl D-glucoside	54549-24-5	oxygen depletion	71 %	28 d		ECHA
2-Phenoxyethanol	122-99-6	biotic/abiotic	82 %	17 d		
2-Phenoxyethanol	122-99-6	DOC removal	>90 %	15 d		ECHA
2-Phenoxyethanol	122-99-6	oxygen depletion	90 %	28 d		ECHA
2-Phenoxyethanol	122-99-6	carbon dioxide generation	75 %	28 d		ECHA

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Ultrasonol® 7 - neutral

article number: 5356

### 12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Isotridecanol, ethoxylated	69011-36-5	232,5	4,9	
Hexyl D-glucoside	54549-24-5		1,72 (pH value: 6,5, 40 °C)	
2-Phenoxyethanol	122-99-6	0,349	1,2 (pH value: 5, 23 °C)	

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Endocrine disrupting properties

None of the ingredients are listed.

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## SECTION 14: Transport information

14.1 UN number or ID number	not subject to transport regulations
14.2 UN proper shipping name	not assigned
14.3 Transport hazard class(es)	none
14.4 Packing group	not assigned
14.5 Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Ultrasonol® 7 - neutral

article number: 5356

### 14.6 Special precautions for user

There is no additional information.

### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

### Information for each of the UN Model Regulations

#### Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

not assigned

#### International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

#### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

#### Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Ultrasonol®	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3	3

#### Legend

- R3
1. Shall not be used in:
    - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
    - tricks and jokes,
    - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
  2. Articles not complying with paragraph 1 shall not be placed on the market.
  3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
    - can be used as fuel in decorative oil lamps for supply to the general public, and,
    - present an aspiration hazard and are labelled with R65 or H304,
  4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
  5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
    - (a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';
    - (b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';
    - (c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
  6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.
  7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.

#### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

none of the ingredients are listed

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Ultrasonol® 7 - neutral

article number: 5356

### Seveso Directive

#### 2012/18/EU (Seveso III)

No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

### Deco-Paint Directive (2004/42/EC)

VOC content	6,89 %
-------------	--------

### Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content	4,9 %
-------------	-------

### Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

none of the ingredients are listed

### Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

### Water Framework Directive (WFD)

none of the ingredients are listed

### Regulation 98/2013/EU on the marketing and use of explosives precursors

none of the ingredients are listed

### Regulation 111/2005/EC laying down rules for the monitoring of trade between the Community and third countries in drug precursors

none of the ingredients are listed

### Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

### Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

### National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Ultrasonol® 7 - neutral

article number: 5356

Country	Inventory	Status
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

### Legend

AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
EC SI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Ultrasonol® 7 - neutral

article number: 5356

Abbr.	Descriptions of used abbreviations
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
SVHC	Substance of Very High Concern
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.  
Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).



# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Ultrasonol® 7 - neutral

article number: **5356**

### Classification procedure

Physical and chemical properties. The classification is based on tested mixture.  
Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H412	Harmful to aquatic life with long lasting effects.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.