acc. to Safe Work Australia - Code of Practice

## Cerium(III) acetate hydrate ROTI®METIC 99,999 % (5N)





## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

**Product identifier** 1.1

> Identification of the substance Cerium(III) acetate hydrate ROTI®METIC

99,999 % (5N)

Article number 5372

CAS number 17829-82-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

> Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

sheet:

e-mail (competent person): sicherheit@carlroth.de

#### 1.4 **Emergency telephone number**

| Name   | Street          | Postal code/city        | Telephone | Website |
|--|-----------------|-------------------------|-----------|---------|
| NSW Poisons Information Centre<br>Childrens Hospital | Hawkesbury Road | 2145 West-<br>mead, NSW | 131126    |         |

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification acc. to GHS

This substance does not meet the criteria for classification.

#### 2.2 **Label elements**

#### Labelling

not required

Australia (en) Page 1 / 13

acc. to Safe Work Australia - Code of Practice

# ROTH

## Cerium(III) acetate hydrate ROTI®METIC 99,999 % (5N)

article number: 5372

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

## **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance Cerium(III) acetate hydrate

Molecular formula  $Ce(C_2H_3O_2)_3 \cdot x H_2O$ Molar mass  $317.3 \, {}^g/_{mol} + x H_2O$ 

CAS No 17829-82-2

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

## Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

## **Following skin contact**

Rinse skin with water/shower.

## Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

## Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

## 4.2 Most important symptoms and effects, both acute and delayed

Irritant effects

## 4.3 Indication of any immediate medical attention and special treatment needed

none

Australia (en) Page 2 / 13

acc. to Safe Work Australia - Code of Practice

## Cerium(III) acetate hydrate ROTI®METIC 99,999 % (5N)

article number: 5372



# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media



## Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

## Unsuitable extinguishing media

water jet

## 5.2 Special hazards arising from the substance or mixture

Non-combustible.

## **Hazardous combustion products**

In case of fire may be liberated: Carbon monoxide (CO<sub>2</sub>), Carbon dioxide (CO<sub>2</sub>)

## 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures



## For non-emergency personnel

Control of dust.

## **6.2** Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

## 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

## Advice on how to clean up a spill

Take up mechanically.

## Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Australia (en) Page 3 / 13

acc. to Safe Work Australia - Code of Practice

## Cerium(III) acetate hydrate ROTI®METIC 99,999 % (5N)

article number: 5372

## **SECTION 7: Handling and storage**

## Precautions for safe handling

No special measures are necessary.

## Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

## **Incompatible substances or mixtures**

Observe hints for combined storage.

## Consideration of other advice:

## **Ventilation requirements**

Use local and general ventilation.

## Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

#### 8.1 **Control parameters**

#### **National limit values**

## **Occupational exposure limit values (Workplace Exposure Limits)**

| Coun<br>try | Name of agent  | CAS No | Identifi-<br>er | TWA<br>[mg/<br>m³] | STEL<br>[mg/<br>m³] | Ceil-<br>ing-C<br>[mg/<br>m³] | Nota-<br>tion | Source |
|-------------|----------------|--------|-----------------|--------------------|---------------------|-------------------------------|---------------|--------|
| AU          | nuisance dusts |        | WES             | 10                 |                     |                               | i             | WES    |

#### Notation

TWA

Ceiling value is a limit value above which exposure should not occur Inhalable fraction Ceiling-C

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

#### **Human health values**

# **Relevant DNELs and other threshold levels**

| Endpoint | Threshold<br>level   | Protection goal, route of exposure | Used in           | Exposure time              |
|----------|----------------------|------------------------------------|-------------------|----------------------------|
| DNEL     | 1.9 mg/m³            | human, inhalatory                  | worker (industry) | chronic - systemic effects |
| DNEL     | 1.6 mg/m³            | human, inhalatory                  | worker (industry) | chronic - local effects    |
| DNEL     | 2.8 mg/kg bw/<br>day | human, dermal                      | worker (industry) | chronic - systemic effects |

Australia (en) Page 4 / 13

acc. to Safe Work Australia - Code of Practice

## Cerium(III) acetate hydrate ROTI®METIC 99,999 % (5N)

article number: 5372



#### **Environmental values**

## **Relevant PNECs and other threshold levels**

| End-<br>point | Threshold<br>level                 | Organism              | Environmental com-<br>partment  | Exposure time                |
|---------------|------------------------------------|-----------------------|---------------------------------|------------------------------|
| PNEC          | 0 <sup>mg</sup> / <sub>l</sub>     | aquatic organisms     | freshwater                      | short-term (single instance) |
| PNEC          | 0 <sup>mg</sup> / <sub>l</sub>     | aquatic organisms     | marine water                    | short-term (single instance) |
| PNEC          | 9.87 <sup>mg</sup> / <sub>l</sub>  | aquatic organisms     | sewage treatment plant<br>(STP) | short-term (single instance) |
| PNEC          | 38.2 <sup>mg</sup> / <sub>kg</sub> | aquatic organisms     | freshwater sediment             | short-term (single instance) |
| PNEC          | 3.82 <sup>mg</sup> / <sub>kg</sub> | aquatic organisms     | marine sediment                 | short-term (single instance) |
| PNEC          | 1.01 <sup>mg</sup> / <sub>kg</sub> | terrestrial organisms | soil                            | short-term (single instance) |

## 8.2 Exposure controls

## Individual protection measures (personal protective equipment)

## **Eye/face protection**





Use safety goggle with side protection.

## Skin protection





## hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

## type of material

NBR (Nitrile rubber)

## material thickness

>0,11 mm

## breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

## **Respiratory protection**





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

Australia (en) Page 5 / 13

acc. to Safe Work Australia - Code of Practice

# ROTH

## Cerium(III) acetate hydrate ROTI®METIC 99,999 % (5N)

article number: 5372

## **Environmental exposure controls**

Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state solid

Form powder, crystalline

Colour white

Odour characteristic

Melting point/freezing point >115 °C

Boiling point or initial boiling point and boiling

range

not determined

Flammability non-combustible

Lower and upper explosion limit not determined

Flash point not applicable

Auto-ignition temperature 214 °C (ECHA)

Decomposition temperature not relevant

pH (value) not applicable

Kinematic viscosity not relevant

Solubility(ies)

Water solubility  $\sim 260 \, ^{\rm g}/_{\rm l}$  at 20  $^{\circ}{\rm C}$ 

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure not determined

Density and/or relative density

Density  $2.11 \, {}^{9}/_{cm^3}$  (ECHA)

Relative vapour density Information on this property is not available.

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard hazard classes acc. to GHS

classes: (physical hazards): not relevant

Australia (en) Page 6 / 13

acc. to Safe Work Australia - Code of Practice

## Cerium(III) acetate hydrate ROTI®METIC 99,999 % (5N)

article number: 5372

Other safety characteristics:

There is no additional information.

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

This material is not reactive under normal ambient conditions.

## 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

## 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

#### 10.4 Conditions to avoid

Keep away from heat.

## 10.5 Incompatible materials

There is no additional information.

## 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

## **Classification acc. to GHS**

This substance does not meet the criteria for classification.

#### **Acute toxicity**

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful if swallowed.

## **Acute toxicity**

| Exposure route | Endpoint | Value                                | Species | Method | Source |
|----------------|----------|--------------------------------------|---------|--------|--------|
| oral           | LD50     | >2,000 <sup>mg</sup> / <sub>kg</sub> | rat     |        | ECHA   |

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

## Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

## Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

## Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

## Carcinogenicity

Shall not be classified as carcinogenic.

## Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Australia (en) Page 7 / 13



acc. to Safe Work Australia - Code of Practice

# ROTH

## Cerium(III) acetate hydrate ROTI®METIC 99,999 % (5N)

article number: 5372

## Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

## Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

## **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

## Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

Data are not available.

## • If in eyes

slightly irritant but not relevant for classification

#### If inhaled

slightly irritant but not relevant for classification

## • If on skin

slightly irritant but not relevant for classification

#### Other information

none

## 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

# **SECTION 12: Ecological information**

## 12.1 Toxicity

Very toxic to aquatic life.

| Aquatic toxicity (acute) |                                   |                       |        |               |  |  |
|--------------------------|-----------------------------------|-----------------------|--------|---------------|--|--|
| Endpoint                 | Value                             | Species               | Source | Exposure time |  |  |
| LC50                     | 0.13 <sup>mg</sup> / <sub>l</sub> | fish                  | ECHA   | 96 h          |  |  |
| EC50                     | 6.9 <sup>mg</sup> / <sub>l</sub>  | aquatic invertebrates | ECHA   | 48 h          |  |  |

| Aquatic toxicity (chronic) |                                  |                |        |                  |  |  |
|----------------------------|----------------------------------|----------------|--------|------------------|--|--|
| Endpoint                   | Value                            | Species        | Source | Exposure<br>time |  |  |
| EC50                       | 436 <sup>mg</sup> / <sub>l</sub> | microorganisms | ECHA   | 3 h              |  |  |

Australia (en) Page 8 / 13

acc. to Safe Work Australia - Code of Practice



## Cerium(III) acetate hydrate ROTI®METIC 99,999 % (5N)

article number: 5372

## 12.2 Persistence and degradability

## **Biodegradation**

The substance is readily biodegradable.

## **Process of degradability**

| Process                   | Degradation rate | Time |
|---------------------------|------------------|------|
| carbon dioxide generation | 77 %             | 28 d |

## 12.3 Bioaccumulative potential

Data are not available.

## 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

## 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

#### 12.7 Other adverse effects

Data are not available.

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

## Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

Australia (en) Page 9 / 13

acc. to Safe Work Australia - Code of Practice

## Cerium(III) acetate hydrate ROTI®METIC 99,999 % (5N)

article number: 5372



## **SECTION 14: Transport information**

14.1 UN number

UN 3077
IMDG-Code UN 3077
ICAO-TI UN 3077

14.2 UN proper shipping name

**UN RTDG** ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S.

IMDG-Code ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S.

ICAO-TI Environmentally hazardous substance, solid,

n.o.s.

Technical name Cerium(III) acetate hydrate

14.3 Transport hazard class(es)

UN RTDG 9
IMDG-Code 9
ICAO-TI 9

14.4 Packing group

UN RTDG III
IMDG-Code III
ICAO-TI III

**14.5 Environmental hazards** hazardous to the aquatic environment

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

## 14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

UN number 3077
Class 9
Environmental hazards Yes

Hazardous to the aquatic environment

Packing group III

Danger label(s) 9

Fish and tree



Australia (en) Page 10 / 13

acc. to Safe Work Australia - Code of Practice

## Cerium(III) acetate hydrate ROTI®METIC 99,999 % (5N)

article number: 5372

**Special provisions (SP)** 274, 331, 335, 375

**UN RTDG** 

Excepted quantities (EQ)

**UN RTDG** 

Limited quantities (LQ) 5 kg

5 kg UN RTDG

Emergency Action Code 2Z

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S.

Particulars in the shipper's declaration UN3077, ENVIRONMENTALLY HAZARDOUS SUB-

STANCE, SOLID, N.O.S., (Cerium(III) acetate hy-

drate), 9, III

Marine pollutant yes (hazardous to the aquatic environment), (Cerium(III) acet-

ate hydrate)

Danger label(s) 9, "Fish and tree"

Special provisions (SP) 274, 335, 966, 967, 969

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 kg

EmS F-A, S-F

Stowage category A

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Environmentally hazardous substance, solid,

n.o.s.

Particulars in the shipper's declaration UN3077, Environmentally hazardous substance,

solid, n.o.s., (Cerium(III) acetate hydrate), 9, III

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 9, "Fish and tree"

Special provisions (SP) A97, A158, A179, A197, A215

Excepted quantities (EQ) E1

Limited quantities (LQ) 30 kg

Australia (en) Page 11 / 13

acc. to Safe Work Australia - Code of Practice



article number: 5372



## **SECTION 15: Regulatory information**

## Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

## National regulations(Australia)

## **Australian Inventory of Chemical Substances(AICS)**

Substance is listed.

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

| Country | Inventory  | Status                       |
|---------|------------|------------------------------|
| AU      | AIIC       | substance is listed          |
| CA      | DSL        | substance is listed          |
| EU      | ECSI       | substance is listed          |
| EU      | REACH Reg. | substance is listed          |
| JP      | CSCL-ENCS  | substance is listed          |
| KR      | KECI       | substance is listed          |
| MX      | INSQ       | substance is listed          |
| TW      | TCSI       | substance is listed          |
| US      | TSCA       | substance is listed (ACTIVE) |
| VN      | NCI        | substance is listed          |

#### Legend

AIIC CSCL-ENCS DSL ECSI Australian Inventory of Industrial Chemicals
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
National Inventory of Chemical Substances **INSQ** 

Korea Existing Chémicals Inventory National Chemical Inventory REACH Reg. REACH registered substances

Taiwan Chemical Substance Inventory Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

## **SECTION 16: Other information**

## Abbreviations and acronyms

| Abbr.     | Descriptions of used abbreviations   |
|-----------|--|
| CAS       | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value  |
| DGR       | Dangerous Goods Regulations (see IATA/DGR)   |
| DNEL      | Derived No-Effect Level  |

Australia (en) Page 12 / 13

acc. to Safe Work Australia - Code of Practice



## Cerium(III) acetate hydrate ROTI®METIC 99,999 % (5N)

article number: 5372

| Abbr.     | Descriptions of used abbreviations   |
|-----------|--|
| EC50      | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| ED        | Endocrine disruptor  |
| EINECS    | European Inventory of Existing Commercial Chemical Substances  |
| ELINCS    | European List of Notified Chemical Substances  |
| EmS       | Emergency Schedule   |
| GHS       | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations  |
| IATA      | International Air Transport Association  |
| IATA/DGR  | Dangerous Goods Regulations (DGR) for the air transport (IATA)   |
| ICAO      | International Civil Aviation Organization  |
| ICAO-TI   | Technical instructions for the safe transport of dangerous goods by air  |
| IMDG      | International Maritime Dangerous Goods Code  |
| IMDG-Code | International Maritime Dangerous Goods Code  |
| LC50      | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval                                |
| LD50      | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval   |
| NLP       | No-Longer Polymer  |
| PBT       | Persistent, Bioaccumulative and Toxic  |
| PNEC      | Predicted No-Effect Concentration  |
| STEL      | Short-term exposure limit  |
| TWA       | Time-weighted average  |
| UN RTDG   | UN Recommendations on the Transport of Dangerous Good  |
| vPvB      | Very Persistent and very Bioaccumulative   |
| WES       | Safe Work Australia: Workplace exposure standards for airborne contaminants  |

## Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

## Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 13 / 13