

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Nickel(II)-oxide ROTI®METIC 99,999 % (5N)

article number: **5388**  
Version: **1.0 en**

date of compilation: 2016-08-11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Identification of the substance	<b>Nickel(II)-oxide</b>
Article number	5388
Registration number (REACH)	01-2119467172-41-xxxx
Index No	028-003-00-2
EC number	215-215-7
CAS number	1313-99-1

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** laboratory chemical

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:** +49 (0) 721 - 56 06 0

**Telefax:** +49 (0) 721 - 56 06 149

**e-mail:** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

**Website:** [www.carlroth.de](http://www.carlroth.de)

Competent person responsible for the safety data sheet : Department Health, Safety and Environment

**e-mail (competent person)** : [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

### 1.4 Emergency telephone number

Emergency information service **Poison Centre Munich: +49/(0)89 19240**

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Classification acc. to GHS			
Section	Hazard class	Hazard class and category	Hazard statement
3.4S	skin sensitisation	(Skin Sens. 1)	H317
3.6	carcinogenicity	(Carc. 1A)	H350i
3.9	specific target organ toxicity - repeated exposure	(STOT RE 1)	H372
4.1C	hazardous to the aquatic environment - chronic hazard	(Aquatic Chronic 4)	H413

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Nickel(II)-oxide ROTI®METIC 99,999 % (5N)

article number: 5388

### Remarks

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

## 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008 (CLP)

#### Signal word

**Danger**

#### Pictograms



#### Hazard statements

H317	May cause an allergic skin reaction.
H350i	May cause cancer by inhalation.
H372	Causes damage to organs through prolonged or repeated exposure (if inhaled).
H413	May cause long lasting harmful effects to aquatic life.

#### Precautionary statements

##### Precautionary statements - prevention

P260	Do not breathe dust.
P280	Wear protective gloves/eye protection.

##### Precautionary statements - response

P302+P352	IF ON SKIN: Wash with plenty of water.
P308+P313	IF exposed or concerned: Get medical advice/attention.

For professional users only

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**

Symbol(s)



H317	May cause an allergic skin reaction.
H350i	May cause cancer by inhalation.
H372	Causes damage to organs through prolonged or repeated exposure (if inhaled).
H413	May cause long lasting harmful effects to aquatic life.
P260	Do not breathe dust.
P280	Wear protective gloves/eye protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P308+P313	IF exposed or concerned: Get medical advice/attention.

## 2.3 Other hazards

There is no additional information.

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Nickel(II)-oxide ROTI®METIC 99,999 % (5N)

article number: 5388

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Name of substance	Nickel(II)-oxide
Index No	028-003-00-2
Registration number (REACH)	01-2119467172-41-xxxx
EC number	215-215-7
CAS number	1313-99-1
Molecular formula	NiO
Molar mass	74,69 g/mol

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures



##### General notes

Take off contaminated clothing.

##### Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions.

##### Following skin contact

Rinse skin with water/shower. In case of skin reactions, consult a physician.

##### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

##### Following ingestion

Rinse mouth immediately and drink plenty of water. Call a doctor.

#### 4.2 Most important symptoms and effects, both acute and delayed

Breathing difficulties, Gastrointestinal complaints, Irritant effects, Allergic reactions

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



**Nickel(II)-oxide ROTI®METIC 99,999 % (5N)**

article number: **5388**

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings  
water spray, foam, dry extinguishing powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

### 5.3 Advice for firefighters

Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Do not breathe dust. Anti-dust and anti-vapour respirator. Avoid contact with skin and eyes. Use personal protective equipment as required.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose it.

### 6.3 Methods and material for containment and cleaning up

#### Advices on how to contain a spill

Covering of drains.

#### Advices on how to clean up a spill

Take up mechanically. Control of dust.

#### Other information relating to spills and releases

Place in appropriate containers for disposal.

#### Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8.  
Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Avoid dust formation. Avoid exposure. Provide adequate ventilation.

#### • Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

#### Advice on general occupational hygiene

Wash hands before breaks and after work.

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Nickel(II)-oxide ROTI®METIC 99,999 % (5N)

article number: 5388

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a dry place.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice

- **Ventilation requirements**

Use local and general ventilation.

- **Specific designs for storage rooms or vessels**

Recommended storage temperature: 15 - 25 °C.

### 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### National limit values

#### Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	Notation	Identifier	TWA [mg/m <sup>3</sup> ]	STEL [mg/m <sup>3</sup> ]	Source
GB	dust	i	WEL	10		EH40/2005
GB	dust	r	WEL	4		EH40/2005
GB	nickel, inorganic compounds	Ni	WEL	0,1		EH40/2005
GB	nickel, insoluble compounds	Ni	WEL	0,5		EH40/2005

#### Notation

i	Inhalable fraction
Ni	Calculated as Ni (nickel)
r	Respirable fraction
STEL	Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period unless otherwise specified
TWA	Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average

#### Relevant DNELs/DMELs/PNECs and other threshold levels

- **human health values**

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	0,05 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	0,05 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
DNEL	18,9 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects

### 8.2 Exposure controls

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Nickel(II)-oxide ROTI®METIC 99,999 % (5N)

article number: 5388

### Individual protection measures (personal protective equipment)



#### Eye/face protection

Use safety goggle with side protection.

#### Skin protection

##### • hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

##### • type of material

NBR (Nitrile rubber)

##### • material thickness

>0,11 mm.

##### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

##### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### Respiratory protection

Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

#### Environmental exposure controls

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	solid (powder, crystalline)
Colour	dark green - black
Odour	odourless
Odour threshold	No data available

#### Other physical and chemical parameters

pH (value)	This information is not available.
Melting point/freezing point	1.984 °C
Initial boiling point and boiling range	This information is not available.
Flash point	not applicable
Evaporation rate	no data available
Flammability (solid, gas)	Non-flammable

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Nickel(II)-oxide ROTI®METIC 99,999 % (5N)

article number: 5388

### Explosive limits

• lower explosion limit (LEL)	this information is not available
• upper explosion limit (UEL)	this information is not available
Explosion limits of dust clouds	these information are not available
Vapour pressure	This information is not available.
Density	6,72 g/cm <sup>3</sup>
Vapour density	This information is not available.
Relative density	Information on this property is not available.
<u>Solubility(ies)</u>	
Water solubility	0 g/l at 20 °C
<u>Partition coefficient</u>	
n-octanol/water (log KOW)	This information is not available.
Auto-ignition temperature	Information on this property is not available.
Decomposition temperature	no data available
Viscosity	not relevant (solid matter)
Explosive properties	shall not be classified as explosive
Oxidising properties	none

### 9.2 Other information

There is no additional information.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

Violent reaction with: Hydrogen peroxide, Iodine, Hydrogen sulphide (H<sub>2</sub>S)

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

There is no additional information.

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



**Nickel(II)-oxide ROTI®METIC 99,999 % (5N)**

article number: 5388

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Shall not be classified as acutely toxic.

Exposure route	Endpoint	Value	Species
oral	LD50	>2.000 mg/kg	rat

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

May cause an allergic skin reaction. May cause sensitization by skin contact.

#### Summary of evaluation of the CMR properties

##### Carcinogenicity:

May cause cancer by inhalation

##### • Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

##### • Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure (if inhaled).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

##### • If swallowed

gastrointestinal complaints, nausea, vomiting

##### • If in eyes

slightly irritant, conjunctival redness of the eyes

##### • If inhaled

Irritation to respiratory tract, breathing difficulties, varying degrees of pulmonary injury, carcinogenic

##### • If on skin

may cause an allergic skin reaction

#### Other information

Substance not yet fully tested



# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Nickel(II)-oxide ROTI®METIC 99,999 % (5N)

article number: 5388

### SECTION 12: Ecological information

#### 12.1 Toxicity

May cause long lasting harmful effects to aquatic life.

##### **Aquatic toxicity (chronic)**

May cause long-term adverse effects in the aquatic environment.

#### 12.2 Process of degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

#### 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Other adverse effects

Data are not available.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

##### **Sewage disposal-relevant information**

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

### SECTION 14: Transport information

14.1	UN number	(not subject to transport regulations)
14.2	UN proper shipping name	not relevant
14.3	Transport hazard class(es)	not relevant
	Class	-
14.4	Packing group	not relevant
14.5	Environmental hazards	none (non-environmentally hazardous acc. to the dangerous goods regulations)
14.6	<b>Special precautions for user</b>	
	There is no additional information.	

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Nickel(II)-oxide ROTI®METIC 99,999 % (5N)

article number: 5388

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

### 14.8 Information for each of the UN Model Regulations

- **Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)**

Not subject to ADR, RID and ADN.

- **International Maritime Dangerous Goods Code (IMDG)**

Not subject to IMDG.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

- **Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)**

Not listed.

- **Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)**

Not listed.

- **Regulation 850/2004/EC on persistent organic pollutants (POP)**

Not listed.

- **Restrictions according to REACH, Annex XVII**

not listed

- **List of substances subject to authorisation (REACH, Annex XIV)**

not listed

- **Seveso Directive**

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
11	nickel compounds in inhalable powder form	1	

- **Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II**

not listed

- **Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)**

not listed

- **Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)**

not listed

#### National inventories

Substance is listed in the following national inventories:

- EINECS/ELINCS/NLP (Europe)
- REACH (Europe)

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Nickel(II)-oxide ROTI®METIC 99,999 % (5N)

article number: 5388

### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

## SECTION 16: Other information

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IMDG	International Maritime Dangerous Goods Code
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	short-term exposure limit
TWA	time-weighted average
vPvB	very Persistent and very Bioaccumulative
WEL	workplace exposure limit

### Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU
- Regulation (EC) No. 1272/2008 (CLP, EU GHS)

# safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Nickel(II)-oxide ROTI®METIC 99,999 % (5N)

article number: 5388

---

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H317	may cause an allergic skin reaction
H350i	may cause cancer by inhalation
H372	causes damage to organs through prolonged or repeated exposure (if inhaled)
H413	may cause long lasting harmful effects to aquatic life

### Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.