acc. to Regulation (EC) No. 1907/2006 (REACH)

# Manganese(II) nitrate hydrate ROTI®METIC 99,995 % (4N5)

article number: 5392 date of compilation: 2016-03-01 Version: **5.0 en** Revision: 2024-03-01

Replaces version of: 2022-10-20

Version: (4)

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### **Product identifier** 1.1

Identification of the substance Manganese(II) nitrate hydrate ROTI®METIC

99,995 % (4N5)

Article number 5392

EC number 233-828-8 CAS number 15710-66-4

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

sicherheit@carlroth.de e-mail (competent person):

### 1.4 **Emergency telephone number**

sheet:

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

# **SECTION 2: Hazards identification**

#### Classification of the substance or mixture 2.1

## Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.14	Oxidising solid	3	Ox. Sol. 3	H272
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319

United Kingdom (en) Page 1 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Manganese(II) nitrate hydrate ROTI®METIC 99,995 % (4N5)

article number: 5392

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.8R	Specific target organ toxicity - single exposure (respiratory tract irritation)	3	STOT SE 3	H335

For full text of abbreviations: see SECTION 16

# 2.2 Label elements

# Labelling

Signal word Warning

# **Pictograms**

GHS03, GHS07



# **Hazard statements**

H272	May intensify fire; oxidiser
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

# **Precautionary statements**

# **Precautionary statements - prevention**

P210	Keep away from heat, sparks, open flames, hot surfaces. No smoking
P261	Avoid breathing mist/vapours/spray
P280	Wear protective gloves/protective clothing/eye protection/face protection

# **Precautionary statements - response**

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

## 2.3 Other hazards

# Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

# **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

# **SECTION 3: Composition/information on ingredients**

# 3.1 Substances

Name of substance Manganese(II) nitrate hydrate

Molecular formula  $Mn(NO_3)_2 \cdot x H_2O$ Molar mass  $179 \, {}^g/_{mol} + x H_2O$ 

CAS No 15710-66-4 EC No 233-828-8

United Kingdom (en) Page 2 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Manganese(II) nitrate hydrate ROTI®METIC 99,995 % (4N5)

article number: 5392

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures



## **General notes**

Take off contaminated clothing.

# Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

# **Following skin contact**

Rinse skin with water/shower. In case of skin irritation, consult a physician.

# Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

# Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

# 4.2 Most important symptoms and effects, both acute and delayed

Irritation, Cough, Dyspnoea

# 4.3 Indication of any immediate medical attention and special treatment needed

none

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media



# Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

# Unsuitable extinguishing media

water jet

# 5.2 Special hazards arising from the substance or mixture

Combustible. Oxidising property.

# **Hazardous combustion products**

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

# 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

United Kingdom (en) Page 3 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)

# ROTH

# Manganese(II) nitrate hydrate ROTI®METIC 99,995 % (4N5)

article number: 5392

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures



# For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe dust.

# 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

# 6.3 Methods and material for containment and cleaning up

# Advice on how to contain a spill

Covering of drains. Take up mechanically.

# Advice on how to clean up a spill

Take up mechanically. Control of dust.

# Other information relating to spills and releases

Place in appropriate containers for disposal.

## 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid dust formation.

## Measures to prevent fire as well as aerosol and dust generation

Keep away from combustible material.

## Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed. Hygroscopic solid.

# **Incompatible substances or mixtures**

Observe hints for combined storage. Keep/store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles.

# Protect against external exposure, such as

high temperatures, humidity

# Consideration of other advice:

# Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

## 7.3 Specific end use(s)

No information available.

United Kingdom (en) Page 4 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)

# Manganese(II) nitrate hydrate ROTI®METIC 99,995 % (4N5)

article number: 5392

# **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

**National limit values** 

**Occupational exposure limit values (Workplace Exposure Limits)** 

This information is not available.

## 8.2 Exposure controls

Individual protection measures (personal protective equipment)

# **Eye/face protection**





Use safety goggle with side protection.

# Skin protection





# hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

## type of material

NBR (Nitrile rubber)

# material thickness

>0,11 mm

# breakthrough times of the glove material

>480 minutes (permeation: level 6)

## other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

# **Respiratory protection**





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

United Kingdom (en) Page 5 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)

# ROTH

# Manganese(II) nitrate hydrate ROTI®METIC 99,995 % (4N5)

article number: 5392

# **Environmental exposure controls**

Keep away from drains, surface and ground water.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical state solid

Form crystalline

Colour pink

Odour odourless

Melting point/freezing point 26 °C (Release of crystal water)

Boiling point or initial boiling point and boiling

range

not determined

Flammability this material is combustible, but will not ignite

readily

Lower and upper explosion limit not determined
Flash point not applicable
Auto-ignition temperature not determined
Decomposition temperature not relevant

pH (value) 3-6 (in aqueous solution:  $50 \frac{g}{l}$ ,  $20 \degree C$ )

Kinematic viscosity not relevant

Solubility(ies)

Water solubility  $1.610 \,^{9}/_{1}$  at 20 °C

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure not determined

Density and/or relative density

Density not determined

Relative vapour density Information on this property is not available.

Particle characteristics No data available.

Other safety parameters

Oxidising properties oxidiser

9.2 Other information

Information with regard to physical hazard There is no additional information.

classes:

United Kingdom (en) Page 6 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)

# ROTH

# Manganese(II) nitrate hydrate ROTI®METIC 99,995 % (4N5)

article number: 5392

Other safety characteristics:

There is no additional information.

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

It's a reactive substance. Oxidising property. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

# 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

# 10.3 Possibility of hazardous reactions

**Violent reaction with:** Combustible materials, Organic substances, Reducing agents, Strong alkali, Strong acid

## 10.4 Conditions to avoid

Humidity. Keep away from heat.

# 10.5 Incompatible materials

combustible materials

# 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

# Classification acc. to GHS

## **Acute toxicity**

Shall not be classified as acutely toxic.

## Skin corrosion/irritation

Causes skin irritation.

# Serious eye damage/eye irritation

Causes serious eye irritation.

# Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

# **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

## Carcinogenicity

Shall not be classified as carcinogenic.

# Reproductive toxicity

Shall not be classified as a reproductive toxicant.

# Specific target organ toxicity - single exposure

May cause respiratory irritation.

# Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

United Kingdom (en) Page 7 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)

# ROTH

# Manganese(II) nitrate hydrate ROTI®METIC 99,995 % (4N5)

article number: 5392

# **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

# Symptoms related to the physical, chemical and toxicological characteristics

### If swallowed

Data are not available.

# • If in eyes

Causes serious eye irritation

## If inhaled

Irritation to respiratory tract, cough, Dyspnoea

## • If on skin

causes skin irritation

## Other information

none

# 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

## 11.3 Information on other hazards

There is no additional information.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

# 12.2 Persistence and degradability

Data are not available.

# 12.3 Bioaccumulative potential

Data are not available.

# 12.4 Mobility in soil

Data are not available.

## 12.5 Results of PBT and vPvB assessment

Data are not available.

# 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

# 12.7 Other adverse effects

Data are not available.

United Kingdom (en) Page 8 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Manganese(II) nitrate hydrate ROTI®METIC 99,995 % (4N5)

article number: 5392

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

# Sewage disposal-relevant information

Do not empty into drains.

# Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

# 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

# Properties of waste which render it hazardous

- HP 2 oxidising
- **HP 4** irritant skin irritation and eye damage
- **HP 5** specific target organ toxicity (STOT)/aspiration toxicity

## 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

# **SECTION 14: Transport information**

### 14.1 UN number or ID number

ADRRID	UN 2724
IMDG-Code	UN 2724
ICAO-TI	UN 2724

# 14.2 UN proper shipping name

ADRRID	MANGANESE NITRATE
IMDG-Code	MANGANESE NITRATE
ICAO-TI	Manganese nitrate

## 14.3 Transport hazard class(es)

ADRRID	5.1
IMDG-Code	5.1
ICAO-TI	5.1

## 14.4 Packing group

ADRRID	III
IMDG-Code	III

United Kingdom (en) Page 9 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Manganese(II) nitrate hydrate ROTI®METIC 99,995 % (4N5)

article number: 5392

ICAO-TI III

**14.5** Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

# 14.8 Information for each of the UN Model Regulations

# Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name MANGANESE NITRATE

Particulars in the transport document UN2724, MANGANESE NITRATE, 5.1, III, (E)

Classification code O2
Danger label(s) 5.1



Excepted quantities (EQ) E1
Limited quantities (LQ) 5 kg
Transport category (TC) 3
Tunnel restriction code (TRC) E
Hazard identification No 50
Emergency Action Code 12

# Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code O2

Danger label(s) 5.1



Excepted quantities (EQ) E1
Limited quantities (LQ) 5 kg
Transport category (TC) 3
Hazard identification No 50

# International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name MANGANESE NITRATE

Particulars in the shipper's declaration UN2724, MANGANESE NITRATE, 5.1, III

Marine pollutant -

Danger label(s) 5.1

United Kingdom (en) Page 10 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Manganese(II) nitrate hydrate ROTI®METIC 99,995 % (4N5)

article number: 5392



Special provisions (SP)

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 kg

EmS F-A, S-Q

Stowage category A

# International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Manganese nitrate

Particulars in the shipper's declaration UN2724, Manganese nitrate, 5.1, III

Danger label(s) 5.1



Excepted quantities (EQ) E1

Limited quantities (LQ) 10 kg

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

# **Seveso Directive**

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories		(tonnes) for the ap- and upper-tier re- ments	Notes
P8	oxidising liquids and solids	50	200	55)

## Notation

55) Oxidising liquids, category 1, 2 or 3, or oxidising solids, category 1, 2 or 3

# **Deco-Paint Directive**

VOC content	0 %
-------------	-----

# **Industrial Emissions Directive (IED)**

VOC content 0 %	
-----------------	--

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

United Kingdom (en) Page 11 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Manganese(II) nitrate hydrate ROTI®METIC 99,995 % (4N5)

article number: 5392

# **Water Framework Directive (WFD)**

# **List of pollutants (WFD)**

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Manganese(II) nitrate hydrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
Manganese(II) nitrate hydrate	Metals and their compounds		a)	

## Legend

Indicative list of the main pollutants

# Regulation on the marketing and use of explosives precursors

not listed

# **Regulation on drug precursors**

not listed

# Regulation on substances that deplete the ozone layer (ODS)

not listed

# Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

# Regulation on persistent organic pollutants (POP)

not listed

# National regulations(GB)

# List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

not listed

# Restrictions according to GB REACH, Annex 17

not listed

## Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

## **National inventories**

Country	Inventory	Status
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
KR	KECI	substance is listed
NZ	NZIoC	substance is listed
TW	TCSI	substance is listed
VN	NCI	substance is listed

Legend

ECSI KECI

EC Substance Inventory (EINECS, ELINCS, NLP) Korea Existing Chemicals Inventory National Chemical Inventory New Zealand Inventory of Chemicals NCI NZIoC REACH Reg. REACH registered substances Taiwan Chemical Substance Inventory

United Kingdom (en) Page 12 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Manganese(II) nitrate hydrate ROTI®METIC 99,995 % (4N5)

article number: 5392

# 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

# **SECTION 16: Other information**

# Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1		National inventories: change in the listing (table)	yes

# **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

United Kingdom (en) Page 13 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Manganese(II) nitrate hydrate ROTI®METIC 99,995 % (4N5)

article number: 5392

# Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

# List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

## **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 14 / 14