acc. to Safe Work Australia - Code of Practice

Zinc oxide ROTI®METIC 99,999 % (5N)

article number: 5421 Version: GHS 5.0 en Revision: 2024-03-02

Replaces version of: 2022-02-18

Version: (GHS 4)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance Zinc oxide ROTI®METIC 99,999 % (5N)

Article number 5421

CAS number 1314-13-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

Details of the supplier of the safety data sheet 1.3

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone: +49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

This substance does not meet the criteria for classification.

Label elements 2.2

Labelling

not required

Page 1 / 14 Australia (en)



date of compilation: 2016-09-13

acc. to Safe Work Australia - Code of Practice

Zinc oxide ROTI®METIC 99,999 % (5N)

article number: 5421

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Zinc oxide

Molecular formula ZnO

Molar mass $81.37 \, ^{9} /_{mol}$ CAS No 1314-13-2

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Fever, Headache, Gastrointestinal complaints, Irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

none

Australia (en) Page 2 / 14



2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

acc. to Safe Work Australia - Code of Practice

Zinc oxide ROTI®METIC 99,999 % (5N)

article number: 5421



SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Control of dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Australia (en) Page 3 / 14

acc. to Safe Work Australia - Code of Practice

Zinc oxide ROTI®METIC 99,999 % (5N)

article number: 5421



SECTION 7: Handling and storage

Precautions for safe handling

No special measures are necessary.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	nuisance dusts		WES	10			i	WES
AU	zinc oxide	1314-13-2	WES	5	10		fume	WES
AU	zinc oxide	1314-13-2	WES	10			i, noAsb_l ess1Sil, dust	WES

Notation

Ceiling value is a limit value above which exposure should not occur As dust Ceiling-C dust

fume As fume

noAsb_less1 Contains no asbestos and less than 1% free crystalline silica

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) TWA

Australia (en) Page 4 / 14

acc. to Safe Work Australia - Code of Practice

Zinc oxide ROTI®METIC 99,999 % (5N)

article number: 5421



Environmental values

Relevant PNECs and other threshold levels

End- point	Threshold level	Organism	Environmental com- partment	Exposure time
PNEC	20.6 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)
PNEC	6.1 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)
PNEC	100 ^{µg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	117.8 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	56.5 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
PNEC	35.6 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

Australia (en) Page 5 / 14

acc. to Safe Work Australia - Code of Practice

Zinc oxide ROTI®METIC 99,999 % (5N)

article number: 5421



Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state solid Form powder Colour white

Odour odourless

Melting point/freezing point 1,975 °C at 1 atm (ECHA)

Boiling point or initial boiling point and boiling not determined

range

Flammability non-combustible Lower and upper explosion limit not determined Flash point not applicable Auto-ignition temperature not determined Decomposition temperature not relevant pH (value) 6.72 (ECHA) not relevant

Solubility(ies)

Water solubility $0.003 \,^{\text{g}}/_{\text{l}}$ at 20 °C (ECHA)

Partition coefficient

Kinematic viscosity

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

not determined Vapour pressure

Density and/or relative density

 $5.68 \, {}^{9}/_{cm^{3}}$ at 22 °C (ECHA) Density

Relative vapour density Information on this property is not available.

 $200 - 700 \frac{\text{kg}}{\text{m}^3}$ **Bulk density**

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

Australia (en) Page 6 / 14



acc. to Safe Work Australia - Code of Practice

Zinc oxide ROTI®METIC 99,999 % (5N)

article number: 5421

Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics: There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Exothermic reaction with: Magnesium, Hydrogen peroxide

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

This substance does not meet the criteria for classification.

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful if swallowed or in contact with skin.

Acute toxicity

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>2,000 ^{mg} / _{kg}	rat		ECHA
dermal	LD50	>2,000 ^{mg} / _{kg}	rat		ECHA

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Australia (en) Page 7 / 14



acc. to Safe Work Australia - Code of Practice

Zinc oxide ROTI®METIC 99,999 % (5N)

article number: 5421



Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

gastrointestinal complaints

• If in eyes

Data are not available.

If inhaled

Inhalation of dust may cause irritation of the respiratory system, fever

• If on skin

Data are not available.

Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
LC50	112 ^{µg} / _l	fish	ECHA	96 h
EC50	360 ^{µg} / _l	aquatic invertebrates	ECHA	48 h
ErC50	0.3 ^{mg} / _l	algae	ECHA	96 h

Australia (en) Page 8 / 14



Shall not be classified as carcinogenic.

acc. to Safe Work Australia - Code of Practice

Zinc oxide ROTI®METIC 99,999 % (5N)

article number: 5421



Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
EC50	2.065 ^{mg} / _l	fish	ECHA	84 h
EC50	0.112 ^{mg} / _l	aquatic invertebrates	ECHA	21 d

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

BCF	0.002 (ECHA)
-----	--------------

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

Australia (en) Page 9 / 14

acc. to Safe Work Australia - Code of Practice

Zinc oxide ROTI®METIC 99,999 % (5N)

article number: 5421



SECTION 14: Transport information

14.1 UN number

UN 3077
IMDG-Code UN 3077
ICAO-TI UN 3077

14.2 UN proper shipping name

UN RTDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S.

IMDG-Code ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S.

ICAO-TI Environmentally hazardous substance, solid,

n.o.s.

Technical name Zinc oxide

14.3 Transport hazard class(es)

UN RTDG 9
IMDG-Code 9
ICAO-TI 9

14.4 Packing group

UN RTDG III
IMDG-Code III
ICAO-TI III

14.5 Environmental hazards hazardous to the aquatic environment

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

UN number 3077
Class 9
Environmental hazards Yes

Hazardous to the aquatic environment

Packing group III

Danger label(s) 9

Fish and tree



Australia (en) Page 10 / 14

acc. to Safe Work Australia - Code of Practice

Zinc oxide ROTI®METIC 99,999 % (5N)

article number: 5421

Special provisions (SP) 274, 331, 335, 375

UN RTDG

Excepted quantities (EQ)

UN RTDG

Limited quantities (LQ) 5 k

5 kg UN RTDG

Emergency Action Code 2Z

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S.

Particulars in the shipper's declaration UN3077, ENVIRONMENTALLY HAZARDOUS SUB-

STANCE, SOLID, N.O.S., (Zinc oxide), 9, III

Marine pollutant yes (hazardous to the aquatic environment), (Zinc oxide)

Danger label(s) 9, "Fish and tree"

Special provisions (SP) 274, 335, 966, 967, 969

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 kg
EmS F-A, S-F

Stowage category A

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Environmentally hazardous substance, solid,

n.o.s.

Particulars in the shipper's declaration UN3077, Environmentally hazardous substance,

solid, n.o.s., (Zinc oxide), 9, III

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 9, "Fish and tree"

Special provisions (SP) A97, A158, A179, A197, A215

Excepted quantities (EQ) E1

Limited quantities (LQ) 30 kg

Australia (en) Page 11 / 14



acc. to Safe Work Australia - Code of Practice

Zinc oxide ROTI®METIC 99,999 % (5N)

article number: 5421



SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

AIIC Australian Inventory of Industrial Chemicals

CICR CSCL-ENCS

DSL ECSI

Chemical Inventory of Industrial Chemicals
Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances

Vorce Spiriting Chemical Substances **IECSC**

INSQ

Korea Existing Chemicals Inventory National Chemical Inventory

NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taken Chemical Substances

Taiwan Chemical Substance Inventory **TSCA Toxic Substance Control Act**

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

Australia (en) Page 12 / 14

acc. to Safe Work Australia - Code of Practice

Zinc oxide ROTI®METIC 99,999 % (5N)

article number: 5421



SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8		Emergency Action Code: 2Z	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
BCF	Bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration

Australia (en) Page 13 / 14

acc. to Safe Work Australia - Code of Practice

Zinc oxide ROTI®METIC 99,999 % (5N)

article number: 5421



Abbr.	Descriptions of used abbreviations
STEL	Short-term exposure limit
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 14 / 14