acc. to Regulation (EC) No. 1907/2006 (REACH)



date of compilation: 2016-06-27

Revision: 2024-03-01

Silica gel 60 Cyano, 0,035-0,07 mm (400-220 mesh)

article number: **5499** Version: **5.0 en** Replaces version of: 2021-08-19 Version: (4)

1.1

1.2

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier	
Identification of the substance	Silica gel 60 Cyano, 0,035-0,07 mm (400-220 mesh)
Article number	5499
EC number	231-545-4
CAS number	7631-86-9
Alternative name(s)	Silicon dioxide, amorphous
Relevant identified uses of the substance or mix	ture and uses advised against

Laboratory chemical Laboratory and analytical use

Uses advised against:

Relevant identified uses:

Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

This substance does not meet the criteria for classification.

2.2 Label elements

Labelling

not required

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silica gel 60 Cyano, 0,035-0,07 mm (400-220 mesh)



article number: 5499

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Silica gel 60
Molecular formula	SiO ₂
Molar mass	60,09 ^g / _{mol}
CAS No	7631-86-9
EC No	231-545-4

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

No special measures are necessary.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Rinse cautiously with water for several minutes.

Following ingestion

Rinse mouth.

- **4.2** Most important symptoms and effects, both acute and delayed Symptoms and effects are not known to date.
- **4.3 Indication of any immediate medical attention and special treatment needed** none

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silica gel 60 Cyano, 0,035-0,07 mm (400-220 mesh)



article number: 5499

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Control of dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silica gel 60 Cyano, 0,035-0,07 mm (400-220 mesh)



article number: 5499

SECTION 7: Handling and storage

7.1 Precautions for safe handling

No special measures are necessary.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	dust		WEL	10			i	EH40/2005
GB	dust		WEL	4			r	EH40/2005
GB	silica, amorphous	112926-00- 8	WEL	6			i	EH40/2005
GB	silica, amorphous	112926-00- 8	WEL	2,4			r	EH40/2005

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

Inhalable fraction Respirable fraction

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

8.2 Exposure controls

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silica gel 60 Cyano, 0,035-0,07 mm (400-220 mesh)



article number: 5499

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Hand protection is not required.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	solid
Form	powder
Colour	white
Odour	odourless
Melting point/freezing point	1.713 °C (ECHA)
Boiling point or initial boiling point and boiling range	not determined
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	~7 (in aqueous solution: 100 ^g / _l , 20 °C)
Kinematic viscosity	not relevant

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silica gel 60 Cyano, 0,035-0,07 mm (400-220 mesh)



article number: 5499

Water solubility(The study does not need to be conducted because the substance is known to be insoluble in water)Partition coefficientnot celevant (inorganic)Partition coefficient n-octanol/water (log value):not relevant (inorganic)Vapour pressurenot determinedDensity and/or relative density2,1 - 2,2 9/cm³ at 20 °C (ECHA)Density2,0 - 600 kg/m³Bulk density200 - 600 kg/m³Particle characteristics35 - 70 µmParticle size35 - 70 µmOther safety parameters Oxidising propertiesnoneDater informationhazard classes acc. to GHS (physical hazards): not relevantOther safety characteristics:There is no additional information.	Solubility(ies)	
Partition coefficient n-octanol/water (log value):not relevant (inorganic)Vapour pressurenot determinedDensity and/or relative density2,1 - 2,2 g/cm³ at 20 °C (ECHA)Density2,1 - 2,2 g/cm³ at 20 °C (ECHA)Relative vapour densityInformation on this property is not available.Bulk density200 - 600 kg/m³Particle characteristics35 - 70 µmOther safety parametersnoneOxidising propertiesnoneOther informationhazard classes acc. to GHS (physical hazard)Information with regard to physical hazardhazard classes acc. to GHS	Water solubility	
Vapour pressurenot determinedDensity and/or relative density2,1 - 2,2 g/cm³ at 20 °C (ECHA)Density2,1 - 2,2 g/cm³ at 20 °C (ECHA)Relative vapour densityInformation on this property is not available.Bulk density200 - 600 kg/m³Particle characteristics200 - 600 kg/m³Particle size35 - 70 µmOther safety parametersnoneOxidising propertiesnoneOther informationhazard classes acc. to GHS (physical hazards): not relevant	Partition coefficient	
Density and/or relative density2,1 - 2,2 g/cm³ at 20 °C (ECHA)Density2,1 - 2,2 g/cm³ at 20 °C (ECHA)Relative vapour densityInformation on this property is not available.Bulk density200 - 600 kg/m³Particle characteristics200 - 600 kg/m³Particle size35 - 70 µmOther safety parametersnoneOther informationnoneOther informationhazard classes acc. to GHS (physical hazard)Information with regard to physical hazardhazard classes acc. to GHS	Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
Density $2,1-2,2 \ {}^g/_{cm^3}$ at 20 °C (ECHA)Relative vapour densityInformation on this property is not available.Bulk density $200 - 600 \ {}^{kg}/_{m^3}$ Particle characteristics $35 - 70 \ \mu m$ Particle size $35 - 70 \ \mu m$ Other safety parametersnoneOxidising propertiesnoneOther informationhazard classes acc. to GHS (physical hazards): not relevant	Vapour pressure	not determined
Relative vapour densityInformation on this property is not available. 200 - 600 kg/m3Bulk density200 - 600 kg/m3Particle characteristics Particle size35 - 70 µmOther safety parameters Oxidising propertiesnoneOther informationnoneInformation with regard to physical hazard classes:hazard classes acc. to GHS (physical hazards): not relevant	Density and/or relative density	
Bulk density200 - 600 kg/m³Particle characteristics Particle size35 - 70 μmOther safety parameters Oxidising propertiesnoneOther information	Density	2,1 – 2,2 ^g / _{cm³} at 20 °C (ECHA)
Particle characteristicsParticle sizeParticle sizeOther safety parametersOxidising propertiesnoneOther informationInformation with regard to physical hazard classes:hazard classes acc. to GHS (physical hazards): not relevant	Relative vapour density	Information on this property is not available.
Particle size35 – 70 μmOther safety parametersnoneOxidising propertiesnoneOther informationHazard classes acc. to GHS (physical hazards): not relevant	Bulk density	200 – 600 ^{kg} / _{m³}
Other safety parametersOxidising propertiesOther informationInformation with regard to physical hazard classes:hazard classes acc. to GHS (physical hazards): not relevant	Particle characteristics	
Oxidising propertiesnoneOther informationhazard classes acc. to GHS (physical hazards): not relevant	Particle size	35 – 70 μm
Other information Information with regard to physical hazard classes acc. to GHS classes: (physical hazards): not relevant	Other safety parameters	
Information with regard to physical hazard classes acc. to GHS (physical hazards): not relevant	Oxidising properties	none
classes: (physical hazards): not relevant	Other information	
Other safety characteristics: There is no additional information.		
	Other safety characteristics:	There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silica gel 60 Cyano, 0,035-0,07 mm (400-220 mesh)



article number: 5499

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

This substance does not meet the criteria for classification.

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>5.000 ^{mg} / _{kg}	rat		ECHA

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

Data are not available.

• If in eyes

Data are not available.

If inhaled

Inhalation of dust may cause irritation of the respiratory system, cough, breathing difficulties

If on skin

Data are not available.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silica gel 60 Cyano, 0,035-0,07 mm (400-220 mesh)

® §ROTH

article number: **5499**

Other information

none

- **11.2** Endocrine disrupting properties Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.
- **11.3 Information on other hazards** There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

- **12.3 Bioaccumulative potential** Data are not available.
- **12.4 Mobility in soil** Data are not available.
- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6** Endocrine disrupting properties Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.
- **12.7 Other adverse effects** Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silica gel 60 Cyano, 0,035-0,07 mm (400-220 mesh)



article number: 5499

SECTION 14: Transport information

- 14.1 UN number or ID number
- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards

not subject to transport regulations

not assigned

none

not assigned

non-environmentally hazardous acc. to the dangerous goods regulations

- **14.6** Special precautions for user There is no additional information.
- **14.7** Maritime transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.
- 14.8 Information for each of the UN Model Regulations

International Maritime Dangerous Goods Code (IMDG) - Additional information Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Seveso Directive

2012/	2012/18/EU (Seveso III)						
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes				
	not assigned						

Deco-Paint Directive

VOC content	0 %
VOC content	0 g/l

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content	0 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silica gel 60 Cyano, 0,035-0,07 mm (400-220 mesh)



article number: 5499

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

List of pollutants (WFD) **CAS No** Listed in Name of substance Name acc. to inventory **Remarks** Silica gel 60 Substances and preparations, or a) the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrinerelated functions in or via the aquatic environment

Legend

a) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

Restrictions according to GB REACH, Annex 17

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silica gel 60 Cyano, 0,035-0,07 mm (400-220 mesh)



article number: 5499

Country	Inventory	Status
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1	Classification according to Regulation (EC) No 1272/2008 (CLP): This substance does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.	Classification acc. to GHS: This substance does not meet the criteria for classification.	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8	Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional in- formation: Not subject to ADR, RID and ADN.		yes
15.1	Restrictions according to REACH, Annex XVII: not listed		yes
15.1	List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: Not listed.		yes

acc. to Regulation (EC) No. 1907/2006 (REACH)

® §ROTH

Silica gel 60 Cyano, 0,035-0,07 mm (400-220 mesh)

article number: 5499

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
15.1	VOC content: 0 % , 0 ^g / _l	VOC content: 0 %	yes
15.1		VOC content: 0 ^g / _l	yes
15.1		National regulations(GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: not listed	yes
15.1		Restrictions according to GB REACH, Annex 17: not listed	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerr ing the International Carriage of Dangerous Goods by Road)	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)	
ED	Endocrine disruptor	
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
IMDG	International Maritime Dangerous Goods Code	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silica gel 60 Cyano, 0,035-0,07 mm (400-220 mesh)



article number: **5499**

Abbr.	Descriptions of used abbreviations
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.