

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## D(+)-Xylose ≥ 98,5%, for biochemistry

article number: **5537**  
Version: **GHS 3.0 en**  
Replaces version of: 2022-01-14  
Version: (GHS 2)

date of compilation: 2016-08-10  
Revision: 2024-03-02

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Identification of the substance **D(+)-Xylose ≥ 98,5%, for biochemistry**  
Article number 5537  
CAS number 58-86-6

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical  
Laboratory and analytical use  
Uses advised against: Do not use for private purposes (household).  
Food, drink and animal feedingstuffs.

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:** +49 (0) 721 - 56 06 0  
**Telefax:** +49 (0) 721 - 56 06 149  
**e-mail:** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)  
**Website:** [www.carlroth.de](http://www.carlroth.de)

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

**e-mail (competent person):** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

### 1.4 Emergency telephone number

| Name   | Street          | Postal code/city   | Telephone | Website |
|--|-----------------|--------------------|-----------|---------|
| NSW Poisons Information Centre<br>Childrens Hospital | Hawkesbury Road | 2145 Westmead, NSW | 131126    |         |

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification acc. to GHS

This substance does not meet the criteria for classification.

### 2.2 Label elements

#### Labelling

not required

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## D(+)-Xylose $\geq 98,5\%$ , for biochemistry

article number: 5537

### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

|                   |                |
|-------------------|----------------|
| Name of substance | D(+)-Xylose    |
| Molecular formula | $C_5H_{10}O_5$ |
| Molar mass        | 150.1 $g/mol$  |
| CAS No            | 58-86-6        |

## SECTION 4: First aid measures

### 4.1 Description of first aid measures



#### General notes

Take off contaminated clothing.

#### Following inhalation

Provide fresh air.

#### Following skin contact

Rinse skin with water/shower.

#### Following eye contact

Rinse cautiously with water for several minutes.

#### Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

### 4.3 Indication of any immediate medical attention and special treatment needed

none

**D(+)-Xylose ≥ 98,5%, for biochemistry**

article number: 5537

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings!  
water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

#### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Combustible.

#### Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Control of dust.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically.

#### Other information relating to spills and releases

Place in appropriate containers for disposal.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



D(+)-Xylose  $\geq$  98,5%, for biochemistry

article number: 5537

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

No special measures are necessary.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice:

#### Ventilation requirements

Use local and general ventilation.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

### 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### National limit values

#### Occupational exposure limit values (Workplace Exposure Limits)

| Country | Name of agent  | CAS No | Identifier | TWA [mg/m <sup>3</sup> ] | STEL [mg/m <sup>3</sup> ] | Ceiling-C [mg/m <sup>3</sup> ] | Notation | Source |
|---------|----------------|--------|------------|--------------------------|---------------------------|--------------------------------|----------|--------|
| AU      | nuisance dusts |        | WES        | 10                       |                           |                                | i        | WES    |

#### Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

i Inhalable fraction

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

#### Environmental values

| Relevant PNECs and other threshold levels |                 |                   |                           |                              |
|---|-----------------|-------------------|---------------------------|------------------------------|
| End-point                                 | Threshold level | Organism          | Environmental compartment | Exposure time                |
| PNEC                                      | 1,300 mg/l      | aquatic organisms | water                     | intermittent release         |
| PNEC                                      | 130 mg/l        | aquatic organisms | freshwater                | short-term (single instance) |
| PNEC                                      | 13 mg/l         | aquatic organisms | marine water              | short-term (single instance) |
| PNEC                                      | 468 mg/kg       | aquatic organisms | freshwater sediment       | short-term (single instance) |
| PNEC                                      | 46.8 mg/kg      | aquatic organisms | marine sediment           | short-term (single instance) |

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## D(+)-Xylose $\geq 98,5\%$ , for biochemistry

article number: 5537

| Relevant PNECs and other threshold levels |                 |                       |                           |                              |
|---|-----------------|-----------------------|---------------------------|------------------------------|
| End-point                                 | Threshold level | Organism              | Environmental compartment | Exposure time                |
| PNEC                                      | 25.6 mg/kg      | terrestrial organisms | soil                      | short-term (single instance) |

### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

##### Eye/face protection



Use safety goggle with side protection.

##### Skin protection



- **hand protection**

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

- **type of material**

NBR (Nitrile rubber)

- **material thickness**

>0,11 mm


- **breakthrough times of the glove material**

>480 minutes (permeation: level 6)

- **other protection measures**

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

##### Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

##### Environmental exposure controls

Keep away from drains, surface and ground water.

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



**D(+)-Xylose ≥ 98,5%, for biochemistry**

article number: 5537

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|  |   |
|--|---|
| Physical state   | solid   |
| Form   | powder, crystalline                                       |
| Colour   | white - whitish   |
| Odour  | odourless   |
| Melting point/freezing point                             | 142.4 °C (ECHA)   |
| Boiling point or initial boiling point and boiling range | not determined  |
| Flammability   | this material is combustible, but will not ignite readily |
| Lower and upper explosion limit                          | not determined  |
| Flash point  | not applicable  |
| Auto-ignition temperature                                | not determined  |
| Decomposition temperature                                | >138.5 °C (ECHA)  |
| pH (value)   | not applicable  |
| Kinematic viscosity                                      | not relevant  |

#### Solubility(ies)

Water solubility 568 g/l at 25 °C (ECHA)

#### Partition coefficient

Partition coefficient n-octanol/water (log value): -2.91 (ECHA)

Vapour pressure not determined

#### Density and/or relative density

Density 1.53 g/cm<sup>3</sup> at 20 °C

Relative vapour density Information on this property is not available.

Bulk density ~450 kg/m<sup>3</sup>

Particle characteristics No data available.

#### Other safety parameters

Oxidising properties none

### 9.2 Other information

Information with regard to physical hazard classes: hazard classes acc. to GHS (physical hazards): not relevant

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



**D(+)-Xylose ≥ 98,5%, for biochemistry**

article number: 5537

Other safety characteristics:

There is no additional information.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

**Violent reaction with:** strong oxidiser

### 10.4 Conditions to avoid

Keep away from heat. Decomposition takes place from temperatures above: >138.5 °C.

### 10.5 Incompatible materials

There is no additional information.

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Classification acc. to GHS

This substance does not meet the criteria for classification.

#### Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful if swallowed.

| Acute toxicity |          |              |         |        |        |
|----------------|----------|--------------|---------|--------|--------|
| Exposure route | Endpoint | Value        | Species | Method | Source |
| oral           | LD50     | >2,200 mg/kg | rat     |        | ECHA   |

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## D(+)-Xylose $\geq$ 98,5%, for biochemistry

article number: 5537

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

Data are not available.

#### • If in eyes

Data are not available.

#### • If inhaled

Data are not available.

#### • If on skin

Data are not available.

#### • Other information

Health effects are not known.

## 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

## SECTION 12: Ecological information

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

| Aquatic toxicity (acute) |                |         |        |               |
|--------------------------|----------------|---------|--------|---------------|
| Endpoint                 | Value          | Species | Source | Exposure time |
| LC50                     | 3,140,000 mg/l | fish    | ECHA   | 96 h          |
| EC50                     | 130,000 mg/l   | algae   | ECHA   | 96 h          |

### 12.2 Persistence and degradability

Theoretical Oxygen Demand: 1.066 mg/mg  
Theoretical Carbon Dioxide: 1.466 mg/mg

#### Biodegradation

The substance is readily biodegradable.

### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

|                           |              |
|---------------------------|--------------|
| n-octanol/water (log KOW) | -2.91 (ECHA) |
|---------------------------|--------------|



# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



**D(+)-Xylose ≥ 98,5%, for biochemistry**

article number: 5537

## 12.4 Mobility in soil

|                      |                                      |
|----------------------|--------------------------------------|
| Henry's law constant | $0 \text{ Pa m}^3/\text{mol}$ (ECHA) |
|----------------------|--------------------------------------|

## 12.5 Results of PBT and vPvB assessment

Data are not available.

## 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

## 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packages

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

## SECTION 14: Transport information

- |      |   |   |
|------|---|---|
| 14.1 | <b>UN number</b>  | not subject to transport regulations                                  |
| 14.2 | <b>UN proper shipping name</b>                          | not assigned  |
| 14.3 | <b>Transport hazard class(es)</b>                       | not assigned  |
| 14.4 | <b>Packing group</b>                                    | not assigned  |
| 14.5 | <b>Environmental hazards</b>                            | non-environmentally hazardous acc. to the dangerous goods regulations |
| 14.6 | <b>Special precautions for user</b>                     | There is no additional information.                                   |
| 14.7 | <b>Transport in bulk according to IMO instruments</b>   | The cargo is not intended to be carried in bulk.                      |
| 14.8 | <b>Information for each of the UN Model Regulations</b> |   |
|      | <b>Transport information</b>                            | National regulations  |
|      | <b>Additional information(UN RTDG)</b>                  | Not subject to transport regulations. UN RTDG                         |

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## D(+)-Xylose ≥ 98,5%, for biochemistry

article number: 5537

### International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

#### National regulations(Australia)

##### Australian Inventory of Chemical Substances(AICS)

Substance is listed.

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### National inventories

| Country | Inventory  | Status                       |
|---------|------------|------------------------------|
| AU      | AIIC       | substance is listed          |
| CA      | DSL        | substance is listed          |
| CN      | IECSC      | substance is listed          |
| EU      | ECSI       | substance is listed          |
| EU      | REACH Reg. | substance is listed          |
| JP      | CSCL-ENCS  | substance is listed          |
| KR      | KECI       | substance is listed          |
| NZ      | NZIoC      | substance is listed          |
| PH      | PICCS      | substance is listed          |
| TW      | TCSI       | substance is listed          |
| US      | TSCA       | substance is listed (ACTIVE) |
| VN      | NCI        | substance is listed          |

#### Legend

|            |   |
|------------|---|
| AIIC       | Australian Inventory of Industrial Chemicals                            |
| CSCL-ENCS  | List of Existing and New Chemical Substances (CSCL-ENCS)                |
| DSL        | Domestic Substances List (DSL)  |
| ECSI       | EC Substance Inventory (EINECS, ELINCS, NLP)                            |
| IECSC      | Inventory of Existing Chemical Substances Produced or Imported in China |
| KECI       | Korea Existing Chemicals Inventory                                      |
| NCI        | National Chemical Inventory   |
| NZIoC      | New Zealand Inventory of Chemicals                                      |
| PICCS      | Philippine Inventory of Chemicals and Chemical Substances (PICCS)       |
| REACH Reg. | REACH registered substances   |
| TCSI       | Taiwan Chemical Substance Inventory                                     |
| TSCA       | Toxic Substance Control Act   |

### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



**D(+)-Xylose ≥ 98,5%, for biochemistry**

article number: 5537

## SECTION 16: Other information

### Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value)  | Safety-relevant |
|---------|---------------------------|--|-----------------|
| 2.3     |                           | Endocrine disrupting properties:<br>Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%. | yes             |
| 15.1    |                           | National inventories:<br>change in the listing (table)   | yes             |

### Abbreviations and acronyms

| Abbr.     | Descriptions of used abbreviations   |
|-----------|--|
| CAS       | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)   |
| Ceiling-C | Ceiling value  |
| DGR       | Dangerous Goods Regulations (see IATA/DGR)   |
| EC50      | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| ED        | Endocrine disruptor  |
| EINECS    | European Inventory of Existing Commercial Chemical Substances  |
| ELINCS    | European List of Notified Chemical Substances  |
| GHS       | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations  |
| IATA      | International Air Transport Association  |
| IATA/DGR  | Dangerous Goods Regulations (DGR) for the air transport (IATA)   |
| ICAO      | International Civil Aviation Organization  |
| IMDG      | International Maritime Dangerous Goods Code  |
| LC50      | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval                                |
| LD50      | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval   |
| NLP       | No-Longer Polymer  |
| PBT       | Persistent, Bioaccumulative and Toxic  |
| PNEC      | Predicted No-Effect Concentration  |
| STEL      | Short-term exposure limit  |
| TWA       | Time-weighted average  |
| UN RTDG   | UN Recommendations on the Transport of Dangerous Good  |
| vPvB      | Very Persistent and very Bioaccumulative   |
| WES       | Safe Work Australia: Workplace exposure standards for airborne contaminants  |

### Key literature references and sources for data

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## D(+)-Xylose $\geq$ 98,5%, for biochemistry

article number: **5537**

---

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.