according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



date of compilation: 2016-10-27

Revision: 2024-02-27

### Gallium(III) nitrate hydrate ROTI®METIC 99,999 % (5N)

article number: **5548** Version: **4.0 en** Replaces version of: 2024-02-27 Version: (3)

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

Registration number (REACH)

**Gallium(III) nitrate hydrate** ROTI®METIC 99,999 % (5N)

5548

It is not required to list the identified uses because the substance is not subject to registration according to REACH (< 1 t/a).

EC number CAS number

69365-72-6

236-815-5

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Laboratory chemical Laboratory and analytical use

Uses advised against:

Do not use for private purposes (household). Food, drink and animal feedingstuffs.

### **1.3** Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

### e-mail (competent person):

### sicherheit@carlroth.de

### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	+353 1 809 2166	https:// www.poisons.ie/

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Gallium(III) nitrate hydrate ROTI®METIC 99,999 % (5N)

article number: 5548

### Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	n Hazard class		Hazard class and category	Hazard statement
2.14 Oxidising solid		2	Ox. Sol. 2	H272
3.2 Skin corrosion/irritation		2	Skin Irrit. 2	H315
3.3 Serious eye damage/eye irritation		2	Eye Irrit. 2	H319

For full text of abbreviations: see SECTION 16

### 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word	Danger
Pictograms	
GHS03, GHS07	
Hazard statements	
H272 H315	May intensify fire; oxidiser Causes skin irritation

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P280

H319

• Wear protective gloves/eye protection/face protection

Causes serious eye irritation

#### **Precautionary statements - response**

P302+P352IF ON SKIN: Wash with plenty of waterP305+P351+P338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact<br/>lenses, if present and easy to do. Continue rinsing

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger



### 2.3 Other hazards

### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Gallium(III) nitrate hydrate ROTI®METIC 99,999 % (5N)

article number: 5548

### **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Name of substance Molecular formula Molar mass CAS No EC No Gallium(III) nitrate hydrate Ga(NO<sub>3</sub>)<sub>3</sub> · x H<sub>2</sub>O 255,7 <sup>g</sup>/<sub>mol</sub> + x H<sub>2</sub>O 69365-72-6 236-815-5

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures



### **General notes**

Take off contaminated clothing.

### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

### Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

### **Following ingestion**

Rinse mouth. Call a doctor if you feel unwell.

# **4.2 Most important symptoms and effects, both acute and delayed** Irritation

# **4.3 Indication of any immediate medical attention and special treatment needed** none

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media



### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, dry extinguishing powder, ABC-powder

### Unsuitable extinguishing media

water jet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



article number: 5548

## 5.2 Special hazards arising from the substance or mixture

Oxidising property. Non-combustible.

### Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures



### For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe dust.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically. Control of dust.

#### Other information relating to spills and releases

Place in appropriate containers for disposal.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Avoid dust formation.

### Measures to prevent fire as well as aerosol and dust generation

Keep away from combustible material.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

#### Incompatible substances or mixtures

Observe hints for combined storage. Keep/store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles.



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Gallium(III) nitrate hydrate ROTI®METIC 99,999 % (5N)

article number: 5548

### Consideration of other advice:

**Specific designs for storage rooms or vessels** Recommended storage temperature: 15 – 25 °C

**7.3** Specific end use(s) No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

### National limit values

**Occupational exposure limit values (Workplace Exposure Limits)** This information is not available.

8.2 Exposure controls

### Individual protection measures (personal protective equipment)

### Eye/face protection



Use safety goggle with side protection.

#### **Skin protection**



### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

• material thickness

>0,11 mm

### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Gallium(III) nitrate hydrate ROTI®METIC 99,999 % (5N)

article number: 5548

### **Respiratory protection**



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

### **Environmental exposure controls**

Keep away from drains, surface and ground water.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state	solid
Form	crystalline
Colour	white
Odour	odourless
Melting point/freezing point	110 °C
Boiling point or initial boiling point and boiling range	not determined
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	110 °C
pH (value)	2 (in aqueous solution: 50 <sup>g</sup> / <sub>l</sub> , 20 °C)
Kinematic viscosity	not relevant
Solubility(ies)	
Water solubility	(soluble)
Partition coefficient	
Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
Vapour pressure	not determined
Density and/or relative density	
Density	not determined
Relative vapour density	Information on this property is not available.
Particle characteristics	No data available.



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Gallium(III) nitrate hydrate ROTI®METIC 99,999 % (5N)

article number: 5548

	Other safety parameters	
	Oxidising properties	oxidiser
9.2	Other information	
	Information with regard to physical hazard classes:	There is no additional information.
	Other safety characteristics:	There is no additional information.

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

It's a reactive substance. Oxidising property.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

Violent reaction with: Combustible materials, Organic substances, Reducing agents, Strong alkali

### 10.4 Conditions to avoid

Humidity. Keep away from heat. Decompositon takes place from temperatures above: 110 °C.

**10.5 Incompatible materials** combustible materials

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

### Acute toxicity

Shall not be classified as acutely toxic.

### Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Gallium(III) nitrate hydrate ROTI®METIC 99,999 % (5N)

### article number: 5548

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

### • If swallowed

Data are not available.

• If in eyes

Causes serious eye irritation

### • If inhaled

Data are not available.

### • If on skin

causes skin irritation

### Other information

none

### 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

### 11.3 Information on other hazards

There is no additional information.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

### 12.2 Persistence and degradability

Data are not available.

**12.3 Bioaccumulative potential** Data are not available.

### 12.4 Mobility in soil

Data are not available.

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6** Endocrine disrupting properties Does not contain an endocrine disruptor (ED) at a concentration of  $\ge$  0,1%.

### 12.7 Other adverse effects

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Gallium(III) nitrate hydrate ROTI®METIC 99,999 % (5N)



### article number: 5548

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

### Sewage disposal-relevant information

Do not empty into drains.

### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### Properties of waste which render it hazardous

- HP 2 oxidising
- HP 4 irritant skin irritation and eye damage

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

### **SECTION 14: Transport information**

#### UN number or ID number 14.1 ADRRID UN 1477 IMDG-Code UN 1477 ICAO-TI UN 1477 14.2 UN proper shipping name ADRRID NITRATES, INORGANIC, N.O.S. NITRATES, INORGANIC, N.O.S. IMDG-Code ICAO-TI Nitrates, inorganic, n.o.s. 14.3 Transport hazard class(es) ADRRID 5.1 IMDG-Code 5.1 ICAO-TI 5.1 14.4 Packing group ADRRID Π IMDG-Code Π ICAO-TI Π

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Gallium(III) nitrate hydrate ROTI®METIC 99,999 % (5N)

article number: 5548

**14.5** Environmental hazardsnon-environmentally hazardous acc. to the dan-<br/>gerous goods regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

**14.7** Maritime transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.

### 14.8 Information for each of the UN Model Regulations

information	Thage of Dangerous Goods by Road (ADR)Additional
Proper shipping name	NITRATES, INORGANIC, N.O.S.
Particulars in the transport document	UN1477, NITRATES, INORGANIC, N.O.S., 5.1, II, (E)
Classification code	02
Danger label(s)	5.1
Special provisions (SP)	511
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
Transport category (TC)	2
Tunnel restriction code (TRC)	E
Hazard identification No	50
Regulations concerning the International Ca information	arriage of Dangerous Goods by Rail (RID)Additional
Classification code	02
Danger label(s)	5.1
Special provisions (SP)	511
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
Transport category (TC)	2
Hazard identification No	50
International Maritime Dangerous Goods Co	ode (IMDG) - Additional information
Proper shipping name	NITRATES, INORGANIC, N.O.S.
Particulars in the shipper's declaration	UN1477, NITRATES, INORGANIC, N.O.S., 5.1, II
Marine pollutant	-
Danger label(s)	5.1

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Gallium(III) nitrate hydrate ROTI®METIC 99,999 % (5N)

article number: 5548 

Special provisions (SP)	-
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
EmS	F-A, S-Q
Stowage category	A
International Civil Aviation Organization (ICAC	O-IATA/DGR) - Additional information
Proper shipping name	Nitrates, inorganic, n.o.s.
Particulars in the shipper's declaration	UN1477, Nitrates, inorganic, n.o.s., 5.1, II
Danger label(s)	5.1
Special provisions (SP)	A3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	2,5 kg

### **SECTION 15: Regulatory information**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1

**Relevant provisions of the European Union (EU)** 

### **Restrictions according to REACH, Annex XVII**

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	Νο
Gallium(III) nitrate hydrate	substances in tattoo inks and perman- ent make-up		R75	75

Legend R75

1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such sub-stances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:

(a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;

(b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight

(c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser cat-egory 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;

(d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive cat-egory 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:

(i) 0,1 % by weight, if the substance is used solely as a pH regulator; (ii) 0,01 % by weight, in all other cases; (e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (\*1), the substance is present in the

(f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:

(ii) "Rinse-off products";
(iii) "Not to be used in products applied on mucous membranes";
(iii) "Not to be used in eye products";
(iii) "Not to be used in eye products";
(g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Gallium(III) nitrate hydrate ROTI®METIC 99,999 % (5N)

#### article number: 5548



### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Gallium(III) nitrate hydrate ROTI®METIC 99,999 % (5N)

#### article number: 5548

Seveso	Directive			
2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories		y (tonnes) for the ap- r and upper-tier re- ments	Notes
P8	oxidising liquids and solids	50	200	55)

#### Notation

55) Oxidising liquids, category 1, 2 or 3, or oxidising solids, category 1, 2 or 3

### **Deco-Paint Directive**

VOC content	0 %
-------------	-----

### **Industrial Emissions Directive (IED)**

VOC content

0 %

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

### Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Gallium(III) nitrate hydrate	Substances which contribute to eutrophication (in particular, ni- trates and phosphates)		a)	

#### Legend

a) Indicative list of the main pollutants

### Regulation on the marketing and use of explosives precursors

not listed

#### **Regulation on drug precursors**

not listed

### Regulation on substances that deplete the ozone layer (ODS)

not listed

### Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

### **Regulation on persistent organic pollutants (POP)**

not listed

### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Gallium(III) nitrate hydrate ROTI®METIC 99,999 % (5N)

### article number: 5548

### **National inventories**

Country	Inventory	Status
EU	ECSI	substance is listed
KR	KECI	substance is listed
TW	TCSI	substance is listed
Legend       ECSI     EC Substance Inventory (EINECS, ELINCS, NLP)       KECI     Korea Existing Chemicals Inventory		

TCSI Taiwan Chemical Substance Inventory

### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

### **SECTION 16: Other information**

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.1	ADRRID: UN 1479	ADRRID: UN 1477	yes
14.1	IMDG-Code: UN 1479	IMDG-Code: UN 1477	yes
14.1	ICAO-TI: UN 1479	ICAO-TI: UN 1477	yes
14.2	ADRRID: OXIDIZING SOLID, N.O.S.	ADRRID: NITRATES, INORGANIC, N.O.S.	yes
14.2	IMDG-Code: OXIDIZING SOLID, N.O.S.	IMDG-Code: NITRATES, INORGANIC, N.O.S.	yes
14.2	ICAO-TI: Oxidizing solid, n.o.s.	ICAO-TI: Nitrates, inorganic, n.o.s.	yes
14.2	Technical name: Gallium(III) nitrate hydrate		yes
14.8	Proper shipping name: OXIDIZING SOLID, N.O.S.	Proper shipping name: NITRATES, INORGANIC, N.O.S.	yes
14.8	Particulars in the transport document: UN1479, OXIDIZING SOLID, N.O.S., (Gallium(III) nitrate hydrate), 5.1, II, (E)	Particulars in the transport document: UN1477, NITRATES, INORGANIC, N.O.S., 5.1, II, (E)	yes
14.8	Special provisions (SP): 274	Special provisions (SP): 511	yes
14.8	Special provisions (SP): 274	Special provisions (SP): 511	yes
14.8	Proper shipping name: OXIDIZING SOLID, N.O.S.	Proper shipping name: NITRATES, INORGANIC, N.O.S.	yes
14.8	Particulars in the shipper's declaration: UN1479, OXIDIZING SOLID, N.O.S., (Gallium(III) nitrate hydrate), 5.1, II	Particulars in the shipper's declaration: UN1477, NITRATES, INORGANIC, N.O.S., 5.1, II	yes
14.8	Special provisions (SP): 274, 900	Special provisions (SP): -	yes

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Gallium(III) nitrate hydrate ROTI®METIC 99,999 % (5N)

### article number: 5548

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.8	Stowage category: B	Stowage category: A	yes
14.8	Proper shipping name: Oxidizing solid, n.o.s.	Proper shipping name: Nitrates, inorganic, n.o.s.	yes
14.8	Particulars in the shipper's declaration: UN1479, Oxidizing solid, n.o.s., (Gallium(III) ni- trate hydrate), 5.1, II	Particulars in the shipper's declaration: UN1477, Nitrates, inorganic, n.o.s., 5.1, II	yes
15.1	Water Framework Directive (WFD): not listed	Water Framework Directive (WFD)	yes
15.1		List of pollutants (WFD): change in the listing (table)	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi fier of substances commercially available within the EU (European Union)	
ED	Endocrine disruptor	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)	
SVHC	Substance of Very High Concern	
VOC	Volatile Organic Compounds	

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

### Gallium(III) nitrate hydrate ROTI®METIC 99,999 % (5N)



### article number: **5548**

Abbr.	Descriptions of used abbreviations
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H315	Causes skin irritation.
H319	Causes serious eye irritation.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.