

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Cobalt powder ROTI®METIC 99,999 % (5N)

article number: **5620**
Version: **2.0 en**
Replaces version of: 2015-06-10
Version: (1)

date of compilation: 2015-06-10
Revision: 2020-09-03

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance	Cobalt powder ROTI®METIC 99,999 % (5N)
Article number	5620
Registration number (REACH)	It is not required to list the identified uses because the substance is not subject to registration according to REACH (< 1 t/a)
Index No	027-001-00-9
EC number	231-158-0
CAS number	7440-48-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: laboratory chemical
laboratory and analytical use

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone: +49 (0) 721 - 56 06 0

Telefax: +49 (0) 721 - 56 06 149

e-mail: sicherheit@carlroth.de

Website: www.carlroth.de

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

e-mail (competent person): sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/ city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

Emergency information service **+49/(0)89 19240**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Cobalt powder ROTI®METIC 99,999 % (5N)

article number: 5620

Classification according to Regulation (EC) No 1272/2008 (CLP)

Classification acc. to GHS			
Section	Hazard class	Hazard class and category	Hazard statement
3.10	acute toxicity (oral)	(Acute Tox. 4)	H302
3.3	serious eye damage/eye irritation	(Eye Irrit. 2)	H319
3.4R	respiratory sensitisation	(Resp. Sens. 1)	H334
3.4S	skin sensitisation	(Skin Sens. 1)	H317
3.5	germ cell mutagenicity	(Muta. 2)	H341
3.6	carcinogenicity	(Carc. 1B)	H350
3.7	reproductive toxicity	(Repr. 1B)	H360F
4.1A	hazardous to the aquatic environment - acute hazard	(Aquatic Acute 1)	H400
4.1C	hazardous to the aquatic environment - chronic hazard	(Aquatic Chronic 1)	H410

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word

Danger

Pictograms

GHS07, GHS08,
GHS09



Hazard statements

H302	Harmful if swallowed
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H341	Suspected of causing genetic defects
H350	May cause cancer
H360F	May damage fertility
H410	Very toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P260	Do not breathe dust.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements - response

P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Cobalt powder ROTI®METIC 99,999 % (5N)

article number: 5620

For professional users only

Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**

Symbol(s)



H317	May cause an allergic skin reaction.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H360F	May damage fertility.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

2.3 Other hazards

There is no additional information.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Cobalt powder
Index No	027-001-00-9
EC number	231-158-0
CAS number	7440-48-4
Molecular formula	Co
Molar mass	58.93 g/mol

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin reactions, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth with water (only if the person is conscious). In case of accident or unwellness, seek med-

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Cobalt powder ROTI®METIC 99,999 % (5N)

article number: 5620

ical advice immediately (show directions for use or safety data sheet if possible). Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Asthmatic complaints, Breathing difficulties, Erythema/eschar of the skin, Pruritis, Vomiting, Abdominal pain, Nausea, Irritation

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings
dry sand, use metal fire powder to extinguish

Unsuitable extinguishing media

water, foam

5.2 Special hazards arising from the substance or mixture

Danger of dust explosion. Danger of spontaneous combustion. Combustible.

5.3 Advice for firefighters

Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Cobalt powder ROTI®METIC 99,999 % (5N)

article number: 5620

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid dust formation. Avoid exposure.

• Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

• Ventilation requirements

Use local and general ventilation.

• Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Notation	Identifier	TWA [mg/m ³]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Source
GB	dust		i	WEL	10				EH40/2005
GB	dust		r	WEL	4				EH40/2005
GB	cobalt	7440-48-4		WEL	0.1				EH40/2005

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

i Inhalable fraction

r Respirable fraction

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Cobalt powder ROTI®METIC 99,999 % (5N)

article number: 5620

Relevant DNELs/DMELs/PNECs and other threshold levels

• human health values

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	40 µg/m ³	human, inhalatory	worker (industry)	chronic - local effects

• environmental values

Endpoint	Threshold level	Environmental compartment	Exposure time
PNEC	0.62 µg/l	freshwater	short-term (single instance)
PNEC	2.36 µg/l	marine water	short-term (single instance)
PNEC	0.37 mg/l	sewage treatment plant (STP)	short-term (single instance)
PNEC	53.8 mg/kg	freshwater sediment	short-term (single instance)
PNEC	69.8 mg/kg	marine sediment	short-term (single instance)
PNEC	10.9 mg/kg	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

• material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Cobalt powder ROTI®METIC 99,999 % (5N)

article number: 5620

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	solid (powder)
Colour	metallic
Odour	odourless
Odour threshold	No data available

Other physical and chemical parameters

pH (value)	This information is not available.
Melting point/freezing point	1,495 °C
Initial boiling point and boiling range	2,927 °C at 101.3 kPa
Flash point	not applicable
Evaporation rate	no data available
Flammability (solid, gas)	These information are not available

Explosive limits

• lower explosion limit (LEL)	this information is not available
• upper explosion limit (UEL)	this information is not available
Explosion limits of dust clouds	these information are not available

Vapour pressure	This information is not available.
Density	8.86 g/cm ³ at 20 °C
Vapour density	This information is not available.
Relative density	Information on this property is not available.

Solubility(ies)

Water solubility	0.2 µg/l at 21.5 °C - practically insoluble
------------------	---

Partition coefficient

n-octanol/water (log KOW)	This information is not available.
---------------------------	------------------------------------

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Cobalt powder ROTI®METIC 99,999 % (5N)

article number: 5620

Auto-ignition temperature	Information on this property is not available.
Decomposition temperature	no data available
Viscosity	not relevant (solid matter)
Explosive properties	Shall not be classified as explosive
Oxidising properties	none

9.2 Other information

There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion. Danger of spontaneous combustion.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Danger of explosion: Acetylene, Ammonium compounds, Halogenated hydrocarbons, Strong oxidiser, Hydrogen peroxide

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Exposure route	Endpoint	Value	Species	Source
oral	LD50	550 mg/kg	rat	ECHA

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause sensitization by skin contact. May cause sensitization by inhalation.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Cobalt powder ROTI®METIC 99,999 % (5N)

article number: 5620

Summary of evaluation of the CMR properties

Germ cell mutagenicity:

Suspected of causing genetic defects

Carcinogenicity:

May cause cancer

Reproductive toxicity:

May damage fertility

• Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

• Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

diarrhoea, vomiting, abdominal pain, nausea

• If in eyes

Causes serious eye irritation

• If inhaled

Inhalation of dust may cause irritation of the respiratory system, Dyspnoea

• If on skin

pruritis, localised redness

Other information

Other adverse effects: Allergic reactions (such as skin rashes, hives, asthma or anaphylactic shock), Spasms, Blood pressure drop, Irreversible damage to internal organs, Cardiovascular system, Renal impairment

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)

Very toxic to aquatic organisms.

Endpoint	Value	Species	Source	Exposure time
LC50	1.512 mg/l	fish	ECHA	96 h
EC50	>100 mg/l	aquatic invertebrates	ECHA	48 h
ErC50	144 µg/l	algae	ECHA	72 h

Aquatic toxicity (chronic)

May cause long-term adverse effects in the aquatic environment.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Cobalt powder ROTI®METIC 99,999 % (5N)

article number: 5620

Endpoint	Value	Species	Source	Exposure time
EC50	82.2 µg/l	aquatic invertebrates	ECHA	21 d
ErC50	20 µg/l	algae	ECHA	70 h
NOEC	0.21 mg/l	fish	ECHA	34 d
NOEC	93.3 µg/l	aquatic invertebrates	ECHA	21 d
growth (EbCx) 10%	0.35 mg/l	fish	ECHA	34 d

12.2 Process of degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

BCF 23 (ECHA)

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

Safety data sheet



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Cobalt powder ROTI®METIC 99,999 % (5N)

article number: 5620

SECTION 14: Transport information

14.1	UN number	3077
14.2	UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
	Hazardous ingredients	Cobalt powder
14.3	Transport hazard class(es)	
	Class	9 (miscellaneous dangerous substances and articles) (environmentally hazardous)
14.4	Packing group	III (substance presenting low danger)
14.5	Environmental hazards	hazardous to the aquatic environment
14.6	Special precautions for user	
	Provisions for dangerous goods (ADR) should be complied within the premises.	
14.7	Transport in bulk according to Annex II of MARPOL and the IBC Code	
	The cargo is not intended to be carried in bulk.	
14.8	Information for each of the UN Model Regulations	
	• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)	
	UN number	3077
	Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
	Particulars in the transport document	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., (Cobalt powder), 9, III, (-)
	Class	9
	Classification code	M7
	Packing group	III
	Danger label(s)	9 + "fish and tree"
		
	Environmental hazards	yes (hazardous to the aquatic environment)
	Special provisions (SP)	274, 335, 375, 601
	Excepted quantities (EQ)	E1
	Limited quantities (LQ)	5 kg
	Transport category (TC)	3
	Tunnel restriction code (TRC)	-
	Hazard identification No	90
	Emergency Action Code	2Z

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Cobalt powder ROTI®METIC 99,999 % (5N)

article number: 5620

• International Maritime Dangerous Goods Code (IMDG)

UN number	3077
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Particulars in the shipper's declaration	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., (Cobalt powder), 9, III
Class	9
Marine pollutant	yes (P) (hazardous to the aquatic environment)
Packing group	III
Danger label(s)	9 + "fish and tree"



Special provisions (SP)	274, 335, 966, 967, 969
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
EmS	F-A, S-F
Stowage category	A

• International Civil Aviation Organization (ICAO-IATA/DGR)

UN number	3077
Proper shipping name	Environmentally hazardous substance, solid, n.o.s.
Particulars in the shipper's declaration	UN3077, Environmentally hazardous substance, solid, n.o.s., (Cobalt powder), 9, III
Class	9
Environmental hazards	yes (hazardous to the aquatic environment)
Packing group	III
Danger label(s)	9 + "fish and tree"



Special provisions (SP)	A97, A158, A179, A197
Excepted quantities (EQ)	E1
Limited quantities (LQ)	30 kg

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Cobalt powder ROTI®METIC 99,999 % (5N)

article number: 5620

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

- **Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)**

Not listed.

- **Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)**

Not listed.

- **Regulation 850/2004/EC on persistent organic pollutants (POP)**

Not listed.

- **Restrictions according to REACH, Annex XVII**

Name of substance	Type of registration	Conditions of restriction	No
Cobalt powder	1907/2006/EC annex XVII	R28-30	28
Cobalt powder	1907/2006/EC annex XVII	R28-30	30

Legend

R28-30

1. Shall not be placed on the market, or used,
 - as substances,
 - as constituents of other substances, or,
 - in mixtures,for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:
 - either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or,
 - the relevant concentration specified in Directive 1999/45/EC where no specific concentration limit is set out in Part 3 of Annex VI to Regulation (EC) No 1272/2008.Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:
'Restricted to professional users'.
2. By way of derogation, paragraph 1 shall not apply to:
 - (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;
 - (b) cosmetic products as defined by Directive 76/768/EEC;
 - (c) the following fuels and oil products:
 - motor fuels which are covered by Directive 98/70/EC,
 - mineral oil products intended for use as fuel in mobile or fixed combustion plants,
 - fuels sold in closed systems (e.g. liquid gas bottles);
 - (d) artists' paints covered by Directive 1999/45/EC;
 - (e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date.

Name acc. to inventory	CAS No	Wt%	Listed in	Remarks
Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		100	A)	
Metals and their compounds		100	A)	

Legend

A) Indicative list of the main pollutants

- **Restrictions according to REACH, Title VIII**

None.

- **List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list**

not listed

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Cobalt powder ROTI®METIC 99,999 % (5N)

article number: 5620

• Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
E1	environmental hazards (hazardous to the aquatic environment, cat. 1)	100 200	56)

Notation

56) Hazardous to the Aquatic Environment in category Acute 1 or Chronic 1

• Directive 75/324/EEC relating to aerosol dispensers

Filling batch

Deco-Paint Directive (2004/42/EC)

VOC content	0 % 0 g/l
-------------	--------------

Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content	0 %
VOC content	0 g/l

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

not listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

Name acc. to inventory	CAS No	Listed in	Remarks
Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		A)	
Metals and their compounds		A)	

Legend

A) Indicative list of the main pollutants

Regulation 98/2013/EU on the marketing and use of explosives precursors

not listed

Regulation 111/2005/EC laying down rules for the monitoring of trade between the Community and third countries in drug precursors

not listed

National inventories

Substance is listed in the following national inventories:

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Cobalt powder ROTI®METIC 99,999 % (5N)

article number: 5620

Country	National inventories	Status
AU	AICS	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend

AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
1.1	Registration number (REACH): This information is not available.	Registration number (REACH): It is not required to list the identified uses because the substance is not subject to registration according to REACH (< 1 t/a)	yes
2.1	Classification according to Regulation (EC) No 1272/2008 (CLP): GHS chapter - Hazard class and category - Hazard statement code(s)	Classification according to Regulation (EC) No 1272/2008 (CLP)	yes
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.1	Classification according to Directive 1999/45/EC (DPD): Indication(s) of danger - Symbol codes - R-Phrases		yes
2.1		Classification according to Directive 1999/45/EC (DPD): change in the listing (table)	yes

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Cobalt powder ROTI®METIC 99,999 % (5N)

article number: 5620

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.1	Remarks: For full text of R-phrases: see SECTION 16.		yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Hazard statements: change in the listing (table)	yes
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes
8.1		Relevant DNELs/DMELs/PNECs and other threshold levels	yes
8.1		• human health values	yes
8.1		• human health values: change in the listing (table)	yes
8.1		• environmental values	yes
8.1		• environmental values: change in the listing (table)	yes
14.1	UN number: 3288	UN number: 3077	yes
14.2	UN proper shipping name: TOXIC SOLID, INORGANIC, N.O.S.	UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	yes
14.3	Transport hazard class(es)	Transport hazard class(es): class 9 hazard - miscellaneous dangerous substances and articles	yes
14.3	Class: 6.1 (toxic substances)	Class: 9 (miscellaneous dangerous substances and articles) (environmentally hazardous)	yes
14.4	Packing group: I (substance presenting high danger)	Packing group: III (substance presenting low danger)	yes
14.8	UN number: 3288	UN number: 3077	yes
14.8	Proper shipping name: TOXIC SOLID, INORGANIC, N.O.S.	Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	yes
14.8		Particulars in the transport document: UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., (Cobalt powder), 9, III, (-)	yes
14.8	Class: 6.1	Class: 9	yes

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Cobalt powder ROTI®METIC 99,999 % (5N)

article number: 5620

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
14.8	Classification code: T5	Classification code: M7	yes
14.8	Packing group: I	Packing group: III	yes
14.8	Danger label(s): 6.1 + "fish and tree"	Danger label(s): 9 + "fish and tree"	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8	Special provisions (SP): 274, 802(ADN)	Special provisions (SP): 274, 335, 375, 601	yes
14.8	Excepted quantities (EQ): E5	Excepted quantities (EQ): E1	yes
14.8	Limited quantities (LQ): 0	Limited quantities (LQ): 5 kg	yes
14.8	Transport category (TC): 1	Transport category (TC): 3	yes
14.8	Tunnel restriction code (TRC): C/E	Tunnel restriction code (TRC): -	yes
14.8	Hazard identification No: 66	Hazard identification No: 90	yes
14.8		Emergency Action Code: 2Z	yes
14.8	UN number: 3288	UN number: 3077	yes
14.8	Proper shipping name: TOXIC SOLID, INORGANIC, N.O.S.	Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	yes
14.8		Particulars in the shipper's declaration: UN3077, ENVIRONMENTALLY HAZARDOUS SUB- STANCE, SOLID, N.O.S., (Cobalt powder), 9, III	yes
14.8	Class: 6.1	Class: 9	yes
14.8	Marine pollutant: yes (hazardous to the aquatic environment)	Marine pollutant: yes (P) (hazardous to the aquatic environment)	yes
14.8	Packing group: I	Packing group: III	yes
14.8	Danger label(s): 6.1 + "fish and tree"	Danger label(s): 9 + "fish and tree"	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8	Special provisions (SP): 274	Special provisions (SP): 274, 335, 966, 967, 969	yes
14.8	Excepted quantities (EQ): E5	Excepted quantities (EQ): E1	yes
14.8	Limited quantities (LQ): 0	Limited quantities (LQ): 5 kg	yes
14.8	EmS: F-A, S-A	EmS: F-A, S-F	yes
14.8	Stowage category: B	Stowage category: A	yes

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Cobalt powder ROTI®METIC 99,999 % (5N)

article number: 5620

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
14.8		UN number: 3077	yes
14.8		Proper shipping name: Environmentally hazardous substance, solid, n.o.s.	yes
14.8		Particulars in the shipper's declaration: UN3077, Environmentally hazardous substance, solid, n.o.s., (Cobalt powder), 9, III	yes
14.8		Class: 9	yes
14.8		Environmental hazards: yes (hazardous to the aquatic environment)	yes
14.8		Packing group: III	yes
14.8	Danger label(s)	Danger label(s): 9 + "fish and tree"	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Special provisions (SP): A97, A158, A179, A197	yes
14.8		Excepted quantities (EQ): E1	yes
14.8		Limited quantities (LQ): 30 kg	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
BCF	bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Cobalt powder ROTI®METIC 99,999 % (5N)

article number: 5620

Abbr.	Descriptions of used abbreviations
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	short-term exposure limit
SVHC	Substance of Very High Concern
TWA	time-weighted average
VOC	Volatile Organic Compounds
vPvB	very Persistent and very Bioaccumulative
WEL	workplace exposure limit

Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU
- Regulation (EC) No. 1272/2008 (CLP, EU GHS)
- Dangerous Goods Regulations (DGR) for the air transport (IATA)
- International Maritime Dangerous Goods Code (IMDG)

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H302	harmful if swallowed
H317	may cause an allergic skin reaction
H319	causes serious eye irritation
H334	may cause allergy or asthma symptoms or breathing difficulties if inhaled

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Cobalt powder ROTI®METIC 99,999 % (5N)

article number: **5620**

Code	Text
H341	suspected of causing genetic defects
H350	may cause cancer
H360F	may damage fertility
H400	very toxic to aquatic life
H410	very toxic to aquatic life with long lasting effects

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.