acc. to Safe Work Australia - Code of Practice



### Potassium tetrachloroplatinate(II) ROTI®METIC 99,95 % (3N5)

article number: 5660 date of compilation: 2020-10-14 Version: GHS 3.0 en Revision: 2024-03-01

Replaces version of: 2022-01-10

Version: (GHS 2)

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### **Product identifier** 1.1

Identification of the substance Potassium tetrachloroplatinate(II) ROTI®MET-

IC 99,95 % (3N5)

Article number 5660

CAS number 10025-99-7

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-

stuffs.

#### Details of the supplier of the safety data sheet 1.3

Carl Roth GmbH + Co. KG Schoemperlenstr, 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data 
Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

#### 1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	3	Acute Tox. 3	H301
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.4R	Respiratory sensitisation	1	Resp. Sens. 1	H334

Australia (en) Page 1 / 13

acc. to Safe Work Australia - Code of Practice



### Potassium tetrachloroplatinate(II) ROTI®METIC 99,95 % (3N5)

article number: 5660

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.45	Skin sensitisation	1	Skin Sens. 1	H317

For full text of abbreviations: see SECTION 16

#### 2.2 Label elements

#### Labelling

Signal word Danger

### **Pictograms**

GHS05, GHS06, GHS08



#### **Hazard statements**

H301	Toxic if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction

H318 Causes serious eye damage

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

# **Precautionary statements**

#### **Precautionary statements - prevention**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray

P280 Wear protective gloves

# **Precautionary statements - response**

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P302+P352 IF ON SKIN: Wash with plenty of soap and water

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P330 Rinse mouth

# **Precautionary statements - disposal**

P501 Dispose of contents/container to industrial combustion plant

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0.1\%$ .

Australia (en) Page 2 / 13

acc. to Safe Work Australia - Code of Practice



# Potassium tetrachloroplatinate(II) ROTI®METIC 99,95 % (3N5)

article number: 5660

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance Potassium tetrachloroplatinate(II)

Molecular formula  $K_2PtCl_4$  Molar mass  $415.1 \, {}^g/_{mol}$ 

CAS No 10025-99-7

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

## Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

### **Following skin contact**

Rinse skin with water/shower. After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician. In case of skin irritation, consult a physician.

### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### **Following ingestion**

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

Risk of blindness, Risk of serious damage to eyes, Irritation, Allergic reactions, Cough, Dyspnoea

### 4.3 Indication of any immediate medical attention and special treatment needed

none

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



# Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, dry extinguishing powder, ABC-powder

### Unsuitable extinguishing media

water jet

Australia (en) Page 3 / 13

acc. to Safe Work Australia - Code of Practice



### Potassium tetrachloroplatinate(II) ROTI®METIC 99,95 % (3N5)

article number: 5660

# 5.2 Special hazards arising from the substance or mixture

Non-combustible.

#### **Hazardous combustion products**

In case of fire may be liberated: Hydrogen chloride (HCl)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

# **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures



### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

# Advice on how to contain a spill

Covering of drains. Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically. Control of dust.

# Other information relating to spills and releases

Place in appropriate containers for disposal.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid dust formation. Clear contaminated areas thoroughly.

### Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

#### **Incompatible substances or mixtures**

Observe hints for combined storage.

#### Consideration of other advice:

Store locked up.

Australia (en) Page 4 / 13

acc. to Safe Work Australia - Code of Practice



### Potassium tetrachloroplatinate(II) ROTI®METIC 99,95 % (3N5)

article number: 5660

# Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

### 7.3 Specific end use(s)

No information available.

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

**National limit values** 

**Occupational exposure limit values (Workplace Exposure Limits)** 

This information is not available.

#### 8.2 Exposure controls

Individual protection measures (personal protective equipment)

### **Eye/face protection**





Use safety goggle with side protection.

#### Skin protection





# hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

## • type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

#### breakthrough times of the glove material

>480 minutes (permeation: level 6)

# other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Australia (en) Page 5 / 13

acc. to Safe Work Australia - Code of Practice



## Potassium tetrachloroplatinate(II) ROTI®METIC 99,95 % (3N5)

article number: 5660

### **Respiratory protection**





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White).

# **Environmental exposure controls**

Keep away from drains, surface and ground water.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical state solid
Colour red

Odour odourless

Melting point/freezing point not determined

Boiling point or initial boiling point and boiling not determined

range

Flammability non-combustible
Lower and upper explosion limit not determined
Flash point not applicable
Auto-ignition temperature not determined
Decomposition temperature not relevant
pH (value) not applicable
Kinematic viscosity not relevant

Solubility(ies)

Water solubility not determined

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure not determined

Density and/or relative density

Density 3.38 g/<sub>cm³</sub> at 25 °C

Relative vapour density Information on this property is not available.

Particle characteristics No data available.

Australia (en) Page 6 / 13

acc. to Safe Work Australia - Code of Practice



## Potassium tetrachloroplatinate(II) ROTI®METIC 99,95 % (3N5)

article number: 5660

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics: There is no additional information.

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

## 10.3 Possibility of hazardous reactions

Dangerous/dangerous reactions with: strong oxidiser, Acids

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

There is no additional information.

# 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Classification acc. to GHS

#### **Acute toxicity**

Toxic if swallowed.

#### **Acute toxicity**

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>50 - <200 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA

# Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Australia (en) Page 7 / 13

acc. to Safe Work Australia - Code of Practice



### Potassium tetrachloroplatinate(II) ROTI®METIC 99,95 % (3N5)

article number: 5660

### **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

# Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

# Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

# **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

# Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

Data are not available.

### • If in eyes

Causes serious eye damage, risk of blindness

### If inhaled

May produce an allergic reaction, cough, Dyspnoea

# • If on skin

causes skin irritation, May produce an allergic reaction, pruritis, localised redness

# Other information

Other adverse effects: Renal impairment, Central nervous system

# 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0.1\%$ .

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

# 12.2 Persistence and degradability

Data are not available.

## 12.3 Bioaccumulative potential

Data are not available.

# 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

# 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0.1\%$ .

Australia (en) Page 8 / 13

acc. to Safe Work Australia - Code of Practice



### Potassium tetrachloroplatinate(II) ROTI®METIC 99,95 % (3N5)

article number: 5660

#### 12.7 Other adverse effects

Data are not available.

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

# Sewage disposal-relevant information

Do not empty into drains.

### Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### Relevant provisions relating to waste(Basel Convention)

### Properties of waste which render it hazardous

**H6.1** Poisonous (Acute)

#### 13.3 Remarks

**IMDG-Code** 

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

# **SECTION 14: Transport information**

14.1	UN number	
	UN RTDG	UN 3288
	IMDG-Code	UN 3288
	ICAO-TI	UN 3288
14.2	UN proper shipping name	
	UN RTDG	TOXIC SOLID, INORGANIC, N.O.S.
	IMDG-Code	TOXIC SOLID, INORGANIC, N.O.S.
	ICAO-TI	Toxic solid, inorganic, n.o.s.
	Technical name	Potassium tetrachloroplatinate(II)
14.3	Transport hazard class(es)	
	UN RTDG	6.1
	IMDG-Code	6.1
	ICAO-TI	6.1
14.4	Packing group	
	UN RTDG	III

Australia (en) Page 9 / 13

III

acc. to Safe Work Australia - Code of Practice



# Potassium tetrachloroplatinate(II) ROTI®METIC 99,95 % (3N5)

article number: 5660

ICAO-TI III

14.5 **Environmental hazards** non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations 14.8

Transport informationNational regulationsAdditional information(UN RTDG)

**UN number** 3288 Class 6.1 **Packing group** III Danger label(s) 6.1

**Special provisions (SP)** 223, 274 UN RTDG

**Excepted quantities (EQ)** 

UN RTDG

Limited quantities (LQ)

5 kg UN RTDG

**Emergency Action Code** 2X

International Maritime Dangerous Goods Code (IMDG) - Additional information

TOXIC SOLID, INORGANIC, N.O.S. Proper shipping name

UN3288, TOXIC SOLID, INORGANIC, N.O.S., (Potassium tetrachloroplatinate(II)), 6.1, III Particulars in the shipper's declaration

Marine pollutant

Danger label(s) 6.1

Special provisions (SP) 223, 274

Excepted quantities (EQ) E1 Limited quantities (LQ) 5 kg

**EmS** F-A, S-A

Stowage category Α

Australia (en) Page 10 / 13

acc. to Safe Work Australia - Code of Practice



### Potassium tetrachloroplatinate(II) ROTI®METIC 99,95 % (3N5)

article number: 5660

# International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Toxic solid, inorganic, n.o.s.

Particulars in the shipper's declaration UN3288, Toxic solid, inorganic, n.o.s., (Potassium

tetrachloroplatinate(II)), 6.1, III

Danger label(s) 6.1

Special provisions (SP) A3, A5 Excepted quantities (EQ) E1 Limited quantities (LQ) 10 kg

# **SECTION 15: Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

AIIC

CSCL-ENCS

Australian Inventory of Industrial Chemicals
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances

Korea Existing Chemicals Inventory

Australia (en) Page 11 / 13

acc. to Safe Work Australia - Code of Practice



# Potassium tetrachloroplatinate(II) ROTI®METIC 99,95 % (3N5)

article number: 5660

Legend

NCI National Chemical Inventory
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory
TSCA Toxic Substance Control Act

# 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

# **SECTION 16: Other information**

# Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8		Emergency Action Code: 2X	yes
15.1		National inventories: change in the listing (table)	yes

# **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations			
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)			
DGR	Dangerous Goods Regulations (see IATA/DGR)			
ED	Endocrine disruptor			
EINECS	European Inventory of Existing Commercial Chemical Substances			
ELINCS	European List of Notified Chemical Substances			
EmS	Emergency Schedule			
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations			
IATA	International Air Transport Association			
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)			
ICAO	International Civil Aviation Organization			
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air			
IMDG	International Maritime Dangerous Goods Code			
IMDG-Code	International Maritime Dangerous Goods Code			
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval			
NLP	No-Longer Polymer			
PBT	Persistent, Bioaccumulative and Toxic			
UN RTDG	UN Recommendations on the Transport of Dangerous Good			
vPvB	Very Persistent and very Bioaccumulative			

Australia (en) Page 12 / 13

acc. to Safe Work Australia - Code of Practice



# Potassium tetrachloroplatinate(II) ROTI®METIC 99,95 % (3N5)

article number: 5660

# Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

# List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H301	Toxic if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.

#### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 13 / 13