

# Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Ruthenium(III) chloride ROTI®METIC 99,9 % (3N), anhydrous

article number: **5686**  
Version: **GHS 3.0 en**  
Replaces version of: 2022-02-04  
Version: (GHS 2)

date of compilation: 2016-10-20  
Revision: 2024-03-02

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Identification of the substance	<b>Ruthenium(III) chloride ROTI®METIC 99,9 % (3N), anhydrous</b>
Article number	5686
CAS number	10049-08-8

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:	Laboratory chemical Laboratory and analytical use
Uses advised against:	Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:** +49 (0) 721 - 56 06 0  
**Telefax:** +49 (0) 721 - 56 06 149  
**e-mail:** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)  
**Website:** [www.carlroth.de](http://www.carlroth.de)

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

**e-mail (competent person):** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 Westmead, NSW	131126	

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.2	Skin corrosion/irritation	1	Skin Corr. 1	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318

# Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Ruthenium(III) chloride ROTI®METIC 99,9 % (3N), anhydrous

article number: 5686

For full text of abbreviations: see SECTION 16

### The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

## 2.2 Label elements

### Labelling

#### Signal word

**Danger**

#### Pictograms

GHS05, GHS07



#### Hazard statements

H302

Harmful if swallowed

H314

Causes severe skin burns and eye damage

#### Precautionary statements

##### Precautionary statements - prevention

P260

Do not breathe dusts or mists

P280

Wear eye protection/face protection

##### Precautionary statements - response

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P321

Specific treatment (see on this label)

##### Precautionary statements - disposal

P501

Dispose of contents/container to industrial combustion plant

## 2.3 Other hazards

### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

# Safety data sheet

acc. to Safe Work Australia - Code of Practice



Ruthenium(III) chloride ROTI®METIC 99,9 % (3N), anhydrous

article number: 5686

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Name of substance	Ruthenium(III) chloride
Molecular formula	Cl <sub>3</sub> Ru
Molar mass	207.4 g/mol
CAS No	10049-08-8

## SECTION 4: First aid measures

### 4.1 Description of first aid measures



#### General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

#### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

#### Following ingestion

Rinse mouth immediately and drink plenty of water. Rinse mouth with water (only if the person is conscious). Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). Call a doctor.

### 4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Vomiting, Risk of blindness, Gastric perforation, Risk of serious damage to eyes

### 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings!  
water, foam, dry extinguishing powder, ABC-powder

# Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Ruthenium(III) chloride ROTI®METIC 99,9 % (3N), anhydrous

article number: 5686

### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

### Hazardous combustion products

In case of fire may be liberated: Hydrochloric gas

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically. Control of dust.

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Handle and open container with care. Avoid dust formation. Clear contaminated areas thoroughly.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a cool place. Store in a dry place. Hygroscopic.

#### Incompatible substances or mixtures

Observe hints for combined storage.

# Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Ruthenium(III) chloride ROTI®METIC 99,9 % (3N), anhydrous

article number: 5686

### Consideration of other advice:

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

### 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### National limit values

#### Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

##### Eye/face protection



Use safety goggle with side protection. Wear face protection.

##### Skin protection



#### • hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

PVC: polyvinyl chloride

#### • material thickness

>0,11 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

# Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Ruthenium(III) chloride ROTI®METIC 99,9 % (3N), anhydrous

article number: 5686

### Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

### Environmental exposure controls

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	solid
Form	crystalline
Colour	black
Odour	characteristic
Melting point/freezing point	500 °C
Boiling point or initial boiling point and boiling range	not determined
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	360 °C
pH (value)	<2
Kinematic viscosity	not relevant
<u>Solubility(ies)</u>	
Water solubility	(practically insoluble)
<u>Partition coefficient</u>	
Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
Vapour pressure	not determined
<u>Density and/or relative density</u>	
Density	3.11 g/cm <sup>3</sup> at 20 °C
Relative vapour density	Information on this property is not available.
Particle characteristics	No data available.

# Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Ruthenium(III) chloride ROTI®METIC 99,9 % (3N), anhydrous

article number: 5686

### Other safety parameters

Oxidising properties none

### 9.2 Other information

Information with regard to physical hazard classes: hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics: There is no additional information.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

**Violent reaction with:** Strong alkali

### 10.4 Conditions to avoid

Keep away from heat. May be corrosive to metals. Decomposition takes place from temperatures above: 360 °C.

### 10.5 Incompatible materials

different metals

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### **Classification acc. to GHS**

#### **Acute toxicity**

Harmful if swallowed.

#### **Skin corrosion/irritation**

Causes severe skin burns and eye damage.

#### **Serious eye damage/eye irritation**

Causes serious eye damage.

#### **Respiratory or skin sensitisation**

Shall not be classified as a respiratory or skin sensitiser.

#### **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

#### **Carcinogenicity**

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

# Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Ruthenium(III) chloride ROTI®METIC 99,9 % (3N), anhydrous

article number: 5686

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

#### • If in eyes

causes burns, Causes serious eye damage, risk of blindness

#### • If inhaled

Data are not available.

#### • If on skin

causes severe burns, causes poorly healing wounds

#### • Other information

none

### 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

## SECTION 12: Ecological information

### 12.1 Toxicity

Harmful to aquatic life with long lasting effects.

### 12.2 Persistence and degradability

Data are not available.

### 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

### 12.7 Other adverse effects

Data are not available.



# Safety data sheet

acc. to Safe Work Australia - Code of Practice



**Ruthenium(III) chloride ROTI®METIC 99,9 % (3N), anhydrous**

article number: **5686**

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### Relevant provisions relating to waste(Basel Convention)

#### Properties of waste which render it hazardous

**H8** Corrosives

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

## SECTION 14: Transport information

### 14.1 UN number

<b>UN RTDG</b>	UN 3260
IMDG-Code	UN 3260
ICAO-TI	UN 3260

### 14.2 UN proper shipping name

<b>UN RTDG</b>	CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.
IMDG-Code	CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.
ICAO-TI	Corrosive solid, acidic, inorganic, n.o.s.
Technical name	Ruthenium(III) chloride

### 14.3 Transport hazard class(es)

<b>UN RTDG</b>	8
IMDG-Code	8
ICAO-TI	8

### 14.4 Packing group

<b>UN RTDG</b>	II
IMDG-Code	II
ICAO-TI	II

# Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Ruthenium(III) chloride ROTI®METIC 99,9 % (3N), anhydrous

article number: 5686

**14.5 Environmental hazards** non-environmentally hazardous acc. to the dangerous goods regulations

**14.6 Special precautions for user**  
There is no additional information.

**14.7 Transport in bulk according to IMO instruments**  
The cargo is not intended to be carried in bulk.

### 14.8 Information for each of the UN Model Regulations

#### Transport information National regulations Additional information (UN RTDG)

**UN number** 3260

**Class** 8

**Packing group** II

**Danger label(s)** 8



**Special provisions (SP)** 274  
UN RTDG

**Excepted quantities (EQ)** E2  
UN RTDG

**Limited quantities (LQ)** 1 kg  
UN RTDG

**Emergency Action Code** 2X

#### International Maritime Dangerous Goods Code (IMDG) - Additional information

**Proper shipping name** CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.

**Particulars in the shipper's declaration** UN3260, CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S., (Ruthenium(III) chloride), 8, II

**Marine pollutant** -

**Danger label(s)** 8



**Special provisions (SP)** 274

**Excepted quantities (EQ)** E2

**Limited quantities (LQ)** 1 kg

**EmS** F-A, S-B

**Stowage category** B

**Segregation group** 1 - Acids

# Safety data sheet


acc. to Safe Work Australia - Code of Practice



## Ruthenium(III) chloride ROTI®METIC 99,9 % (3N), anhydrous

article number: 5686

### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name	Corrosive solid, acidic, inorganic, n.o.s.
Particulars in the shipper's declaration	UN3260, Corrosive solid, acidic, inorganic, n.o.s., (Ruthenium(III) chloride), 8, II
Danger label(s)	8
	
Special provisions (SP)	A3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	5 kg

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

#### National regulations(Australia)

##### Australian Inventory of Chemical Substances(AICS)

Substance is listed.

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
NZ	NZIoC	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

#### Legend

AIIC	Australian Inventory of Industrial Chemicals
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

# Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Ruthenium(III) chloride ROTI®METIC 99,9 % (3N), anhydrous

article number: 5686

### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

## SECTION 16: Other information

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$ .	yes
14.8		Emergency Action Code: 2X	yes
15.1		National inventories: change in the listing (table)	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

# Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Ruthenium(III) chloride ROTI®METIC 99,9 % (3N), anhydrous

article number: **5686**

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.