acc. to Safe Work Australia - Code of Practice

### o-Phthaldialdehyde ≥99 %, for synthesis

article number: **5980** Version: **GHS 3.0 en** Replaces version of: 2021-11-18 Version: (GHS 2)

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

5980

643-79-8

### 1.1 Product identifier

Identification of the substance Article number

CAS number

### **1.2** Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

o-Phthaldialdehyde ≥99 %, for synthesis

Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

### e-mail (competent person):

### sicherheit@carlroth.de

### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

# **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture

**Classification acc. to GHS** 



Revision: 2024-03-04

date of compilation: 2016-01-25



acc. to Safe Work Australia - Code of Practice



# o-Phthaldialdehyde ≥99 %, for synthesis

### article number: 5980

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	3	Acute Tox. 3	H301
3.2	Skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.4S	Skin sensitisation	1A	Skin Sens. 1A	H317
3.8R	Specific target organ toxicity - single exposure (respirat- ory tract irritation)	3	STOT SE 3	H335

For full text of abbreviations: see SECTION 16

### The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

### 2.2 Label elements

# Labelling

Signal word Danger

### **Pictograms**

GHS05, GHS06



### Hazard statements

H301	Toxic if swallowed
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H335	May cause respiratory irritation

### **Precautionary statements**

#### **Precautionary statements - prevention**

P260	Do not breathe dusts or mists
P280	Wear eye protection/face protection

### **Precautionary statements - response**

P301+P310 P302+P352	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician IF ON SKIN: Wash with plenty of soap and water
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

#### **Precautionary statements - storage**

P403+P233 Store in a well-ventilated place. Keep container tightly closed

acc. to Safe Work Australia - Code of Practice

### o-Phthaldialdehyde ≥99 %, for synthesis



### article number: 5980

### 2.3 Other hazards

### **Results of PBT and vPvB assessment**

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Name of substance	o-Phthaldialdehyde
Molecular formula	$C_8H_6O_2$
Molar mass	134.1 <sup>g</sup> / <sub>mol</sub>
CAS No	643-79-8

# **SECTION 4: First aid measures**

### 4.1 Description of first aid measures



### **General notes**

Take off immediately all contaminated clothing. Self-protection of the first aider.

### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure. In case of skin reactions, consult a physician.

#### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

#### **Following ingestion**

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

### 4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Risk of blindness, Gastric perforation, Risk of serious damage to eyes, Irritation, Allergic reactions, Cough, Dyspnoea

### 4.3 Indication of any immediate medical attention and special treatment needed

none

acc. to Safe Work Australia - Code of Practice





article number: **5980** 

# SECTION 5: Firefighting measures

### 5.1 Extinguishing media



### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Combustible.

### Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

# **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures



### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

### 6.3 Methods and material for containment and cleaning up

### Advice on how to contain a spill

Covering of drains. Take up mechanically.

### Advice on how to clean up a spill

Take up mechanically. Control of dust.

### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

acc. to Safe Work Australia - Code of Practice

### o-Phthaldialdehyde ≥99 %, for synthesis



### article number: 5980

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Provision of sufficient ventilation. Handle and open container with care. Avoid dust formation. Clear contaminated areas thoroughly.

### Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep in a cool place.

### Incompatible substances or mixtures

Observe hints for combined storage.

### Consideration of other advice:

Store locked up.

### Specific designs for storage rooms or vessels

Recommended storage temperature: 2 – 8 °C

### 7.3 Specific end use(s)

No information available.

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **National limit values**

### **Occupational exposure limit values (Workplace Exposure Limits)**

This information is not available.


### Human health values

Relevant DN	Relevant DNELs and other threshold levels			
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	16.1 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	2.3 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects

### **Environmental values**

Relevant PNECs and other threshold levels				
End- point	Threshold level	Organism	Environmental com- partment	Exposure time
PNEC	0.11 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
PNEC	0.3 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	0.506 <sup>µg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)

acc. to Safe Work Australia - Code of Practice





article number: 5980

### 8.2 Exposure controls

### Individual protection measures (personal protective equipment)

### Eye/face protection



Use safety goggle with side protection. Wear face protection.

#### Skin protection



### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

#### • material thickness

>0,11 mm

### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

### **Respiratory protection**



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White).

### **Environmental exposure controls**

Keep away from drains, surface and ground water.

acc. to Safe Work Australia - Code of Practice



# o-Phthaldialdehyde ≥99 %, for synthesis

# article number: 5980

# **SECTION 9: Physical and chemical properties**

9.1	Information on basic physical and chemical pro	operties
	Physical state	solid
	Form	crystals
	Colour	whitish - light yellow
	Odour	characteristic
	Melting point/freezing point	55.8 °C (ECHA)
	Boiling point or initial boiling point and boiling range	83 °C (ECHA)
	Flammability	this material is combustible, but will not ignite readily
	Lower and upper explosion limit	not determined
	Flash point	132 °C
	Auto-ignition temperature	not determined
	Decomposition temperature	>100 °C
	pH (value)	7 (in aqueous solution: 53 <sup>g</sup> / <sub>l</sub> , 20 °C)
	Kinematic viscosity	not relevant
	Dynamic viscosity	2.3 mPa s at 65 °C
	Solubility(ies)	
	Water solubility	37.7 <sup>g</sup> / <sub>l</sub> at 20 °C (ECHA)
	Partition coefficient	
	Partition coefficient n-octanol/water (log value):	0.99 (pH value: 7, 30 °C) (ECHA)
	Vapour pressure	0.003 hPa at 20 °C
	Density and/or relative density	
	Density	1.13 <sup>g</sup> / <sub>cm³</sub> at 20 °C
	Relative vapour density	Information on this property is not available.
	Bulk density	~530 <sup>kg</sup> / <sub>m³</sub>
	Developer de la construction	Na data ang lakin
	Particle characteristics	No data available.
	Other safety parameters	
	Oxidising properties	none
9.2	Other information	

acc. to Safe Work Australia - Code of Practice

### o-Phthaldialdehyde ≥99 %, for synthesis

article number: 5980

Information with regard to physical hazard classes:

hazard classes acc. to GHS (physical hazards): not relevant

There is no additional information.

Other safety characteristics:

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### **10.3** Possibility of hazardous reactions

Violent reaction with: strong oxidiser

### 10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: >100 °C.

### **10.5** Incompatible materials

There is no additional information.

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### **Classification acc. to GHS**

#### Acute toxicity

Toxic if swallowed.

GHS of the United Nations, annex 4. May be harmful in contact with skin.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	178.5 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA
dermal	LD50	>2,000 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA

### Skin corrosion/irritation

Causes severe skin burns and eye damage.

#### Serious eye damage/eye irritation

Causes serious eye damage.

### **Respiratory or skin sensitisation**

May cause an allergic skin reaction.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.



acc. to Safe Work Australia - Code of Practice

### o-Phthaldialdehyde ≥99 %, for synthesis



article number: **5980** 

### Carcinogenicity

Shall not be classified as carcinogenic.

### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

May cause respiratory irritation.

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

### • If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

### • If in eyes

causes burns, Causes serious eye damage, risk of blindness

### If inhaled

Irritation to respiratory tract, cough, Dyspnoea

### • If on skin

causes severe burns, causes poorly healing wounds, May produce an allergic reaction, pruritis, localised redness

### Other information

none

### **11.2 Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

quatic toxicity (acu	ite)			
Endpoint	Value	Species	Source	Exposure time
EC50	0.11 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	48 h
quatic toxicity (chr	onic)			
Endpoint	Value	Species	Source	Exposure time
EC50	33 <sup>mg</sup> / <sub>l</sub>	microorganisms	ECHA	3 h

acc. to Safe Work Australia - Code of Practice



### o-Phthaldialdehyde ≥99 %, for synthesis

### article number: 5980

### 12.2 Persistence and degradability

Theoretical Oxygen Demand: 2.028 <sup>mg</sup>/<sub>mg</sub> Theoretical Carbon Dioxide: 2.625 <sup>mg</sup>/<sub>mg</sub>

### Process of degradability

Process	Degradation rate	Time
carbon dioxide generation	7 %	28 d

### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	0.99 (pH value: 7, 30 °C) (ECHA)
---------------------------	----------------------------------

### 12.4 Mobility in soil

Data are not available.

# 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

### 12.7 Other adverse effects

Data are not available.

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

### Sewage disposal-relevant information

Do not empty into drains.

### Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

### Relevant provisions relating to waste(Basel Convention)

### Properties of waste which render it hazardous

H8 Corrosives

H11 Toxic (Delayed or chronic)

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

acc. to Safe Work Australia - Code of Practice

# o-Phthaldialdehyde ≥99 %, for synthesis

article number: 5980

# **SECTION 14: Transport information**

14.1	UN number		
	UN RTDG	UN 2923	
	IMDG-Code	UN 2923	
	ICAO-TI	UN 2923	
14.2	UN proper shipping name		
	UN RTDG	CORROSIVE SOLID, TOXIC, N.O.S.	
	IMDG-Code	CORROSIVE SOLID, TOXIC, N.O.S.	
	ICAO-TI	Corrosive solid, toxic, n.o.s.	
	Technical name	o-Phthaldialdehyde	
14.3	Transport hazard class(es)		
	UN RTDG	8 (6.1)	
	IMDG-Code	8 (6.1)	
	ICAO-TI	8 (6.1)	
14.4	Packing group		
	UN RTDG	II	
	IMDG-Code	II	
	ICAO-TI	II	
14.5	Environmental hazards	hazardous to the aquatic environment	
14.6	Special precautions for user		
14.7	There is no additional information.		
14.7	<b>Transport in bulk according to IMO instruments</b> The cargo is not intended to be carried in bulk.		
	-		
14.8	Information for each of the UN Model Regulation		
	Transport informationNational regulationsAdd		
	UN number	2923	
	Class	8	
	Subsidiary risk(s)	6.1	
	Environmental hazards	Yes Hazardous to the aquatic environment	
	Packing group	II	
	Danger label(s)	8+6.1 Fish and tree	



acc. to Safe Work Australia - Code of Practice

o-Phthaldialdehyde	>99 %	for	synthesis
0-r munanulaiuenyue	299 /0,		Synthesis

article number: 5980



Special provisions (SP)	274 UN RTDG
Excepted quantities (EQ)	E2 UN RTDG
Limited quantities (LQ)	1 kg UN RTDG
Emergency Action Code	2X
International Maritime Dangerous Goods Co	de (IMDG) - Additional information
Proper shipping name	CORROSIVE SOLID, TOXIC, N.O.S.
Particulars in the shipper's declaration	UN2923, CORROSIVE SOLID, TOXIC, N.O.S., (o- Phthaldialdehyde), 8 (6.1), II, MARINE POLLUTANT
Marine pollutant	<b>Yes</b> (hazardous to the aquatic environment)
Danger label(s)	8+6.1, "Fish and tree"
Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
EmS	F-A, S-B
Stowage category	В
International Civil Aviation Organization (ICA	<b>AO-IATA/DGR) - Additional information</b>
Proper shipping name	Corrosive solid, toxic, n.o.s.
Particulars in the shipper's declaration	UN2923, Corrosive solid, toxic, n.o.s., (o-Phthal- dialdehyde), 8 (6.1), II
Environmental hazards	<b>Yes</b> (hazardous to the aquatic environment)
Danger label(s)	8+6.1
Special provisions (SP)	A3, A5
Excepted quantities (EQ)	E2
Limited quantities (LQ)	5 kg

# **SECTION 15: Regulatory information**


**15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

### National regulations(Australia)

### Australian Inventory of Chemical Substances(AICS)

Substance is listed.

acc. to Safe Work Australia - Code of Practice





#### article number: 5980

### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

### National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

#### Legend

LegenaAIICAustralian Inventory of Industrial ChemicalsCSCL-ENCSList of Existing and New Chemical Substances (CSCL-ENCS)DSLDomestic Substances List (DSL)ECSIEC Substance Inventory (EINECS, ELINCS, NLP)IECSCInventory of Existing Chemical Substances Produced or Imported in ChinaKECIKorea Existing Chemicals InventoryNCINational Chemical InventoryNZIOCNew Zealand Inventory of Chemicals and Chemical Substances (PICCS)PICCSPhilippine Inventory of Chemicals and Chemical Substances (PICCS)REACH Reg.REACH registered substancesTCSITaiwan Chemical Substance Inventory TCSI TSCA Taiwan Chemical Substance Inventory **Toxic Substance Control Act** 

#### 15.2 **Chemical Safety Assessment**

No Chemical Safety Assessment has been carried out for this substance.

# SECTION 16: Other information

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8		Emergency Action Code: 2X	yes
14.8	Special provisions (SP): A3	Special provisions (SP): A3, A5	yes
15.1		National inventories: change in the listing (table)	yes

acc. to Safe Work Australia - Code of Practice

### o-Phthaldialdehyde ≥99 %, for synthesis



### article number: 5980

# Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
ED	Endocrine disruptor	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
NLP	No-Longer Polymer	
РВТ	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
UN RTDG	UN Recommendations on the Transport of Dangerous Good	
vPvB	Very Persistent and very Bioaccumulative	

### Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

acc. to Safe Work Australia - Code of Practice



# o-Phthaldialdehyde ≥99 %, for synthesis

### article number: 5980

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.