acc. to Regulation (EC) No. 1907/2006 (REACH)

#### o-Phthaldialdehyde ≥99 %, for synthesis

article number: 5980 date of compilation: 2016-01-25 Version: 3.0 en Revision: 2024-03-04

Replaces version of: 2021-11-18

Version: (2)

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### **Product identifier** 1.1

Identification of the substance o-Phthaldialdehyde ≥99 %, for synthesis

Article number 5980

EC number 211-402-2 CAS number 643-79-8

#### Relevant identified uses of the substance or mixture and uses advised against 1.2

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for squirting or spraying. Do not use

for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal

feedingstuffs.

#### Details of the supplier of the safety data sheet 1.3

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

sheet:

e-mail (competent person): sicherheit@carlroth.de

#### **Emergency telephone number** 1.4

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

United Kingdom (en) Page 1 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### o-Phthaldialdehyde ≥99 %, for synthesis

article number: 5980

#### Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	3	Acute Tox. 3	H301
3.2	Skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.45	Skin sensitisation	1A	Skin Sens. 1A	H317
3.8R	Specific target organ toxicity - single exposure (respirat- ory tract irritation)	3	STOT SE 3	H335
4.1A	Hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	Hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16

#### The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Spillage and fire water can cause pollution of watercourses.

#### 2.2 Label elements

## Labelling

Signal word Danger

#### **Pictograms**

GHS05, GHS06, GHS09







#### **Hazard statements**

H301	Toxic if swallowed
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H335	May cause respiratory irritation
H410	Very toxic to aquatic life with long lasting effects

## **Precautionary statements**

#### **Precautionary statements - prevention**

P273 Avoid release to the environment

P280 Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary statements - response**

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting P302+P352 IF ON SKIN: Wash with plenty of soap and water

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P310 Immediately call a POISON CENTER/doctor

United Kingdom (en) Page 2 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### o-Phthaldialdehyde ≥99 %, for synthesis

article number: 5980

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance o-Phthaldialdehyde

Molecular formula  $C_8H_6O_2$  Molar mass  $134,1~^g/_{mol}$  CAS No 643-79-8 EC No 211-402-2

Substance, Specific Conc. Limits, M-factors, ATE

Specific Conc. Limits	M-Factors	ATE	Exposure route
-	-	178,5 <sup>mg</sup> / <sub>kg</sub>	oral

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off immediately all contaminated clothing. Self-protection of the first aider.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

## Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure. In case of skin reactions, consult a physician.

#### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

#### Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

## 4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Risk of blindness, Gastric perforation, Risk of serious damage to eyes, Irritation, Allergic reactions, Cough, Dyspnoea

United Kingdom (en) Page 3 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### o-Phthaldialdehyde ≥99 %, for synthesis

article number: 5980

## 4.3 Indication of any immediate medical attention and special treatment needed

none

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Combustible.

#### **Hazardous combustion products**

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

#### **6.2** Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically. Control of dust.

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

United Kingdom (en) Page 4 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

## o-Phthaldialdehyde ≥99 %, for synthesis

article number: 5980

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Provision of sufficient ventilation. Handle and open container with care. Avoid dust formation. Clear contaminated areas thoroughly.

#### Measures to protect the environment

Avoid release to the environment.

#### Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep in a cool place.

#### **Incompatible substances or mixtures**

Observe hints for combined storage.

#### Consideration of other advice:

Store locked up.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 2 - 8 °C

#### 7.3 Specific end use(s)

No information available.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **National limit values**

#### **Occupational exposure limit values (Workplace Exposure Limits)**

This information is not available.

#### **Human health values**

Relevant DNELs and other threshold levels						
		Protection goal, route of exposure	Used in	Exposure time		
DNEL	16,1 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects		
DNEL	2,3 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects		

#### **Environmental values**

United Kingdom (en) Page 5 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### o-Phthaldialdehyde ≥99 %, for synthesis

article number: 5980

#### **Relevant PNECs and other threshold levels**

End- point	Threshold level	Organism	Environmental com- partment	Exposure time
PNEC	0,11 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
PNEC	0,3 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	0,506 <sup>µg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)

#### 8.2 Exposure controls

## Individual protection measures (personal protective equipment)

#### Eye/face protection





Use safety goggle with side protection. Wear face protection.

#### Skin protection





#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### type of material

NBR (Nitrile rubber)

#### material thickness

>0,11 mm

#### breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### Respiratory protection





United Kingdom (en) Page 6 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### o-Phthaldialdehyde ≥99 %, for synthesis

article number: 5980

Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

#### Information on basic physical and chemical properties 9.1

Physical state solid

Form crystals

Colour whitish - light yellow

Odour characteristic Melting point/freezing point 55,8 °C (ECHA) 83 °C (ECHA)

Boiling point or initial boiling point and boiling

range

**Flammability** this material is combustible, but will not ignite

readily

Lower and upper explosion limit not determined

132 °C Flash point

not determined Auto-ignition temperature

>100 °C Decomposition temperature

7 (in aqueous solution: 53 g/<sub>l</sub>, 20 °C) pH (value)

Kinematic viscosity not relevant

2,3 mPa s at 65 °C Dynamic viscosity

Solubility(ies)

Water solubility 37,7 <sup>g</sup>/<sub>l</sub> at 20 °C (ECHA)

Partition coefficient

Partition coefficient n-octanol/water (log value): 0,99 (pH value: 7, 30 °C) (ECHA)

0,003 hPa at 20 °C Vapour pressure

Density and/or relative density

1,13 <sup>g</sup>/<sub>cm<sup>3</sup></sub> at 20 °C Density

Relative vapour density Information on this property is not available.

~530 kg/<sub>m³</sub> **Bulk density** 

Particle characteristics No data available.

United Kingdom (en) Page 7 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

# ©

#### o-Phthaldialdehyde ≥99 %, for synthesis

article number: 5980

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics: There is no additional information.

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

#### 10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: >100 °C.

#### 10.5 Incompatible materials

There is no additional information.

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Classification acc. to GHS

#### **Acute toxicity**

Toxic if swallowed.

GHS of the United Nations, annex 4. May be harmful in contact with skin.

## Acute toxicity

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	178,5 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA
dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

#### Serious eye damage/eye irritation

Causes serious eye damage.

United Kingdom (en) Page 8 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### o-Phthaldialdehyde ≥99 %, for synthesis

article number: 5980

#### Respiratory or skin sensitisation

May cause an allergic skin reaction.

#### **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

May cause respiratory irritation.

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

#### If in eyes

causes burns, Causes serious eye damage, risk of blindness

#### • If inhaled

Irritation to respiratory tract, cough, Dyspnoea

#### • If on skin

causes severe burns, causes poorly healing wounds, May produce an allergic reaction, pruritis, localised redness

#### Other information

none

### 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

#### 11.3 Information on other hazards

There is no additional information.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)						
Endpoint	Value	Species	Source	Exposure time		
EC50	0,11 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	48 h		

United Kingdom (en) Page 9 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### o-Phthaldialdehyde ≥99 %, for synthesis

article number: 5980

#### **Aquatic toxicity (chronic)**

Endpoint	Value	Species	Source	Exposure time
EC50	33 <sup>mg</sup> / <sub>l</sub>	microorganisms	ECHA	3 h

## 12.2 Persistence and degradability

Theoretical Oxygen Demand: 2,028 <sup>mg</sup>/<sub>mg</sub> Theoretical Carbon Dioxide: 2,625 <sup>mg</sup>/<sub>mg</sub>

#### **Process of degradability**

Process	Degradation rate	Time
carbon dioxide generation	7 %	28 d

#### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	0,99 (pH value: 7, 30 °C) (ECHA)
---------------------------	----------------------------------

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0.1\%$ .

#### 12.7 Other adverse effects

Data are not available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

United Kingdom (en) Page 10 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### o-Phthaldialdehyde ≥99 %, for synthesis

article number: 5980

## Properties of waste which render it hazardous

**HP 4** irritant - skin irritation and eye damage

HP 5 specific target organ toxicity (STOT)/aspiration toxicity

HP<sub>6</sub> acute toxicity

HP8 corrosive

HP 13 sensitising
HP 14 ecotoxic

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

## SECTION 14: Transport information

#### 14.1 UN number or ID number

**ADRRID** UN 2923 IMDG-Code UN 2923 ICAO-TI UN 2923

#### 14.2 UN proper shipping name

**ADRRID** CORROSIVE SOLID, TOXIC, N.O.S. IMDG-Code CORROSIVE SOLID, TOXIC, N.O.S.

ICAO-TI Corrosive solid, toxic, n.o.s.

Technical name o-Phthaldialdehyde

#### 14.3 Transport hazard class(es)

**ADRRID** 8 (6.1) **IMDG-Code** 8 (6.1) ICAO-TI 8 (6.1)

#### 14.4 Packing group

**ADRRID** ΙΙ **IMDG-Code** II ICAO-TI II

14.5 Environmental hazards hazardous to the aquatic environment

#### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

#### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### 14.8 **Information for each of the UN Model Regulations**

United Kingdom (en) Page 11 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### o-Phthaldialdehyde ≥99 %, for synthesis

article number: 5980



# Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name CORROSIVE SOLID, TOXIC, N.O.S.

Particulars in the transport document UN2923, CORROSIVE SOLID, TOXIC, N.O.S., (o-

Phthaldialdehyde), 8 (6.1), II, (E), environmentally

hazardous

Classification code CT2

Danger label(s) 8+6.1, "Fish and tree"

Environmental hazards yes (hazardous to the aquatic environment)

Special provisions (SP) 274, 802(ADN)

Excepted quantities (EQ) E2
Limited quantities (LQ) 1 kg

Transport category (TC) 2

Tunnel restriction code (TRC) E
Hazard identification No 86

Emergency Action Code 2X

# Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code CT2

**Danger label(s)** 8+6.1, "Fish and tree"





**Environmental hazards** Yes

Hazardous to water

Special provisions (SP) 274, 802(ADN)

Excepted quantities (EQ) E2
Limited quantities (LQ) 1 kg
Transport category (TC) 2
Hazard identification No 86

## International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name CORROSIVE SOLID, TOXIC, N.O.S.

Particulars in the shipper's declaration UN2923, CORROSIVE SOLID, TOXIC, N.O.S., (o-

Phthaldialdehyde), 8 (6.1), IÍ, MARINE POLLÙTANT

Marine pollutant yes (hazardous to the aquatic environment)

Danger label(s) 8+6.1, "Fish and tree"







United Kingdom (en) Page 12 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### o-Phthaldialdehyde ≥99 %, for synthesis

article number: 5980

Special provisions (SP) 274

Excepted quantities (EQ) E2

Limited quantities (LQ) 1 kg

EmS F-A, S-B

Stowage category B

## International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Corrosive solid, toxic, n.o.s.

Particulars in the shipper's declaration UN2923, Corrosive solid, toxic, n.o.s., (o-Phthal-

dialdehyde), 8 (6.1), II

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 8+6.1



Special provisions (SP)

Excepted quantities (EQ)

Limited quantities (LQ)

5 kg

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

#### **Seveso Directive**

20	2012/18/EU (Seveso III)					
1	No	Dangerous substance/hazard categories	gerous substance/hazard categories Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes	
	E1	environmental hazards (hazardous to the aquatic environment, cat. 1)	100	200	56)	

#### Notation

56) Hazardous to the Aquatic Environment in category Acute 1 or Chronic 1

#### **Deco-Paint Directive**

VOC content	100 %
VOC content	1.130 <sup>g</sup> / <sub>l</sub>

## **Industrial Emissions Directive (IED)**

United Kingdom (en) Page 13 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### o-Phthaldialdehyde ≥99 %, for synthesis

article number: 5980

VOC content	0 %
VOC content	0 <sup>g</sup> / <sub>l</sub>

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

**Water Framework Directive (WFD)** 

not listed

Regulation on the marketing and use of explosives precursors

not listed

**Regulation on drug precursors** 

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

Restrictions according to GB REACH, Annex 17

not listed

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
NZ	NZIoC	substance is listed

United Kingdom (en) Page 14 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### o-Phthaldialdehyde ≥99 %, for synthesis

article number: 5980

Country	Inventory	Status
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

AIIC Australian Inventory of Industrial Chemicals
CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)
DSL Domestic Substances List (DSL)
ECSI EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC Inventory of Existing Chemical Substances Produced or Imported in China KECI Korea Existing Chemicals Inventory
NCI National Chemical Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.
TCSI Taiwan Chemical Substance Inventory
TSCA Toxic Substance Control Act

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

## **SECTION 16: Other information**

#### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8		Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID)Addition- al information	yes
14.8		Classification code: CT2	yes
14.8		Danger label(s): 8+6.1, "Fish and tree"	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Environmental hazards: Yes Hazardous to water	yes

United Kingdom (en) Page 15 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

# ® **?07**/

# o-Phthaldialdehyde ≥99 %, for synthesis

article number: 5980

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.8		Special provisions (SP): 274, 802(ADN)	yes
14.8		Excepted quantities (EQ): E2	yes
14.8		Limited quantities (LQ): 1 kg	yes
14.8		Transport category (TC): 2	yes
14.8		Hazard identification No: 86	yes
14.8	Special provisions (SP): A3	Special provisions (SP): A3, A5	yes
15.1	Restrictions according to REACH, Annex XVII		yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1	List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: Not listed.		yes
15.1	VOC content: 100 % , 1.130 <sup>g</sup> / <sub>l</sub>	VOC content: 100 %	yes
15.1		VOC content: 1.130 <sup>g</sup> / <sub>l</sub>	yes
15.1		National regulations(GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: not listed	yes
15.1		Restrictions according to GB REACH, Annex 17: not listed	yes
15.1		National inventories: change in the listing (table)	yes

## **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)

United Kingdom (en) Page 16 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

## o-Phthaldialdehyde ≥99 %, for synthesis

article number: 5980



Abbr.	Descriptions of used abbreviations
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

## Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

## List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

United Kingdom (en) Page 17 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)



## o-Phthaldialdehyde ≥99 %, for synthesis

article number: 5980

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 18 / 18