acc. to Safe Work Australia - Code of Practice

#### Melamine ≥99 %, for biochemistry

article number: 6034 date of compilation: 2016-10-25 Version: GHS 6.0 en Revision: 2024-03-02

Replaces version of: 2023-02-07

Version: (GHS 5)

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### **Product identifier** 1.1

Identification of the substance **Melamine** ≥99 %, for biochemistry

Article number 6034

CAS number 108-78-1

Alternative name(s) 2,4,6-Triamino-1,3,5-triazine

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-

stuffs.

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

sheet:

e-mail (competent person): sicherheit@carlroth.de

#### 1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.6	Carcinogenicity	2	Carc. 2	H351
3.7	Reproductive toxicity		Repr. 2	H361f
3.9	Specific target organ toxicity - repeated exposure	2	STOT RE 2	H373

Page 1 / 13 Australia (en)



acc. to Safe Work Australia - Code of Practice

#### Melamine ≥99 %, for biochemistry

article number: 6034

For full text of abbreviations: see SECTION 16

#### The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure.

#### 2.2 Label elements

#### Labelling

Signal word Warning

#### **Pictograms**

GHS08



#### **Hazard statements**

H351 Suspected of causing cancer H361f Suspected of damaging fertility

H373 May cause damage to organs through prolonged or repeated exposure

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P202 Do not handle until all safety precautions have been read and understood

P260 Do not breathe dust/fume/gas/mist/vapours/spray

P280 Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary statements - response**

P308+P313 IF exposed or concerned: Get medical advice/attention

P314 Get medical advice/attention if you feel unwell

### **Precautionary statements - disposal**

P501 Dispose of contents/container to industrial combustion plant

For professional users only

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

Australia (en) Page 2 / 13



acc. to Safe Work Australia - Code of Practice

#### Melamine ≥99 %, for biochemistry

article number: 6034



## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance Melamine

Molecular formula  $C_3H_6N_6$ 

Molar mass 126.1 g/<sub>mol</sub>

CAS No 108-78-1

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower.

#### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

#### **Following ingestion**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

#### Unsuitable extinguishing media

water jet

Australia (en) Page 3 / 13

acc. to Safe Work Australia - Code of Practice

#### Melamine ≥99 %, for biochemistry

article number: 6034



### 5.2 Special hazards arising from the substance or mixture

Combustible.

#### **Hazardous combustion products**

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically. Control of dust.

#### Other information relating to spills and releases

Place in appropriate containers for disposal.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Avoid exposure. Avoid dust formation.

#### Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed.

#### **Incompatible substances or mixtures**

Observe hints for combined storage.

Australia (en) Page 4 / 13

acc. to Safe Work Australia - Code of Practice

#### Melamine ≥99 %, for biochemistry

article number: 6034

Consideration of other advice:

**Ventilation requirements** 

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

#### 8.1 **Control parameters**

#### **National limit values**

#### Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	nuisance dusts		WES	10			i	WES

Notation

Ceiling value is a limit value above which exposure should not occur Inhalable fraction Ceiling-C

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 **STEL** 

TWA

hours time-weighted average (unless otherwise specified)

#### **Human health values**

#### **Relevant DNELs and other threshold levels Endpoint Threshold** Protection goal, **Used** in **Exposure time** route of exposure level DNEL 8.3 mg/m<sup>3</sup> human, inhalatory worker (industry) chronic - systemic effects DNEL 82.3 mg/m<sup>3</sup> human, inhalatory worker (industry) acute - systemic effects **DNEL** 11.8 mg/kg bw/ human, dermal worker (industry) chronic - systemic effects day DNEL 117 mg/kg bw/ human, dermal worker (industry) acute - systemic effects ďay

#### **Environmental values**

Relevant	Relevant PNECs and other threshold levels				
End- point	Threshold level	Organism	Environmental com- partment	Exposure time	
PNEC	0.51 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)	
PNEC	0.051 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)	
PNEC	200 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)	
PNEC	2.524 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)	

Australia (en) Page 5 / 13



acc. to Safe Work Australia - Code of Practice

#### Melamine ≥99 %, for biochemistry

article number: 6034



Relevant	Relevant PNECs and other threshold levels				
End- point	Threshold level	Organism	Environmental com- partment	Exposure time	
PNEC	0.252 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)	
PNEC	0.206 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)	

#### 8.2 Exposure controls

### Individual protection measures (personal protective equipment)

#### **Eye/face protection**





Use safety goggle with side protection.

#### Skin protection





## hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### type of material

NBR (Nitrile rubber)

### material thickness

>0,11 mm

#### breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**






Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Australia (en) Page 6 / 13

acc. to Safe Work Australia - Code of Practice

#### Melamine ≥99 %, for biochemistry

article number: 6034



Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state solid

Form powder, crystalline

Colour white

Odour odourless

Melting point/freezing point 361 °C (ECHA) not determined

Boiling point or initial boiling point and boiling range

**Flammability** 

this material is combustible, but will not ignite

readily

Lower and upper explosion limit not determined Flash point not applicable

Auto-ignition temperature >400 °C at 1 atm (ECHA)

Decomposition temperature not relevant

pH (value) ~ 7.7 (in aqueous solution:  $3.48 \, ^{9}/_{l}$ ,  $20 \, ^{\circ}$ C)

Kinematic viscosity not relevant

Solubility(ies)

Water solubility 3.48 <sup>g</sup>/<sub>l</sub> at 20 °C (ECHA)

Partition coefficient

Partition coefficient n-octanol/water (log value): -1.22 (pH value: 8, 22 °C) (ECHA)

Vapour pressure not determined

Density and/or relative density

1.57 g/<sub>cm3</sub> at 20 °C Density

Relative vapour density Information on this property is not available.

No data available. Particle characteristics

Other safety parameters

Oxidising properties none

9.2 Other information

> Information with regard to physical hazard hazard classes acc. to GHS (physical hazards): not relevant classes:

Australia (en) Page 7 / 13



acc. to Safe Work Australia - Code of Practice

#### Melamine ≥99 %, for biochemistry

article number: 6034

Other safety characteristics:



There is no additional information.

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Strong acid

#### 10.4 Conditions to avoid

Keep away from heat.

#### 10.5 Incompatible materials

There is no additional information.

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Classification acc. to GHS

#### **Acute toxicity**

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful if swallowed.

#### **Acute toxicity**

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	3,161 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

## Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

## Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Suspected of causing cancer.

#### **Reproductive toxicity**

Suspected of damaging fertility.

Australia (en) Page 8 / 13

acc. to Safe Work Australia - Code of Practice

#### Melamine ≥99 %, for biochemistry

article number: 6034



Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

Data are not available.

#### • If in eyes

Data are not available.

#### If inhaled

Data are not available.

#### • If on skin

Data are not available.

#### Other information

none

#### 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0.1\%$ .

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
EC50	200 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	48 h

#### 12.2 Persistence and degradability

Theoretical Oxygen Demand (without nitrification): 0  $^{\rm mg}/_{\rm mg}$  Theoretical Oxygen Demand (with nitrification): 1.195  $^{\rm mg}/_{\rm mg}$  Theoretical Carbon Dioxide: 1.047  $^{\rm mg}/_{\rm mg}$ 

#### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	-1.22 (pH value: 8, 22 °C) (ECHA)
---------------------------	-----------------------------------

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

Australia (en) Page 9 / 13



acc. to Safe Work Australia - Code of Practice

#### Melamine ≥99 %, for biochemistry

article number: 6034



Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0.1\%$ .

#### 12.7 Other adverse effects

Data are not available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### Relevant provisions relating to waste(Basel Convention)

#### Properties of waste which render it hazardous

**H11** Toxic (Delayed or chronic)

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

## **SECTION 14: Transport information**

14.1	UN number	not subject to transport regulations

14.2 UN proper shipping name not assigned
 14.3 Transport hazard class(es) not assigned
 14.4 Packing group not assigned

**14.5 Environmental hazards** non-environmentally hazardous acc. to the dan-

gerous goods regulations

## 14.6 Special precautions for user

There is no additional information.

#### 14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

## 14.8 Information for each of the UN Model Regulations

## Transport informationNational regulationsAdditional information(UN RTDG)

Not subject to transport regulations. UN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

Australia (en) Page 10 / 13



acc. to Safe Work Australia - Code of Practice

#### Melamine ≥99 %, for biochemistry

article number: 6034



International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

## **SECTION 15: Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
JP	ISHA-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

AIIC CICR CSCL-ENCS DSL ECSI Australian Inventory of Industrial Chemicals

Chemical Inventory of Industrial Chemicals
Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Inventory of Existing and New Chemical Substances (ISHA ENCS) **IECSC** 

**INSQ** 

ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS)

KECI Korea Existing Chemicals Inventory
NCI National Chemical Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances

Taiwan Chemical Substance Inventory

**TSCA Toxic Substance Control Act** 

Australia (en) Page 11 / 13

acc. to Safe Work Australia - Code of Practice

#### Melamine ≥99 %, for biochemistry

article number: 6034



No Chemical Safety Assessment has been carried out for this substance.

# **SECTION 16: Other information**

## Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		Hazard statements: change in the listing (table)	yes
2.3	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1		National inventories: change in the listing (table)	yes

## **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
STEL	Short-term exposure limit
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative

Australia (en) Page 12 / 13



acc. to Safe Work Australia - Code of Practice

#### Melamine ≥99 %, for biochemistry

article number: 6034



Abbr.	Descriptions of used abbreviations
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

### Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H351	Suspected of causing cancer.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.

#### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 13 / 13