acc. to Safe Work Australia - Code of Practice



date of compilation: 2016-05-04

Revision: 2024-03-01

#### Peroxidase ≥250 U/mg material

article number: **6055** Version: **GHS 3.0 en** Replaces version of: 2021-12-21 Version: (GHS 2)

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

# 1.1 Product identifier

Identification of the substance

Article number

CAS number

Peroxidase ≥250 U/mg material

6055

9003-99-0

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

#### e-mail (competent person):

# sicherheit@carlroth.de

### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.4R	Respiratory sensitisation	1	Resp. Sens. 1	H334
3.4S	Skin sensitisation	1	Skin Sens. 1	H317

For full text of abbreviations: see SECTION 16

# 2.2 Label elements

acc. to Safe Work Australia - Code of Practice

# Peroxidase ≥250 U/mg material



articl	e number: <b>6055</b>	
	Labelling	
	Signal word	Danger
	Pictograms	~
	GHS08	
	Hazard statement	ts
	H317 H334	May cause an allergic skin reaction May cause allergy or asthma symptoms or breathing difficulties if inhaled
	Precautionary sta	tements
	Precautionary sta	tements - prevention
	P261 P280	Avoid breathing dust/fume/gas/mist/vapours/spray Wear protective gloves/protective clothing/eye protection/face protection
	Precautionary sta	tements - response
	P302+P352 P333+P313 P342+P311	IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician
	Precautionary sta	tements - disposal
	P501	Dispose of contents/container to industrial combustion plant
2.3	Other hazards	
		<b>d vPvB assessment</b> esults of its assessment, this substance is not a PBT or a vPvB.
	Endocrine disrupt	ing properties
	Does not contain a	n endocrine disruptor (ED) at a concentration of $\geq$ 0,1%.
SEC	TION 3: Compo	sition/information on ingredients
3.1	Substances	
	Name of substance	Peroxidase
	CAS No	9003-99-0
SEC	TION 4: First ai	id measures
4.1	Description of firs	
7.1		



**General notes** Take off contaminated clothing.

acc. to Safe Work Australia - Code of Practice



### Peroxidase ≥250 U/mg material

article number: 6055

#### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

### Following skin contact

After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician.

#### Following eye contact

Rinse cautiously with water for several minutes.

#### **Following ingestion**

Rinse mouth. Call a doctor if you feel unwell.

# 4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions, Cough, Dyspnoea

# **4.3 Indication of any immediate medical attention and special treatment needed** none

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, dry extinguishing powder, ABC-powder

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Combustible.

#### Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO $_2$ ), May produce toxic fumes of carbon monoxide if burning.

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

# **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe dust.

acc. to Safe Work Australia - Code of Practice



#### Peroxidase ≥250 U/mg material

article number: 6055

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically. Control of dust.

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid dust formation.

#### Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep in a cool place.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice:

#### **Ventilation requirements**

Use local and general ventilation.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: -20 °C

7.3 Specific end use(s)

No information available.

# **SECTION 8: Exposure controls/personal protection**

8.1 Control parameters National limit values

acc. to Safe Work Australia - Code of Practice



### Peroxidase ≥250 U/mg material

#### article number: 6055

# **Occupational exposure limit values (Workplace Exposure Limits)**

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m <sup>3</sup> ]	Nota- tion	Source
AU	nuisance dusts		WES	10			i	WES

#### Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur Inhalable fraction

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection.

#### Skin protection



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

#### material thickness

>0,11 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

acc. to Safe Work Australia - Code of Practice

### Peroxidase ≥250 U/mg material

article number: 6055

#### **Respiratory protection**



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical state	solid
Form	powder
Colour	brown
Odour	faintly perceptible
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	not determined
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	not applicable
Kinematic viscosity	not relevant
Solubility(ies)	
Water solubility	not determined
Partition coefficient	
Partition coefficient n-octanol/water (log value):	-1.3 (20 °C) (ECHA)
Vapour pressure	not determined
Density and/or relative density	
Density	not determined
Relative vapour density	Information on this property is not available.
Particle characteristics	No data available.



acc. to Safe Work Australia - Code of Practice

#### Peroxidase ≥250 U/mg material

article number: 6055

Other safety parameters

Oxidising properties

### 9.2 Other information

Information with regard to physical hazard classes:

Other safety characteristics:

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### **10.3** Possibility of hazardous reactions

Violent reaction with: strong oxidiser

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### **10.5** Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Classification acc. to GHS**

#### Acute toxicity

Shall not be classified as acutely toxic.

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### **Respiratory or skin sensitisation**

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.



none

hazard classes acc. to GHS (physical hazards): not relevant

There is no additional information.

acc. to Safe Work Australia - Code of Practice

#### Peroxidase ≥250 U/mg material

article number: 6055

# Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

### • If swallowed

Data are not available.

#### • If in eyes

Data are not available.

#### • If inhaled

May produce an allergic reaction, cough, Dyspnoea

### • If on skin

May produce an allergic reaction, pruritis, localised redness

#### • Other information

none

#### **11.2 Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (a	Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time	
EbC50	320 <sup>mg</sup> / <sub>l</sub>	algae	ECHA	72 h	
ErC50	640 <sup>mg</sup> / <sub>l</sub>	algae	ECHA	72 h	

### 12.2 Persistence and degradability

Process of degradability			
Process	Degradation rate	Time	
DOC removal	28 %	3 d	

#### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.



acc. to Safe Work Australia - Code of Practice



### Peroxidase ≥250 U/mg material

article number: 6055

n-octanol/water (log KOW)	-1.3 (20 °C) (ECHA)

12.4 Mobility in soil

Data are not available.

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6** Endocrine disrupting properties Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

### 12.7 Other adverse effects

Data are not available.

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

# **SECTION 14: Transport information**

- 14.1 UN number
- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards

not subject to transport regulations

not assigned

- not assigned
- not assigned

non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

There is no additional information.

**14.7 Transport in bulk according to IMO instruments** The cargo is not intended to be carried in bulk.

acc. to Safe Work Australia - Code of Practice

#### Peroxidase ≥250 U/mg material

article number: 6055

#### 14.8 Information for each of the UN Model Regulations

**Transport informationNational regulationsAdditional information(UN RTDG)** Not subject to transport regulations. UN RTDG

**International Maritime Dangerous Goods Code (IMDG) - Additional information** Not subject to IMDG.

**International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information** Not subject to ICAO-IATA.

# **SECTION 15: Regulatory information**

**15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

#### National regulations(Australia)

#### Australian Inventory of Chemical Substances(AICS)

Substance is listed.

#### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### National inventories

Country	Inventory	Status	
AU	AIIC	substance is listed	
CA	DSL	substance is listed	
CN	IECSC	substance is listed	
EU	ECSI	substance is listed	
EU	REACH Reg.	substance is listed	
KR	KECI	substance is listed	
NZ	NZIoC	substance is listed	
TW	TCSI	substance is listed	
US	TSCA	substance is listed (ACTIVE)	
VN	NCI	substance is listed	

#### Legend

Legena	
AIIC	Australian Inventory of Industrial Chemicals
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

#### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.



acc. to Safe Work Australia - Code of Practice



### Peroxidase ≥250 U/mg material

article number: 6055

# **SECTION 16: Other information**

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1		National inventories: change in the listing (table)	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
EbC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na tions
IATA	International Air Transport Association
IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO International Civil Aviation Organization	
IMDG	International Maritime Dangerous Goods Code
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
STEL	Short-term exposure limit
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

#### Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

acc. to Safe Work Australia - Code of Practice



# Peroxidase ≥250 U/mg material

#### article number: 6055

# List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H317	May cause an allergic skin reaction.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.

# Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.