acc. to Safe Work Australia - Code of Practice

Oil of cajeput, natural

article number: 6105 Version: GHS 3.0 en

Replaces version of: 2023-02-10

Version: (GHS 2)



date of compilation: 2021-07-09 Revision: 2024-03-04

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance Oil of cajeput, natural

Article number 6105

CAS number 85480-37-1

Alternative name(s) Oleum Cajeput

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-

stuffs.

Details of the supplier of the safety data sheet 1.3

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

SECTION 2: Hazards identification

2 1 Classification of the substance or mixture

Classification acc. to GHS

Section	on Hazard class		Hazard class and category	Hazard statement
2.6	Flammable liquid	3	Flam. Liq. 3	H226
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2A	Eye Irrit. 2A	H319

Australia (en) Page 1 / 20

acc. to Safe Work Australia - Code of Practice



Oil of cajeput, natural

article number: 6105

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.45	Skin sensitisation	1	Skin Sens. 1	H317
3.10	Aspiration hazard	1	Asp. Tox. 1	H304

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS02, GHS07, GHS08



Hazard statements

H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction

H319 Causes serious eye irritation

Precautionary statements

Precautionary statements - prevention

P210	Keep away from heat/sparks/open flames/hot surfaces No smoking
P280	Wear protective gloves

Precautionary statements - response

P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P302+P352 IF ON SKIN: Wash with plenty of soap and water

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P331 Do NOT induce vomiting

P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher for extinction

Precautionary statements - storage

P403+P235 Store in a well-ventilated place. Keep cool

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

Australia (en) Page 2 / 20

acc. to Safe Work Australia - Code of Practice



article number: 6105



SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Oil of cajeput CAS No 85480-37-1

Impurities/additives/constituents:

Name of substance	Identifier	Wt%
Eucalyptol	CAS No 470-82-6	50 - < 75
α-Terpineol	CAS No 98-55-5	10 - < 25
L-(-)-Limonene	CAS No 5989-54-8	5 – < 10
Myrcene	CAS No 123-35-3	1-<5
ß-Pinene	CAS No 127-91-3	1-<5
4-Terpinenol	CAS No 562-74-3	1-<5
Terpinolene	CAS No 586-62-9	1-<5
Linalool	CAS No 78-70-6	1-<5
DL-α-Pinene	CAS No 80-56-8	1-<5
β-Caryophyllene	CAS No 87-44-5	1-<5
y-Terpinene	CAS No 99-85-4	1-<5
Geraniol	CAS No 106-24-1	<1

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Australia (en) Page 3 / 20

acc. to Safe Work Australia - Code of Practice



Oil of cajeput, natural

article number: 6105

Following skin contact

Rinse skin with water/shower. After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician. In case of skin irritation, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Call a physician immediately. Observe aspiration hazard if vomiting occurs.

4.2 Most important symptoms and effects, both acute and delayed

Aspiration hazard, Irritation, Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Do not breathe vapour/spray. Avoid contact with skin and eyes. Avoidance of ignition sources. Provide adequate ventilation.

Australia (en) Page 4 / 20

acc. to Safe Work Australia - Code of Practice

Oil of cajeput , natural

article number: 6105



6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. When not in use, keep containers tightly closed.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ground/bond container and receiving equipment.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

Australia (en) Page 5 / 20

acc. to Safe Work Australia - Code of Practice



article number: 6105



SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

Relevant DNELs of components

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Eucalyptol	470-82-6	DNEL	7.05 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemi effects
Eucalyptol	470-82-6	DNEL	2 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemi effects
L-(-)-Limonene	5989-54-8	DNEL	33.3 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemi effects
L-(-)-Limonene	5989-54-8	DNEL	222 μg/ cm²	human, dermal	worker (industry)	acute - local ef- fects
Linalool	78-70-6	DNEL	2.8 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemi effects
Linalool	78-70-6	DNEL	16.5 mg/ m³	human, inhalat- ory	worker (industry)	acute - systemic effects
Linalool	78-70-6	DNEL	2.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - system effects
Linalool	78-70-6	DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	acute - systemio effects
y-Terpinene	99-85-4	DNEL	2.939 mg/ m³	human, inhalat- ory	worker (industry)	chronic - system effects
y-Terpinene	99-85-4	DNEL	0.833 mg/ kg bw/day	human, dermal	worker (industry)	chronic - system effects
DL-α-Pinene	80-56-8	DNEL	3.8 mg/m ³	human, inhalat- ory	worker (industry)	chronic - system effects
DL-α-Pinene	80-56-8	DNEL	0.542 mg/ kg bw/day	human, dermal	worker (industry)	chronic - system effects
ß-Pinene	127-91-3	DNEL	5.69 mg/ m³	human, inhalat- ory	worker (industry)	chronic - system effects
ß-Pinene	127-91-3	DNEL	0.8 mg/kg bw/day	human, dermal	worker (industry)	chronic - system effects
ß-Pinene	127-91-3	DNEL	54 μg/cm²	human, dermal	worker (industry)	chronic - local ef fects
Geraniol	106-24-1	DNEL	161.6 mg/ m³	human, inhalat- ory	worker (industry)	chronic - system effects
Geraniol	106-24-1	DNEL	12.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - system effects
Geraniol	106-24-1	DNEL	11,800 µg/ cm²	human, dermal	worker (industry)	chronic - local ef fects

Australia (en) Page 6 / 20

acc. to Safe Work Australia - Code of Practice



article number: 6105



Relevant PNECs of components

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure tir
Eucalyptol	470-82-6	PNEC	57 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (sir instance)
Eucalyptol	470-82-6	PNEC	5.7 ^{µg} / _l	aquatic organ- isms	marine water	short-term (sir instance)
Eucalyptol	470-82-6	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sir instance)
Eucalyptol	470-82-6	PNEC	1.425 ^{mg} / kg	aquatic organ- isms	freshwater sedi- ment	short-term (sir instance)
Eucalyptol	470-82-6	PNEC	0.142 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (sir instance)
Eucalyptol	470-82-6	PNEC	0.25 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (sir instance)
α-Terpineol	98-55-5	PNEC	68 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (sir instance)
α-Terpineol	98-55-5	PNEC	6.8 ^{µg} / _I	aquatic organ- isms	marine water	short-term (sir instance)
α-Terpineol	98-55-5	PNEC	2.6 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sir instance)
α-Terpineol	98-55-5	PNEC	1.85 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (sir instance)
α-Terpineol	98-55-5	PNEC	0.185 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (sir instance)
α-Terpineol	98-55-5	PNEC	0.329 ^{mg} / kg	terrestrial organ- isms	soil	short-term (sir instance)
L-(-)-Limonene	5989-54-8	PNEC	5.4 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (sir instance)
L-(-)-Limonene	5989-54-8	PNEC	0.54 ^{µg} / _l	aquatic organ- isms	marine water	short-term (sir instance)
L-(-)-Limonene	5989-54-8	PNEC	0.2 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sir instance)
L-(-)-Limonene	5989-54-8	PNEC	1.322 ^{mg} / kg	aquatic organ- isms	freshwater sedi- ment	short-term (sir instance)
L-(-)-Limonene	5989-54-8	PNEC	0.132 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (sir instance)
L-(-)-Limonene	5989-54-8	PNEC	0.262 ^{mg} / kg	terrestrial organ- isms	soil	short-term (sir instance)
Linalool	78-70-6	PNEC	0.2 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (sir instance)
Linalool	78-70-6	PNEC	0.02 ^{mg} / _l	aquatic organ- isms	marine water	short-term (sir instance)
Linalool	78-70-6	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sir instance)
Linalool	78-70-6	PNEC	2.22 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (sir instance)

Australia (en) Page 7 / 20

acc. to Safe Work Australia - Code of Practice



article number: 6105



Relevant PNECs of components

Relevant PNECs	of compone	ents				
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Linalool	78-70-6	PNEC	0.222 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (single instance)
Linalool	78-70-6	PNEC	0.327 ^{mg} / kg	terrestrial organ- isms	soil	short-term (single instance)
y-Terpinene	99-85-4	PNEC	0.003 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
y-Terpinene	99-85-4	PNEC	0 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
y-Terpinene	99-85-4	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
y-Terpinene	99-85-4	PNEC	0.49 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
y-Terpinene	99-85-4	PNEC	0.049 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (single instance)
y-Terpinene	99-85-4	PNEC	0.423 ^{mg} / kg	terrestrial organ- isms	soil	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	0.606 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	0.061 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	0.2 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	157 ^{µg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	15.7 ^{µg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	31.7 ^{µg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
ß-Pinene	127-91-3	PNEC	1.004 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
ß-Pinene	127-91-3	PNEC	0.1 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)
ß-Pinene	127-91-3	PNEC	3.26 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
ß-Pinene	127-91-3	PNEC	0.337 ^{mg} / kg	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
ß-Pinene	127-91-3	PNEC	0.034 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (single instance)
ß-Pinene	127-91-3	PNEC	0.067 ^{mg} / kg	terrestrial organ- isms	soil	short-term (single instance)
Geraniol	106-24-1	PNEC	0.011 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Geraniol	106-24-1	PNEC	0.001 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)

Australia (en) Page 8 / 20

acc. to Safe Work Australia - Code of Practice



Oil of cajeput, natural

article number: 6105

Relevant PNECs of components

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Geraniol	106-24-1	PNEC	0.7 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Geraniol	106-24-1	PNEC	0.115 ^{mg} / kg	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Geraniol	106-24-1	PNEC	0.011 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (single instance)
Geraniol	106-24-1	PNEC	0.017 ^{mg} / kg	terrestrial organ- isms	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

0,4 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Australia (en) Page 9 / 20

acc. to Safe Work Australia - Code of Practice

Oil of cajeput , natural

article number: 6105



Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless - light yellow

Odour characteristic

Melting point/freezing point <-20 °C (ECHA)

Boiling point or initial boiling point and boiling

range

157 - 210 °C at 1,011 hPa (ECHA)

Flammability flammable liquid in accordance with GHS criteria

Lower and upper explosion limit not determined

Flash point 54.6 °C at 101.3 kPa (ECHA)
Auto-ignition temperature 270 °C at 100,086 Pa (ECHA)

Decomposition temperature not relevant pH (value) not determined Kinematic viscosity not determined

Solubility(ies)

Water solubility not determined

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure not determined

Density and/or relative density

Density 0.92 ^g/_{cm³} at 20 °C

Relative vapour density Information on this property is not available.

Particle characteristics not relevant (liquid)

Australia (en) Page 10 / 20

acc. to Safe Work Australia - Code of Practice



article number: 6105

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

There is no additional information.

Other safety characteristics: There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition.

If heated

Risk of ignition. Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity of components

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Eucalyptol	470-82-6	oral	LD50	2,480 ^{mg} / _{kg}	rat
α-Terpineol	98-55-5	oral	LD50	4,300 ^{mg} / _{kg}	rat
α-Terpineol	98-55-5	dermal	LD50	>2,000 ^{mg} / _{kg}	rat
Linalool	78-70-6	oral	LD50	2,790 ^{mg} / _{kg}	rat
Linalool	78-70-6	dermal	LD50	5,610 ^{mg} / _{kg}	rabbit
y-Terpinene	99-85-4	oral	LD50	>2,000 ^{mg} / _{kg}	rat

Australia (en) Page 11 / 20



acc. to Safe Work Australia - Code of Practice

Oil of cajeput , natural

article number: 6105



Acute toxicity of components

CAS No	Exposure route	Endpoint	Value	Species
99-85-4	dermal	LD50	>2,000 ^{mg} / _{kg}	rat
123-35-3	oral	LD50	>3,380 ^{mg} / _{kg}	mouse
123-35-3	dermal	LD50	>5,000 ^{mg} / _{kg}	rabbit
80-56-8	dermal	LD50	>2,000 ^{mg} / _{kg}	rat
80-56-8	oral	LD50	3,700 ^{mg} / _{kg}	rat
586-62-9	oral	LD50	>2,000 ^{mg} / _{kg}	rat
586-62-9	dermal	LD50	>2,000 ^{mg} / _{kg}	rat
87-44-5	oral	LD50	>5,000 ^{mg} / _{kg}	mouse
127-91-3	oral	LD50	4,700 ^{mg} / _{kg}	rat
562-74-3	oral	LD50	1,300 ^{mg} / _{kg}	rat
562-74-3	dermal	LD50	>2,500 - <5,00 0 ^{mg} / _{kg}	rabbit
106-24-1	oral	LD50	3,600 ^{mg} / _{kg}	rat
106-24-1	dermal	LD50	>5,000 ^{mg} / _{kg}	rabbit
	99-85-4 123-35-3 123-35-3 80-56-8 80-56-8 586-62-9 586-62-9 87-44-5 127-91-3 562-74-3 106-24-1	99-85-4 dermal 123-35-3 oral 123-35-3 dermal 80-56-8 dermal 80-56-8 oral 586-62-9 oral 586-62-9 dermal 87-44-5 oral 127-91-3 oral 562-74-3 oral 106-24-1 oral	99-85-4 dermal LD50 123-35-3 oral LD50 123-35-3 dermal LD50 80-56-8 dermal LD50 80-56-8 oral LD50 586-62-9 oral LD50 586-62-9 dermal LD50 87-44-5 oral LD50 127-91-3 oral LD50 562-74-3 oral LD50 106-24-1 oral LD50	route John State of Section 1 John State of Section 2 John State of Section 3 John Section 3 John State of

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Australia (en) Page 12 / 20

acc. to Safe Work Australia - Code of Practice



Oil of cajeput, natural

article number: 6105

• If swallowed

aspiration hazard

• If in eyes

Causes serious eye irritation

• If inhaled

Data are not available.

• If on skin

causes skin irritation, May produce an allergic reaction, pruritis, localised redness

Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of componen

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Eucalyptol	470-82-6	LC50	57 ^{mg} / _l	fish	96 h
Eucalyptol	470-82-6	EC50	>100 ^{mg} / _I	aquatic invertebrates	48 h
Eucalyptol	470-82-6	ErC50	>74 ^{mg} / _l	algae	72 h
α-Terpineol	98-55-5	LC50	70 ^{mg} / _l	fish	96 h
α-Terpineol	98-55-5	EC50	73 ^{mg} / _l	aquatic invertebrates	48 h
α-Terpineol	98-55-5	ErC50	68 ^{mg} / _l	algae	72 h
Linalool	78-70-6	LC50	27.8 ^{mg} / _l	fish	96 h
Linalool	78-70-6	EC50	59 ^{mg} / _l	aquatic invertebrates	48 h
Linalool	78-70-6	ErC50	156.7 ^{mg} / _l	algae	96 h
y-Terpinene	99-85-4	EC50	2.792 ^{mg} / _l	fish	96 h
Myrcene	123-35-3	EC50	1.47 ^{mg} / _l	aquatic invertebrates	48 h
Myrcene	123-35-3	EC50	0.31 ^{mg} / _l	algae	72 h
Myrcene	123-35-3	ErC50	0.342 ^{mg} / _l	algae	72 h
DL-α-Pinene	80-56-8	LC50	0.303 ^{mg} / _l	fish	96 h
DL-α-Pinene	80-56-8	EC50	0.475 ^{mg} / _l	aquatic invertebrates	48 h
Terpinolene	586-62-9	LC50	0.805 ^{mg} / _l	fish	96 h
Terpinolene	586-62-9	EC50	0.634 ^{mg} / _l	aquatic invertebrates	48 h

Australia (en) Page 13 / 20

acc. to Safe Work Australia - Code of Practice



Oil of cajeput, natural

article number: 6105

Aquatic toxicity (acute) of components

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Terpinolene	586-62-9	ErC50	0.692 ^{mg} / _l	algae	72 h
β-Caryophyllene	87-44-5	EC50	>0.17 ^{mg} / _l	daphnia magna	48 h
β-Caryophyllene	87-44-5	ErC50	>0.033 ^{mg} / _l	algae	72 h
ß-Pinene	127-91-3	LC50	0.68 ^{mg} / _l	rainbow trout (Onco- rhynchus mykiss)	96 h
ß-Pinene	127-91-3	EC50	1.09 ^{mg} / _l	daphnia magna	48 h
ß-Pinene	127-91-3	ErC50	0.7 ^{mg} / _l	Pseudokirchneriella subcapitata	72 h
Geraniol	106-24-1	LC50	22 ^{mg} / _l	fish	96 h
Geraniol	106-24-1	EC50	10.8 ^{mg} / _l	aquatic invertebrates	48 h
Geraniol	106-24-1	ErC50	13.1 ^{mg} / _l	algae	72 h

Aquatic toxicity (chronic) of components

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Eucalyptol	470-82-6	EC50	>100 ^{mg} / _l	microorganisms	3 h
Linalool	78-70-6	EC50	>100 ^{mg} / _l	microorganisms	30 min
y-Terpinene	99-85-4	EC50	>1,000 ^{mg} / _l	microorganisms	3 h
Terpinolene	586-62-9	EC50	69 ^{mg} / _l	microorganisms	3 h
ß-Pinene	127-91-3	EC50	326 ^{mg} / _l	microorganisms	3 h
Geraniol	106-24-1	EC50	70 ^{mg} / _l	microorganisms	30 min

12.2 Persistence and degradability

Biodegradation

Not readily biodegradable.

Degradability of components

Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Eucalyptol	470-82-6	carbon dioxide generation	82 %	28 d		ECHA
α-Terpineol	98-55-5	carbon dioxide generation	80 %	28 d	OECD Guideline 310	
L-(-)-Limonene	5989-54-8	oxygen deple- tion	85 %	28 d		ECHA
Linalool	78-70-6	oxygen deple- tion	40.9 %	5 d		ECHA
y-Terpinene	99-85-4	oxygen deple- tion	27 %	28 d		ECHA

Australia (en) Page 14 / 20

acc. to Safe Work Australia - Code of Practice



Oil of cajeput, natural

article number: 6105

Degradability of components

	•					
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Myrcene	123-35-3	oxygen deple- tion	76 %	28 d		ECHA
DL-α-Pinene	80-56-8	oxygen deple- tion	68 %	28 d		ECHA
Terpinolene	586-62-9	oxygen deple- tion	81 %	28 d		ECHA
β-Caryophyl- lene	87-44-5	oxygen deple- tion	10 %	28 d		ECHA
ß-Pinene	127-91-3	oxygen deple- tion	76 %	28 d		ECHA
Geraniol	106-24-1	DOC removal	90 – 100 %	3 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Eucalyptol	470-82-6		3.4	
α-Terpineol	98-55-5		2.98	
L-(-)-Limonene	5989-54-8	864.8	4.38 (pH value: 7.2, 37 °C)	
Linalool	78-70-6		2.9 (pH value: 7, 20 °C)	
y-Terpinene	99-85-4		5.4 (25 °C)	
Myrcene	123-35-3		4.82 (pH value: ~6.5, 30 °C)	
DL-α-Pinene	80-56-8		4.83	
Terpinolene	586-62-9		4.47	
β-Caryophyllene	87-44-5		6.23 (pH value: 7, 25 °C)	
Geraniol	106-24-1		2.6 (25 °C)	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

12.7 Other adverse effects

Data are not available.

Australia (en) Page 15 / 20

acc. to Safe Work Australia - Code of Practice



article number: 6105



SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H3 Flammable liquids

H11 Toxic (Delayed or chronic)

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number

UN RTDG	UN 1197
IMDG-Code	UN 1197
ICAO-TI	UN 1197

14.2 UN proper shipping name

UN RTDG	EXTRACTS, LIQUID
IMDG-Code	EXTRACTS, LIQUID
ICAO-TI	Extracts, liquid

14.3 Transport hazard class(es)

UN RTDG	3
IMDG-Code	3
ICAO-TI	3

14.4 Packing group

UN RTDG	III
IMDG-Code	III
ICAO-TI	III

14.5 Environmental hazards hazardous to the aquatic environment

Australia (en) Page 16 / 20

acc. to Safe Work Australia - Code of Practice

Oil of cajeput , natural

article number: 6105



There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

UN number 1197 Class 3

Environmental hazards Yes

Hazardous to the aquatic environment

Packing group III

Danger label(s) 3

Fish and tree

Special provisions (SP) 223

223 UN RTDG

Excepted quantities (EQ)

UN RTDG

Limited quantities (LQ) 5 l

5 L UN RTDG

Emergency Action Code 3Y

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name EXTRACTS, LIQUID

Particulars in the shipper's declaration UN1197, EXTRACTS, LIQUID, (Oil of cajeput), 3, III,

54.6°C c.c., MARINE POLLUTANT

Marine pollutant yes (hazardous to the aquatic environment)

Danger label(s) 3, "Fish and tree"





Special provisions (SP) 223, 955

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L

EmS F-E, S-D

Stowage category A

Australia (en) Page 17 / 20



acc. to Safe Work Australia - Code of Practice



Oil of cajeput, natural

article number: 6105

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Extracts, liquid

Particulars in the shipper's declaration UN1197, Extracts, liquid, 3, III

Environmental hazards yes (hazardous to the aquatic environment)

3 Danger label(s)



Special provisions (SP) A3 Excepted quantities (EQ) E1 Limited quantities (LQ) 10 L

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed

Legend

Australian Inventory of Industrial Chemicals Domestic Substances List (DSL) EC Substance Inventory (EINECS, ELINCS, NLP) Inventory of Existing Chemical Substances Produced or Imported in China AIIC

PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances

Taiwan Chemical Substance Inventory

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

Australia (en) Page 18 / 20

acc. to Safe Work Australia - Code of Practice



article number: 6105



SECTION 16: Other information

Indication of changes (revised safety data sheet)

Se	ction	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
	2.3	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration

Australia (en) Page 19 / 20

acc. to Safe Work Australia - Code of Practice



Oil of cajeput , natural

article number: 6105

Abbr.	Descriptions of used abbreviations
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 20 / 20