acc. to Regulation (EC) No. 1907/2006 (REACH)

### (-)-Epigallocatechin gallate ROTICHROM® HPLC

article number: **6361**Version: **2.0 en**date of compilation: 2021-09-08
Revision: 2024-03-01

Replaces version of: 2021-09-08

Version: (1)



# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Identification of the substance (-)-Epigallocatechin gallate ROTICHROM® HPLC

Article number 6361

EC number 479-560-7
CAS number 989-51-5

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

sicherheit@carlroth.de

Uses advised against: Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data 
Department Health, Safety and Environment

sheet:

nice.

### 1.4 Emergency telephone number

e-mail (competent person):

| Name   | Street    | Postal code/city     | Telephone    | Website |
|--|-----------|----------------------|--------------|---------|
| National Poisons Information<br>Service<br>City Hospital | Dudley Rd | B187QH<br>Birmingham | 844 892 0111 |         |

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification acc. to GHS

| Section | Hazard class  | Cat-<br>egory | Hazard class and category | Hazard<br>statement |
|---------|---|---------------|---------------------------|---------------------|
| 3.10    | Acute toxicity (oral)                                 | 4             | Acute Tox. 4              | H302                |
| 3.3     | Serious eye damage/eye irritation                     | 2             | Eye Irrit. 2              | H319                |
| 3.45    | Skin sensitisation                                    | 1             | Skin Sens. 1              | H317                |
| 4.1C    | Hazardous to the aquatic environment - chronic hazard | 2             | Aquatic Chronic 2         | H411                |

United Kingdom (en) Page 1 / 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

### (-)-Epigallocatechin gallate ROTICHROM® HPLC

article number: 6361

For full text of abbreviations: see SECTION 16

### The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

#### 2.2 **Label elements**

### Labelling

Signal word Warning

### **Pictograms**

GHS07, GHS09





### **Hazard statements**

H302 Harmful if swallowed

May cause an allergic skin reaction H317 H319 Causes serious eye irritation

Toxic to aquatic life with long lasting effects H411

### **Precautionary statements**

### **Precautionary statements - prevention**

P273 Avoid release to the environment

P280 Wear protective gloves/eye protection/face protection

### **Precautionary statements - response**

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell

P302+P352 IF ON SKIN: Wash with plenty of water

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact P305+P351+P338

lenses, if present and easy to do. Continue rinsing

#### 2.3 Other hazards

### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0.1\%$ .

## SECTION 3: Composition/information on ingredients

#### 3.1 **Substances**

Name of substance (-)-Epigallocatechin gallate

Molecular formula C22H18O11 Molar mass 458,4 <sup>g</sup>/<sub>mol</sub>

CAS No 989-51-5

EC No 479-560-7

United Kingdom (en) Page 2 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)



### (-)-Epigallocatechin gallate ROTICHROM® HPLC

article number: 6361

Substance, Specific Conc. Limits, M-factors, ATE

| Specific Conc. Limits | M-Factors | ATE                               | Exposure route |
|-----------------------|-----------|-----------------------------------|----------------|
| -                     | -         | 500 <sup>mg</sup> / <sub>kg</sub> | oral           |

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures



### **General notes**

Take off contaminated clothing.

### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

### Following skin contact

After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician.

### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

### Following ingestion

Rinse mouth with water (only if the person is conscious). Call a doctor.

## 4.2 Most important symptoms and effects, both acute and delayed

Vomiting, Irritation, Allergic reactions

## 4.3 Indication of any immediate medical attention and special treatment needed

none

## **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media



### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Combustible.

United Kingdom (en) Page 3 / 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

### (-)-Epigallocatechin gallate ROTICHROM® HPLC

article number: 6361



### **Hazardous combustion products**

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures



### For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe dust.

### **6.2** Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

### 6.3 Methods and material for containment and cleaning up

### Advice on how to contain a spill

Covering of drains. Take up mechanically.

### Advice on how to clean up a spill

Take up mechanically. Control of dust.

### Other information relating to spills and releases

Place in appropriate containers for disposal.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Avoid dust formation.

### Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

### Measures to protect the environment

Avoid release to the environment.

### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep in a cool place.

### **Incompatible substances or mixtures**

Observe hints for combined storage.

United Kingdom (en) Page 4 / 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

### (-)-Epigallocatechin gallate ROTICHROM® HPLC

article number: 6361



**Ventilation requirements** 

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 2 - 8 °C

#### 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

#### 8.1 **Control parameters**

### **National limit values**

### **Occupational exposure limit values (Workplace Exposure Limits)**

| Coun | Name of agent | CAS No | Identifi-<br>er | TWA<br>[mg/<br>m³] | STEL<br>[mg/<br>m³] | Ceil-<br>ing-C<br>[mg/<br>m³] | Nota-<br>tion | Source    |
|------|---------------|--------|-----------------|--------------------|---------------------|-------------------------------|---------------|-----------|
| GB   | dust          |        | WEL             | 10                 |                     |                               | i             | EH40/2005 |
| GB   | dust          |        | WEL             | 4                  |                     |                               | r             | EH40/2005 |

### **Notation**

Ceiling value is a limit value above which exposure should not occur Inhalable fraction Ceiling-C

Respirable fraction

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) TWA

#### 8.2 **Exposure controls**

### Individual protection measures (personal protective equipment)

### Eye/face protection





Use safety goggle with side protection.

### Skin protection





### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as

United Kingdom (en) Page 5 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

### (-)-Epigallocatechin gallate ROTICHROM® HPLC

article number: 6361

a guide.

### type of material

NBR (Nitrile rubber)

### material thickness

>0,11 mm

### breakthrough times of the glove material

>480 minutes (permeation: level 6)

### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

### **Respiratory protection**





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

### **Environmental exposure controls**

Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state solid
Colour whitish
Odour odourless

Melting point/freezing point not determined

Boiling point or initial boiling point and boiling not determined

range

Flammability this material is combustible, but will not ignite

readily

Lower and upper explosion limit not determined

Flash point not applicable

Auto-ignition temperature not determined

Decomposition temperature not relevant

pH (value) not applicable

Kinematic viscosity not relevant

Solubility(ies)

Water solubility  $40 \, ^{9}/_{1}$  at  $20 \, ^{\circ}$ C (ECHA)

Partition coefficient

United Kingdom (en) Page 6 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

### (-)-Epigallocatechin gallate ROTICHROM® HPLC

article number: 6361

1,1 (20 °C) (ECHA)

Soil organic carbon/water (log KOC) -0,05 (ECHA)

not determined Vapour pressure

Density and/or relative density

Density not determined

Relative vapour density Information on this property is not available.

No data available. Particle characteristics

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics:

 $72,6 \, ^{\text{mN}}/_{\text{m}} (20 \, ^{\circ}\text{C}) (ECHA)$ Surface tension

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

There is no additional information.

#### **Hazardous decomposition products** 10.6

Hazardous combustion products: see section 5.

United Kingdom (en) Page 7 / 16



Partition coefficient n-octanol/water (log value):

acc. to Regulation (EC) No. 1907/2006 (REACH)

## (-)-Epigallocatechin gallate ROTICHROM® HPLC

article number: 6361



## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Classification acc. to GHS

### **Acute toxicity**

Harmful if swallowed.

| Acute toxicity |          |                                     |         |        |        |  |  |
|----------------|----------|-------------------------------------|---------|--------|--------|--|--|
| Exposure route | Endpoint | Value                               | Species | Method | Source |  |  |
| oral           | LD50     | 2.170 <sup>mg</sup> / <sub>kg</sub> | mouse   |        | TOXNET |  |  |

### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Respiratory or skin sensitisation

May cause an allergic skin reaction.

### **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

### If swallowed

Data are not available.

### • If in eyes

Causes serious eye irritation

### • If inhaled

Data are not available.

### • If on skin

May produce an allergic reaction, pruritis, localised redness

### Other information

none

United Kingdom (en) Page 8 / 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

## (-)-Epigallocatechin gallate ROTICHROM® HPLC

article number: 6361



There is no additional information.

## **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

| Aquatic toxicity (acute) |                                  |                       |        |                  |  |  |  |
|--------------------------|----------------------------------|-----------------------|--------|------------------|--|--|--|
| Endpoint                 | Value                            | Species               | Source | Exposure<br>time |  |  |  |
| LC50                     | 75 <sup>mg</sup> / <sub>l</sub>  | fish                  | ECHA   | 96 h             |  |  |  |
| EC50                     | 56 <sup>mg</sup> / <sub>l</sub>  | aquatic invertebrates | ECHA   | 24 h             |  |  |  |
| ErC50                    | 3,4 <sup>mg</sup> / <sub>l</sub> | algae                 | ECHA   | 72 h             |  |  |  |

### 12.2 Persistence and degradability

Theoretical Oxygen Demand: 1,466 mg/mg Theoretical Carbon Dioxide: 2,112 mg/mg

### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

| n-octanol/water (log KOW) | 1,1 (20 °C) (ECHA) |
|---------------------------|--------------------|
| . 5                       |                    |

### 12.4 Mobility in soil

| The Organic Carbon normalised adsorption coefficient | -0,05 (ECHA) |
|--|--------------|
|--|--------------|

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

### 12.7 Other adverse effects

Data are not available.

## **SECTION 13: Disposal considerations**

### **Waste treatment methods**



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

United Kingdom (en) Page 9 / 16



Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0.1\%$ .

### 11.3 Information on other hazards

acc. to Regulation (EC) No. 1907/2006 (REACH)

### (-)-Epigallocatechin gallate ROTICHROM® HPLC

article number: 6361



### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### **Properties of waste which render it hazardous**

HP 4 irritant - skin irritation and eye damage

HP 6 acute toxicity

HP 13 sensitising HP 14 ecotoxic

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

## SECTION 14: Transport information

| 14.1 | UN | number | or ID | number |
|------|----|--------|-------|--------|
|------|----|--------|-------|--------|

| ADRRID    | UN 3077 |
|-----------|---------|
| IMDG-Code | UN 3077 |
| ICAO-TI   | UN 3077 |

### 14.2 UN proper shipping name

| ADRRID | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, |
|--------|--------------------------------------|
|--------|--------------------------------------|

SOLID, N.O.S.

**IMDG-Code** ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S.

**ICAO-TI** Environmentally hazardous substance, solid,

Technical name (-)-Epigallocatechin gallate

### 14.3 Transport hazard class(es)

| ADRRID    | 9 |
|-----------|---|
| IMDG-Code | 9 |
| ICAO-TI   | ۵ |

### 14.4 Packing group

| ADRRID    | III |
|-----------|-----|
| IMDG-Code | III |
| ICAO-TI   | III |

#### 14.5 Environmental hazards hazardous to the aquatic environment

United Kingdom (en) Page 10 / 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

### (-)-Epigallocatechin gallate ROTICHROM® HPLC

article number: 6361



Provisions for dangerous goods (ADR) should be complied within the premises.

### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

## 14.8 Information for each of the UN Model Regulations

# Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S.

Particulars in the transport document UN3077, ENVIRONMENTALLY HAZARDOUS SUB-

STANCE, SOLID, N.O.S., ((-)-Epigallocatechin gal-

late), 9, III, (-)

Classification code M7

Danger label(s) 9, "Fish and tree"

Environmental hazards yes (hazardous to the aquatic environment)

Special provisions (SP) 274, 335, 375, 601

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 kg
Transport category (TC) 3
Tunnel restriction code (TRC) Hazard identification No 90

Emergency Action Code 2Z

# Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code M7

**Danger label(s)** 9, "Fish and tree"

Environmental hazards Yes

Hazardous to water

**Special provisions (SP)** 274, 335, 375, 601

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 kg
Transport category (TC) 3

Hazard identification No 90


United Kingdom (en) Page 11 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

### (-)-Epigallocatechin gallate ROTICHROM® HPLC

article number: 6361



Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S.

Particulars in the shipper's declaration UN3077, ENVIRONMENTALLY HAZARDOUS SUB-

STANCE, SOLID, N.O.S., ((-)-Epigallocatechin gal-

late), 9, III

Marine pollutant Yes (hazardous to the aquatic environment), ((-)-Epigallocat-

echin gallate)

Danger label(s) 9, "Fish and tree"

Special provisions (SP) 274, 335, 966, 967, 969

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 kg
EmS F-A, S-F

Stowage category A

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Environmentally hazardous substance, solid,

n.o.s.

Particulars in the shipper's declaration UN3077, Environmentally hazardous substance,

solid, n.o.s., ((-)-Epigallocatechin gallate), 9, III

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 9, "Fish and tree"

Special provisions (SP) A97, A158, A179, A197, A215

Excepted quantities (EQ) E1
Limited quantities (LQ) 30 kg

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

### **Seveso Directive**

| 2012/18/EU (Seveso III) |  |   |       |
|-------------------------|--|---|-------|
| No                      | Dangerous substance/hazard categories                                | Qualifying quantity (tonnes) for the application of lower and upper-tier requirements | Notes |
| E2                      | environmental hazards (hazardous to the aquatic environment, cat. 2) | 200 500   | 57)   |

Notation

57) Hazardous to the Aquatic Environment in category Chronic 2

United Kingdom (en) Page 12 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)



### (-)-Epigallocatechin gallate ROTICHROM® HPLC

article number: 6361

### **Deco-Paint Directive**

| VOC content 0 % | 1 VOC CONCONC | 10% |
|-----------------|---------------|-----|
|-----------------|---------------|-----|

### **Industrial Emissions Directive (IED)**

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

not listed

Regulation on the marketing and use of explosives precursors

not listed

**Regulation on drug precursors** 

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

not listed

Restrictions according to GB REACH, Annex 17

not listed

### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

### **National inventories**

| Country | Inventory  | Status              |
|---------|------------|---------------------|
| CN      | IECSC      | substance is listed |
| EU      | ECSI       | substance is listed |
| EU      | REACH Reg. | substance is listed |
| TW      | TCSI       | substance is listed |
| VN      | NCI        | substance is listed |

Legend

**ECSI** 

EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China IECSC

United Kingdom (en) Page 13 / 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

### (-)-Epigallocatechin gallate ROTICHROM® HPLC

article number: 6361

Legend

NCI National Chemical Inventory
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory

### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

## **SECTION 16: Other information**

## Indication of changes (revised safety data sheet)

| Section | Former entry (text/value)   | Actual entry (text/value)  | Safety-<br>relev-<br>ant |
|---------|---|--|--------------------------|
| 2.2     | Labelling of packages where the contents do<br>not exceed 125 ml:<br>Signal word: Warning |  | yes                      |
| 2.2     |   | Labelling of packages where the contents do<br>not exceed 125 ml:<br>change in the listing (table)                 | yes                      |
| 2.2     |   | Labelling of packages where the contents do<br>not exceed 125 ml:<br>change in the listing (table)                 | yes                      |
| 2.2     |   | Labelling of packages where the contents do<br>not exceed 125 ml:<br>change in the listing (table)                 | yes                      |
| 2.3     |   | Endocrine disrupting properties:<br>Does not contain an endocrine disruptor (ED) at<br>a concentration of ≥ 0,1%.  | yes                      |
| 14.8    |   | Regulations concerning the International Car-<br>riage of Dangerous Goods by Rail (RID)Addition-<br>al information | yes                      |
| 14.8    |   | Classification code:<br>M7   | yes                      |
| 14.8    |   | Danger label(s):<br>9, "Fish and tree"   | yes                      |
| 14.8    |   | Danger label(s):<br>change in the listing (table)  | yes                      |
| 14.8    |   | Environmental hazards:<br>Yes<br>Hazardous to water  | yes                      |
| 14.8    |   | Special provisions (SP):<br>274, 335, 375, 601   | yes                      |
| 14.8    |   | Excepted quantities (EQ):<br>E1  | yes                      |
| 14.8    |   | Limited quantities (LQ):<br>5 kg   | yes                      |
| 14.8    |   | Transport category (TC):<br>3  | yes                      |
| 14.8    |   | Hazard identification No:<br>90  | yes                      |
| 15.1    | Restrictions according to REACH, Annex XVII   |  | yes                      |

United Kingdom (en) Page 14 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

## (-)-Epigallocatechin gallate ROTICHROM® HPLC

article number: 6361



| Section | Former entry (text/value)   | Actual entry (text/value)  | Safety-<br>relev-<br>ant |
|---------|---|--|--------------------------|
| 15.1    |   | Dangerous substances with restrictions (REACH,<br>Annex XVII):<br>change in the listing (table)            | yes                      |
| 15.1    | List of substances subject to authorisation<br>(REACH, Annex XIV)/SVHC - candidate list:<br>Not listed. |  | yes                      |
| 15.1    |   | National regulations(GB)   | yes                      |
| 15.1    |   | List of substances subject to authorisation (GB<br>REACH, Annex 14) / SVHC - candidate list:<br>not listed | yes                      |
| 15.1    |   | Restrictions according to GB REACH, Annex 17:<br>not listed  | yes                      |
| 15.1    |   | National inventories:<br>change in the listing (table)   | yes                      |

## **Abbreviations and acronyms**

| Abbr.     | Descriptions of used abbreviations  |
|-----------|---|
| ADR       | Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)                     |
| ATE       | Acute Toxicity Estimate   |
| CAS       | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)  |
| Ceiling-C | Ceiling value   |
| DGR       | Dangerous Goods Regulations (see IATA/DGR)  |
| EC50      | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval  |
| EC No     | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) |
| ED        | Endocrine disruptor   |
| EH40/2005 | EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)   |
| EINECS    | European Inventory of Existing Commercial Chemical Substances   |
| ELINCS    | European List of Notified Chemical Substances   |
| EmS       | Emergency Schedule  |
| ErC50     | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control            |
| GB REACH  | The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)  |
| GHS       | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations   |
| IATA      | International Air Transport Association   |
| IATA/DGR  | Dangerous Goods Regulations (DGR) for the air transport (IATA)  |
| ICAO      | International Civil Aviation Organization   |
| ICAO-TI   | Technical instructions for the safe transport of dangerous goods by air   |

United Kingdom (en) Page 15 / 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

### (-)-Epigallocatechin gallate ROTICHROM® HPLC

article number: 6361



| Abbr.     | Descriptions of used abbreviations   |
|-----------|--|
| IMDG      | International Maritime Dangerous Goods Code  |
| IMDG-Code | International Maritime Dangerous Goods Code  |
| LC50      | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval                            |
| LD50      | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval   |
| NLP       | No-Longer Polymer  |
| PBT       | Persistent, Bioaccumulative and Toxic  |
| REACH     | Registration, Evaluation, Authorisation and Restriction of Chemicals   |
| RID       | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula-<br>tions concerning the International carriage of Dangerous goods by Rail) |
| STEL      | Short-term exposure limit  |
| TWA       | Time-weighted average  |
| VOC       | Volatile Organic Compounds   |
| vPvB      | Very Persistent and very Bioaccumulative   |
| WEL       | Workplace exposure limit   |

### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text   |
|------|--|
| H302 | Harmful if swallowed.                            |
| H317 | May cause an allergic skin reaction.             |
| H319 | Causes serious eye irritation.                   |
| H411 | Toxic to aquatic life with long lasting effects. |

### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 16 / 16