acc. to Safe Work Australia - Code of Practice



Phenylmethyl sulphonyl fluoride ≥98 %, for biochemistry

article number: 6367 date of compilation: 2019-07-03 Version: GHS 3.0 en Revision: 2024-03-02

Replaces version of: 2022-08-04

Version: (GHS 2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance Phenylmethyl sulphonyl fluoride ≥98 %, for bio-

chemistry

Article number 6367

CAS number 329-98-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for squirting or spraying. Do not use

for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal

feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr, 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 **Emergency telephone number**

| Name | Street | Postal code/city | Telephone | Website |
|--|-----------------|-------------------------|-----------|---------|
| NSW Poisons Information Centre Childrens Hospital | Hawkesbury Road | 2145 West- mead, NSW | 131126 | |

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1

Classification acc. to GHS

| Section | Hazard class | Cat- egory | Hazard class and category | Hazard statement |
|---------|---------------------------|---------------|---------------------------|---------------------|
| 3.10 | Acute toxicity (oral) | 3 | Acute Tox. 3 | H301 |
| 3.2 | Skin corrosion/irritation | 1B | Skin Corr. 1B | H314 |

Page 1 / 13 Australia (en)

acc. to Safe Work Australia - Code of Practice



Phenylmethyl sulphonyl fluoride ≥98 %, for biochemistry

article number: 6367

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS05, GHS06



Hazard statements

H301 Toxic if swallowed

H314 Causes severe skin burns and eye damage

Precautionary statements

Precautionary statements - prevention

P260 Do not breathe dusts or mists

P280 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statements - response

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water or shower

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

Precautionary statements - disposal

P501 Dispose of contents/container to industrial combustion plant

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

Australia (en) Page 2 / 13

acc. to Safe Work Australia - Code of Practice



Phenylmethyl sulphonyl fluoride ≥98 %, for biochemistry

article number: 6367

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Phenylmethyl sulphonyl fluoride

Molecular formula $C_7H_7FO_2S$ Molar mass $174.2 \, ^g/_{mol}$ CAS No 329-98-6

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Risk of blindness, Gastric perforation

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

Australia (en) Page 3 / 13

acc. to Safe Work Australia - Code of Practice



Phenylmethyl sulphonyl fluoride ≥98 %, for biochemistry

article number: 6367

5.2 Special hazards arising from the substance or mixture

Combustible.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂), Sulphur oxides (SOx), Hydrogen fluoride (HF)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handle and open container with care. Avoid dust formation. Clear contaminated areas thoroughly.

Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Store locked up.

Australia (en) Page 4 / 13

acc. to Safe Work Australia - Code of Practice



Phenylmethyl sulphonyl fluoride ≥98 %, for biochemistry

article number: 6367

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection. Wear face protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Australia (en) Page 5 / 13

acc. to Safe Work Australia - Code of Practice



Phenylmethyl sulphonyl fluoride ≥98 %, for biochemistry

article number: 6367

Respiratory protection





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state solid

Form crystalline

Colour colourless - white

Odour odourless
Melting point/freezing point 92 – 95 °C

Boiling point or initial boiling point and boiling

range

not determined

Flammability this material is combustible, but will not ignite

readily

Lower and upper explosion limit not determined

Flash point not applicable

Auto-ignition temperature not determined

Decomposition temperature not relevant

pH (value) 3.9 – 4.4 (in aqueous solution: $50 \, ^{9}/_{l}$, $25 \, ^{\circ}$ C)

Kinematic viscosity not relevant

Solubility(ies)

Water solubility (Hydrolysis)

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure not determined

Density and/or relative density

Density 0.79 g/_{cm³} at 20 °C

Relative vapour density Information on this property is not available.

Particle characteristics No data available.

Australia (en) Page 6 / 13

acc. to Safe Work Australia - Code of Practice



Phenylmethyl sulphonyl fluoride ≥98 %, for biochemistry

article number: 6367

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics: There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Metals, Acids, Strong alkali, Amines, Water, Metals (due to the release of hydrogen in an acid/alkaline medium)

10.4 Conditions to avoid

Protect from moisture. Keep away from heat.

10.5 Incompatible materials

different metals

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Toxic if swallowed.

| Acute toxicity | | | | | |
|----------------|----------|-----------------------------------|---------|--------|--------|
| Exposure route | Endpoint | Value | Species | Method | Source |
| oral | LD50 | 200 ^{mg} / _{kg} | mouse | | TOXNET |

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Australia (en) Page 7 / 13

acc. to Safe Work Australia - Code of Practice

ROTH

Phenylmethyl sulphonyl fluoride ≥98 %, for biochemistry

article number: 6367

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

If inhaled

irritant effects

• If on skin

causes severe burns, causes poorly healing wounds

Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Theoretical Oxygen Demand: 1.699 ^{mg}/_{mg} Theoretical Carbon Dioxide: 1.769 ^{mg}/_{mg}

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

Australia (en) Page 8 / 13

acc. to Safe Work Australia - Code of Practice



Phenylmethyl sulphonyl fluoride ≥98 %, for biochemistry

article number: 6367

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H8 Corrosives

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number

| UN RTDG | UN 2923 |
|-----------|---------|
| IMDG-Code | UN 2923 |
| ICAO-TI | UN 2923 |

14.2 UN proper shipping name

| UN RTDG | CORROSIVE SOLID, TOXIC, N.O.S. |
|-----------|--------------------------------|
| IMDG-Code | CORROSIVE SOLID, TOXIC, N.O.S. |

ICAO-TI Corrosive solid, toxic, n.o.s.

Technical name Phenylmethyl sulphonyl fluoride

14.3 Transport hazard class(es)

| UN RTDG | 8 (6.1) |
|-----------|------------|
| IMDG-Code | 8 (6.1) |
| ICAO-TI | 8 (6.1) |

Australia (en) Page 9 / 13

acc. to Safe Work Australia - Code of Practice



Phenylmethyl sulphonyl fluoride ≥98 %, for biochemistry

article number: 6367

14.4 Packing group

UN RTDG II IMDG-Code II

ICAO-TI II

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

UN number 2923
Class 8
Subsidiary risk(s) 6.1
Packing group II

Danger label(s) 8+6.1

Special provisions (SP) 274

UN RTDG

Excepted quantities (EQ) E2 UN RTDG

Limited quantities (LQ) 1 kg UN RTDG

Emergency Action Code 2X

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name CORROSIVE SOLID, TOXIC, N.O.S.

Particulars in the shipper's declaration UN2923, CORROSIVE SOLID, TOXIC, N.O.S.,

(Phenylmethyl sulphonyl fluoride), 8 (6.1), İI

Marine pollutant -

Danger label(s) 8+6.1

Special provisions (SP) 274
Excepted quantities (EQ) E2

Limited quantities (LQ) 1 kg

EmS F-A, S-B

Australia (en) Page 10 / 13

acc. to Safe Work Australia - Code of Practice



Phenylmethyl sulphonyl fluoride ≥98 %, for biochemistry

article number: 6367

Stowage category В

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Corrosive solid, toxic, n.o.s.

Particulars in the shipper's declaration UN2923, Corrosive solid, toxic, n.o.s., (Phenyl-

methyl sulphonyl fluoride), 8 (6.1), II

Danger label(s) 8+6.1

Special provisions (SP) A3, A5 Excepted quantities (EQ) E2 Limited quantities (LQ) 5 kg

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

| Country | Inventory | Status |
|---------|-----------|------------------------------|
| CA | DSL | substance is listed |
| CN | IECSC | substance is listed |
| EU | ECSI | substance is listed |
| MX | INSQ | substance is listed |
| NZ | NZIoC | substance is listed |
| TW | TCSI | substance is listed |
| US | TSCA | substance is listed (ACTIVE) |
| VN | NCI | substance is listed |

Legend

DSL

ECSI IECSC INSQ

Domestic Substances List (DSL) EC Substance Inventory (EINECS, ELINCS, NLP) Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances National Chemical Inventory

NCI

NZIoC New Zealand Inventory of Chemicals Taiwan Chemical Substance Inventory

Toxic Substance Control Act

15.2 **Chemical Safety Assessment**

No Chemical Safety Assessment has been carried out for this substance.

Australia (en) Page 11 / 13

acc. to Safe Work Australia - Code of Practice



Phenylmethyl sulphonyl fluoride ≥98 %, for biochemistry

article number: 6367

SECTION 16: Other information

Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|--------------------------------|---|--------------------------|
| 2.3 | | Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%. | yes |
| 14.8 | | Emergency Action Code: 2X | yes |
| 14.8 | Special provisions (SP): A3 | Special provisions (SP): A3, A5 | yes |
| 15.1 | | National inventories: change in the listing (table) | yes |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-----------|--|
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| ED | Endocrine disruptor |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| UN RTDG | UN Recommendations on the Transport of Dangerous Good |
| vPvB | Very Persistent and very Bioaccumulative |

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Australia (en) Page 12 / 13

acc. to Safe Work Australia - Code of Practice



Phenylmethyl sulphonyl fluoride ≥98 %, for biochemistry

article number: 6367

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|--|
| H301 | Toxic if swallowed. |
| H314 | Causes severe skin burns and eye damage. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 13 / 13