

FLYLEAF

Article: 6487 Panoptical fast staining kit For microscopy

Date of compilation: 2023-12-01

Composition/information on ingredients

Bill of materials

| Name of substance | Identifier | Num ber of piece s | Classification acc. to GHS | Pictograms | Page |
|--|------------------------|--------------------------------|---|------------|---------|
| Panoptical fast staining - Fixative | Article number 8939 | 1 | Flam. Liq. 2 / H225 STOT SE 1 / H370 | | 5 – 20 |
| Panoptical fast staining - Solution 1 | Article number 8934 | 1 | | | 21 – 32 |
| Panoptical fast staining - Solution 2 | Article number 8935 | 1 | | | 33 – 42 |

Australia (en) Page 1 / 4



Article: 6487 Panoptical fast staining kit

2 Hazards identification

2.1 Label elements

Signal word Danger

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Pictograms

Danger.





Hazard statement(s)

H225 Highly flammable liquid and vapour

H370 Causes damage to organs (eye) (if swallowed)

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P233 Keep container tightly closed

P260 Do not breathe dust/fume/gas/mist/vapours/spray

Precautionary statements - response

P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor

P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher for extinction

Precautionary statements - storage

P403+P235 Store in a well-ventilated place. Keep cool

Precautionary statements - disposal

P501 Dispose of contents/container to industrial combustion plant

3 Transport information

3.1 UN number

UN RTDG UN 1230

IMDG-Code UN 1230 ICAO-TI UN 1230

3.2 UN proper shipping name

UN RTDGMETHANOLIMDG-CodeMETHANOLICAO-TIMethanol

3.3 Transport hazard class(es)

UN RTDG

(6.1)
IMDG-Code 3 (6.1)
ICAO-TI 3 (6.1)

Australia (en) Page 2 / 4



Article: 6487 Panoptical fast staining kit

3.4 **Packing group**

> **UN RTDG** II IMDG-Code ΙΙ ICAO-TI II

Environmental hazards non-environmentally hazardous acc. to the dan-3.5

gerous goods regulations

3.6 Special precautions for user

There is no additional information.

3.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

3.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

UN number 1230

Proper shipping name **METHANOL**

3 Class Subsidiary risk(s) 6.1 **Packing group** II 3+6.1 Danger label(s)



Special provisions (SP)

ŪN RTDG

Excepted quantities (EQ)

UN RTDG

Limited quantities (LQ) 1 L

UN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name **METHANOL**

Particulars in the shipper's declaration UN1230, METHANOL, 3 (6.1), II, <23°C c.c.

Marine pollutant

Danger label(s) 3+6.1





Special provisions (SP) 279 Excepted quantities (EQ) E2 1 L Limited quantities (LQ) **EmS** F-E, S-D

Stowage category В

Australia (en) Page 3 / 4



Article: 6487 Panoptical fast staining kit

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Methanol

Particulars in the shipper's declaration UN1230, Methanol, 3, II

Danger label(s) 3



Special provisions (SP) A104, A113

Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L

Australia (en) Page 4 / 4

acc. to Safe Work Australia - Code of Practice

Panoptical fast staining - Fixative

article number: 8939 date of compilation: 2019-08-06 Version: GHS 3.0 en Revision: 2023-12-01

Replaces version of: 2021-09-15

Version: (GHS 2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance **Panoptical fast staining - Fixative**

Article number 8939

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory and analytical use

Laboratory chemical

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr, 3-5 D-76185 Karlsruhe Germany

Uses advised against:

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 **Emergency telephone number**

| Name | Street | Postal code/city | Telephone | Website |
|--|-----------------|-------------------------|-----------|---------|
| NSW Poisons Information Centre Childrens Hospital | Hawkesbury Road | 2145 West- mead, NSW | 131126 | |

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1

Classification acc. to GHS

| Section | Hazard class | Cat- egory | Hazard class and category | Hazard statement |
|---------|--|---------------|---------------------------|---------------------|
| 2.6 | Flammable liquid | 2 | Flam. Liq. 2 | H225 |
| 3.8 | Specific target organ toxicity - single exposure | 1 | STOT SE 1 | H370 |

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Immediate effects can be expected after short-term exposure. The product is combustible and can be ignited by potential ignition sources.

Page 1 / 16 Australia (en)



acc. to Safe Work Australia - Code of Practice

Panoptical fast staining - Fixative

article number: 8939

Labelling

Signal word **Danger**

Pictograms

GHS02, GHS08





Hazard statements

H225 Highly flammable liquid and vapour H370 Causes damage to organs (eye)

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P233 Keep container tightly closed

Do not breathe dust/fume/gas/mist/vapours/spray P260

Precautionary statements - response

IF exposed or concerned: Call a POISON CENTER/doctor P308+P311

P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher for extinction

Precautionary statements - storage

P403+P235 Store in a well-ventilated place. Keep cool

Precautionary statements - disposal

Dispose of contents/container to industrial combustion plant

Hazardous ingredients for labelling: Methanol

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of \geq 0,1%.

SECTION 3: Composition/information on ingredients

Substances 3.1

not relevant (mixture)

3.2 **Mixtures**

Australia (en) Page 2 / 16



2.2 Label elements

acc. to Safe Work Australia - Code of Practice

Panoptical fast staining - Fixative

article number: 8939



Description of the mixture

| Name of sub- stance | Identifier | Wt% | Classification acc. to GHS | Pictograms | Notes |
|------------------------|---|------------|--|------------|-------|
| Methanol | CAS No 67-56-1 EC No 200-659-6 | 95 - < 100 | Flam. Liq. 2 / H225 Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 STOT SE 1 / H370 | | |

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Following inhalation: Cough, Vertigo, Headache,

Following skin contact: Has degreasing effect on the skin,

After eye contact: Conjunctival redness of the eyes, Conjunctivitis (pink eye),

Following ingestion: Abdominal pain, Malaise, Vomiting, Poisoning effect on central nervous system can cause convulsions, laboured breathing and loss of consciousness, Loss of righting reflex, and ataxia, Serious physical decay of vision, Risk of blindness, Large doses may result in coma and death

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Australia (en) Page 3 / 16

acc. to Safe Work Australia - Code of Practice

Panoptical fast staining - Fixative

article number: 8939



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂), May produce toxic fumes of carbon monoxide if burning.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Australia (en) Page 4 / 16

acc. to Safe Work Australia - Code of Practice

Panoptical fast staining - Fixative

article number: 8939



SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ground/bond container and receiving equipment.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

| Cou ntr y | Name of agent | CAS No | Identi- fier | TW A [pp m] | TWA [mg/ m³] | STE L [pp m] | STEL [mg/ m³] | Ceil ing- C [pp m] | Ceil- ing-C [mg/ m³] | Nota- tion | Source |
|-----------------|------------------------------|---------|-----------------|----------------------|--------------------|-----------------------|---------------------|--------------------------------|-------------------------------|---------------|--------|
| AU | methyl alcohol (methanol) | 67-56-1 | WES | 200 | 262 | 250 | 328 | | | Н | WES |

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur Absorbed through the skin

Australia (en) Page 5 / 16

acc. to Safe Work Australia - Code of Practice

Panoptical fast staining - Fixative

article number: 8939

Notation

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 STEL

TWA

hours time-weighted average (unless otherwise specified)

Relevant DNELs of components

| Name of sub- stance | CAS No | End- point | Threshol d level | Protection goal, route of exposure | Used in | Exposure time |
|------------------------|---------|---------------|-----------------------|--|-------------------|-------------------------------|
| Methanol | 67-56-1 | DNEL | 130 mg/m³ | human, inhalat- ory | worker (industry) | chronic - systemic effects |
| Methanol | 67-56-1 | DNEL | 130 mg/m³ | human, inhalat- ory | worker (industry) | acute - systemic effects |
| Methanol | 67-56-1 | DNEL | 130 mg/m ³ | human, inhalat- ory | worker (industry) | chronic - local ef- fects |
| Methanol | 67-56-1 | DNEL | 130 mg/m ³ | human, inhalat- ory | worker (industry) | acute - local ef- fects |
| Methanol | 67-56-1 | DNEL | 20 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |
| Methanol | 67-56-1 | DNEL | 20 mg/kg bw/day | human, dermal | worker (industry) | acute - systemic effects |

Relevant PNECs of components

| Name of sub- stance | CAS No | End- point | Threshol d level | Organism | Environmental compartment | Exposure time |
|------------------------|---------|---------------|-----------------------------------|----------------------------|---------------------------------|---------------------------------|
| Methanol | 67-56-1 | PNEC | 20.8 ^{mg} / _l | aquatic organ- isms | freshwater | short-term (single instance) |
| Methanol | 67-56-1 | PNEC | 2.08 ^{mg} / _l | aquatic organ- isms | marine water | short-term (single instance) |
| Methanol | 67-56-1 | PNEC | 100 ^{mg} / _l | aquatic organ- isms | sewage treatment plant (STP) | short-term (single instance) |
| Methanol | 67-56-1 | PNEC | 77 ^{mg} / _{kg} | aquatic organ- isms | freshwater sedi- ment | short-term (single instance) |
| Methanol | 67-56-1 | PNEC | 7.7 ^{mg} / _{kg} | aquatic organ- isms | marine sediment | short-term (single instance) |
| Methanol | 67-56-1 | PNEC | 100 ^{mg} / _{kg} | terrestrial organ- isms | soil | short-term (single instance) |

8.2 **Exposure controls**

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Australia (en) Page 6 / 16



acc. to Safe Work Australia - Code of Practice

Panoptical fast staining - Fixative

article number: 8939

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

Butyl caoutchouc (butyl rubber)

material thickness

0,7mm

· breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: AX (gas filters and combined filters against low-boiling point organic compounds, colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour pale turquoise
Odour like: - alcohol

Melting point/freezing point -98 °C

Boiling point or initial boiling point and boiling 65 °C at 1,013 hPa

range

Flammability flammable liquid in accordance with GHS criteria

Lower and upper explosion limit 5.5 vol% (LEL) - 44 vol% (UEL)

Australia (en) Page 7 / 16



acc. to Safe Work Australia - Code of Practice

Panoptical fast staining - Fixative

article number: 8939

Flash point 11 °C

Auto-ignition temperature 455 °C

Decomposition temperature not relevant

pH (value) 7 (20 °C)

Kinematic viscosity not determined

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure 128 hPa at 20 °C

Density and/or relative density

Density $0.79 \, {}^{9}/_{cm^3}$ at 20 ${}^{\circ}\text{C}$

Relative vapour density Information on this property is not available.

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

asses:

Other safety characteristics:

Miscibility completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

The mixture contains reactive substance(s). Risk of ignition. Vapours may form explosive mixtures with air.

There is no additional information.

If heated

Risk of ignition.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

Australia (en) Page 8 / 16



acc. to Safe Work Australia - Code of Practice

Panoptical fast staining - Fixative

article number: 8939



10.3 Possibility of hazardous reactions

Danger of explosion: Oxidisers, Perchlorates, Nitrogen oxides (NOx), Chlorates, Halogenated hydrocarbons, Hydrogen peroxide, Nitric acid, Sulphuric acid,

Exothermic reaction with: Reducing agents, Acids, Chlorine, Chloroform, Acid chlorides, inorganic, **Dangerous/dangerous reactions with:** Fluorine, Alkali metals, Alkaline earth metal, strong oxidiser

10.4 Conditions to avoid

UV-radiation/sunlight. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

aluminium, iron, zinc, different plastics, Rubber articles

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity of components

| Name of substance | CAS No | Exposure route | Endpoint | Value | Species |
|-------------------|---------|-------------------------|----------|--------------------------------------|---------|
| Methanol | 67-56-1 | inhalation: va- pour | LC50 | 131 ^{mg} / _l /4h | rat |
| Methanol | 67-56-1 | oral | LD50 | 5,628 ^{mg} / _{kg} | rat |
| Methanol | 67-56-1 | oral | LDLo | 143 ^{mg} / _{kg} | human |
| Methanol | 67-56-1 | dermal | LD50 | 15,800 ^{mg} / _{kg} | rabbit |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Australia (en) Page 9 / 16

acc. to Safe Work Australia - Code of Practice

Panoptical fast staining - Fixative

article number: 8939



Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Causes damage to organs (eye).

| Hazard category | Target organ | Exposure route |
|-----------------|--------------|----------------|
| 1 | eye | if exposed |

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

abdominal pain, vomiting, loss of righting reflex, and ataxia, poisoning effect on central nervous system can cause convulsions, laboured breathing and loss of consciousness, risk of blindness, large doses may result in coma and death

• If in eyes

conjunctivitis (pink eye)

If inhaled

vertigo, cough, headache

• If on skin

has degreasing effect on the skin

Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components

| Name of sub- stance | CAS No | Endpoint | Value | Species | Exposure time |
|------------------------|---------|----------|-------------------------------------|---------|------------------|
| Methanol | 67-56-1 | LC50 | 15,400 ^{mg} / _l | fish | 96 h |
| Methanol | 67-56-1 | ErC50 | 22,000 ^{mg} / _l | algae | 96 h |

12.2 Persistence and degradability

1.498 ^{mg}/_{ma}

Biodegradation

The relevant substances of the mixture are readily biodegradable.

Australia (en) Page 10 / 16

acc. to Safe Work Australia - Code of Practice

Panoptical fast staining - Fixative

article number: 8939



| Degradabilit | Degradability of components | | | | | | | | |
|-------------------|-----------------------------|-----------------------|-----------------------|------|--------|--------|--|--|--|
| Name of substance | CAS No | Process | Degrada- tion rate | Time | Method | Source | | | |
| Methanol | 67-56-1 | biotic/abiotic | 99 % | 30 d | | | | | |
| Methanol | 67-56-1 | oxygen deple- tion | 69 % | 5 d | | ECHA | | | |

12.3 Bioaccumulative potential

Data are not available.

| Bioaccumulative potential of components | | | | | | | |
|---|---------|--|-------|--|--|--|--|
| Name of substance CAS No BCF Log KOW BOD5/COD | | | | | | | |
| Methanol | 67-56-1 | | -0.77 | | | | |

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of \geq 0,1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H3 Flammable liquids

H11 Toxic (Delayed or chronic)

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

Australia (en) Page 11 / 16

acc. to Safe Work Australia - Code of Practice

Panoptical fast staining - Fixative

article number: 8939



SECTION 14: Transport information

14.1 UN number

UN RTDG UN 1230

....

IMDG-Code UN 1230 ICAO-TI UN 1230

14.2 UN proper shipping name

UN RTDGMETHANOLIMDG-CodeMETHANOLICAO-TIMethanol

14.3 Transport hazard class(es)

UN RTDG 3

(6.1)

IMDG-Code 3 (6.1)

ICAO-TI 3 (6.1)

14.4 Packing group

UN RTDG II
IMDG-Code II
ICAO-TI II

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

UN number 1230
Class 3
Subsidiary risk(s) 6.1
Packing group II
Danger label(s) 3+6.1





Special provisions (SP) 279

UN RTDG

Excepted quantities (EQ) E2

E2 UN RTDG

Australia (en) Page 12 / 16

acc. to Safe Work Australia - Code of Practice

Panoptical fast staining - Fixative

article number: 8939

Limited quantities (LQ) 1 L

UN RTDG

Emergency Action Code 2WE

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name METHANOL

Particulars in the shipper's declaration UN1230, METHANOL, 3 (6.1), II, 11°C c.c.

Marine pollutant -

Danger label(s) 3+6.1





Special provisions (SP)279Excepted quantities (EQ)E2Limited quantities (LQ)1 LEmSF-E, S-D

Stowage category B

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Methanol

Particulars in the shipper's declaration UN1230, Methanol, 3 (6.1), II

Danger label(s) 3+6.1





Special provisions (SP)

Excepted quantities (EQ)

Limited quantities (LQ)

1 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

There is no additional information

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

All ingredients are listed or exempt from listing.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Australia (en) Page 13 / 16



acc. to Safe Work Australia - Code of Practice

Panoptical fast staining - Fixative

article number: 8939



National inventories

| Country | Inventory | Status |
|---------|------------|-------------------------------------|
| AU | AIIC | all ingredients are listed |
| CA | DSL | all ingredients are listed |
| CN | IECSC | all ingredients are listed |
| EU | ECSI | all ingredients are listed |
| EU | REACH Reg. | all ingredients are listed |
| JP | CSCL-ENCS | all ingredients are listed |
| KR | KECI | all ingredients are listed |
| MX | INSQ | all ingredients are listed |
| NZ | NZIoC | all ingredients are listed |
| PH | PICCS | all ingredients are listed |
| TR | CICR | all ingredients are listed |
| TW | TCSI | all ingredients are listed |
| US | TSCA | all ingredients are listed (ACTIVE) |

Legend

AIIC Australian Inventory of Industrial Chemicals
CICR Chemical Inventory and Control Regulation
CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)
DSL Domestic Substances List (DSL)
ECSI EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC Inventory of Existing Chemical Substances Produced or Imported in China INSQ National Inventory of Chemical Substances
KECI Korea Existing Chemicals Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory

Taiwan Chemical Substance Inventory Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|---|---|--------------------------|
| 2.3 | Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB. | Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0,1%. | yes |
| 2.3 | | Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0,1%. | yes |
| 14.8 | | Emergency Action Code: 2WE | yes |
| 15.1 | | National inventories: change in the listing (table) | yes |

Australia (en) Page 14 / 16

acc. to Safe Work Australia - Code of Practice

Panoptical fast staining - Fixative

article number: 8939



Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|------------|--|
| Acute Tox. | Acute toxicity |
| BCF | Bioconcentration factor |
| BOD | Biochemical Oxygen Demand |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances |
| Ceiling-C | Ceiling value |
| COD | Chemical oxygen demand |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an iden fier of substances commercially available within the EU (European Union) |
| ED | Endocrine disruptor |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| ErC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| Flam. Liq. | Flammable liquid |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval |
| LEL | Lower explosion limit (LEL) |
| log KOW | n-Octanol/water |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| ppm | Parts per million |
| STEL | Short-term exposure limit |
| STOT SE | Specific target organ toxicity - single exposure |

Australia (en) Page 15 / 16

acc. to Safe Work Australia - Code of Practice

Panoptical fast staining - Fixative

article number: 8939



| Abbr. | Descriptions of used abbreviations |
|---------|---|
| TWA | Time-weighted average |
| UEL | Upper explosion limit (UEL) |
| UN RTDG | UN Recommendations on the Transport of Dangerous Good |
| vPvB | Very Persistent and very Bioaccumulative |
| WES | Safe Work Australia: Workplace exposure standards for airborne contaminants |

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|-------------------------------------|
| H225 | Highly flammable liquid and vapour. |
| H301 | Toxic if swallowed. |
| H311 | Toxic in contact with skin. |
| H331 | Toxic if inhaled. |
| H370 | Causes damage to organs (eye). |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 16 / 16

acc. to Safe Work Australia - Code of Practice

Panoptical fast staining - Solution 1

article number: 8934 date of compilation: 2019-08-06 Version: GHS 3.0 en Revision: 2023-12-01

Replaces version of: 2021-09-15

Version: (GHS 2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance Panoptical fast staining - Solution 1

Article number 8934

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory and analytical use

Laboratory chemical

Uses advised against: Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 **Emergency telephone number**

| Name | Street | Postal code/city | Telephone | Website |
|--|-----------------|-------------------------|-----------|---------|
| NSW Poisons Information Centre Childrens Hospital | Hawkesbury Road | 2145 West- mead, NSW | 131126 | |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

This mixture does not meet the criteria for classification.

2.2 **Label elements**

Labelling

not required

Hazardous ingredients for labelling: Eosin G (C.I. 45380)

Page 1 / 12 Australia (en)

acc. to Safe Work Australia - Code of Practice

Panoptical fast staining - Solution 1

article number: 8934

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

| Name of sub- stance | Identifier | Wt% | Classification acc. to GHS | Pictograms | Notes |
|------------------------|--|-----|---|-------------|-------|
| Eosin G (C.I. 45380) | CAS No 17372-87-1 EC No 241-409-6 | <1 | Eye Irrit. 2A / H319 Skin Sens. 1 / H317 | <u>(!</u>) | |

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

Australia (en) Page 2 / 12

acc. to Safe Work Australia - Code of Practice

Panoptical fast staining - Solution 1

article number: 8934



SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

No special measures are necessary.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Australia (en) Page 3 / 12

acc. to Safe Work Australia - Code of Practice

Panoptical fast staining - Solution 1

article number: 8934



SECTION 7: Handling and storage

7.1 Precautions for safe handling

No special measures are necessary.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

Australia (en) Page 4 / 12

acc. to Safe Work Australia - Code of Practice

®

Panoptical fast staining - Solution 1

article number: 8934

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Usually no personal respirative protection necessary.

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour light red - transparent

Odour characteristic

Melting point/freezing point ~0 °C at 1,013 hPa

Boiling point or initial boiling point and boiling

range

Flammability

non-combustible

~100 °C at 1,013 mPa

Lower and upper explosion limit not determined

Flash point not determined

Auto-ignition temperature not determined

Auto-ignition temperature not determined

Decomposition temperature not relevant

pH (value) 6 – 8

Kinematic viscosity not determined

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure 23 hPa at 20 °C

Density and/or relative density

Density ~1 g/_{cm³} at 20 °C

Particle characteristics not relevant (liquid)

Australia (en) Page 5 / 12

acc. to Safe Work Australia - Code of Practice

Panoptical fast staining - Solution 1

article number: 8934

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics:

Miscibility completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

This mixture does not meet the criteria for classification.

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity of components

| Name of substance | CAS No | Exposure route | Endpoint | Value | Species |
|----------------------|------------|----------------|----------|--------------------------------------|---------|
| Eosin G (C.I. 45380) | 17372-87-1 | oral | LD50 | >2,000 ^{mg} / _{kg} | rat |
| Eosin G (C.I. 45380) | 17372-87-1 | dermal | LD50 | >2,000 ^{mg} / _{kg} | rat |

Skin corrosion/irritation

Australia (en) Page 6 / 12



acc. to Safe Work Australia - Code of Practice

Panoptical fast staining - Solution 1

article number: 8934

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

Data are not available.

• If in eyes

Data are not available.

• If inhaled

Data are not available.

• If on skin

Data are not available.

Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of \geq 0,1%.

SECTION 12: Ecological information

12.1 Toxicity

Australia (en) Page 7 / 12



acc. to Safe Work Australia - Code of Practice



Panoptical fast staining - Solution 1

article number: 8934

Aquatic toxicity (acute) of components

| Name of sub- stance | CAS No | Endpoint | Value | Species | Exposure time |
|------------------------|------------|----------|-----------------------------------|-----------------------|------------------|
| Eosin G (C.I. 45380) | 17372-87-1 | LC50 | >100 ^{mg} / _l | fish | 96 h |
| Eosin G (C.I. 45380) | 17372-87-1 | EC50 | >100 ^{mg} / _l | aquatic invertebrates | 48 h |
| Eosin G (C.I. 45380) | 17372-87-1 | ErC50 | 51.3 ^{mg} / _l | algae | 72 h |

12.2 Persistence and degradability

Degradability of components

| Name of substance | CAS No | Process | Degrada- tion rate | Time | Method | Source |
|-------------------------|------------|-----------------------|-----------------------|------|--------|--------|
| Eosin G (C.I. 45380) | 17372-87-1 | oxygen deple- tion | 94.56 % | 28 d | | ECHA |

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components

| Name of substance | CAS No | BCF | Log KOW | BOD5/COD |
|----------------------|------------|-----|---------|----------|
| Eosin G (C.I. 45380) | 17372-87-1 | | -1.33 | |

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

Australia (en) Page 8 / 12

acc. to Safe Work Australia - Code of Practice

Panoptical fast staining - Solution 1

article number: 8934



13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

| 14.1 | UN number | not subject to trans | port regulations |
|------|-----------|----------------------|------------------|
| | | | |

14.2 UN proper shipping name not assigned
 14.3 Transport hazard class(es) not assigned
 14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

Not subject to transport regulations. UN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

All ingredients are listed or exempt from listing.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

| Country | Inventory | Status | |
|---------|-----------|----------------------------|--|
| AU | AIIC | all ingredients are listed | |
| CA | DSL | all ingredients are listed | |
| CN | IECSC | all ingredients are listed | |
| EU | ECSI | all ingredients are listed | |

Australia (en) Page 9 / 12

acc. to Safe Work Australia - Code of Practice



Panoptical fast staining - Solution 1

article number: 8934

| Country | Inventory | Status | |
|---------|------------|-------------------------------------|--|
| EU | REACH Reg. | all ingredients are listed | |
| JP | CSCL-ENCS | all ingredients are listed | |
| JP | ISHA-ENCS | not all ingredients are listed | |
| KR | KECI | all ingredients are listed | |
| MX | INSQ | all ingredients are listed | |
| NZ | NZIoC | all ingredients are listed | |
| PH | PICCS | all ingredients are listed | |
| TW | TCSI | all ingredients are listed | |
| US | TSCA | all ingredients are listed (ACTIVE) | |

Legend

Australian Inventory of Industrial Chemicals List of Existing and New Chemical Substances (CSCL-ENCS) CSCL-ENCS DSL ECSI IECSC

Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances
Inventory of Existing and New Chemical Substances (ISHA-ENCS)
Korea Existing Chemicals Inventory
New Zoaland Inventory of Chemicals

INSQ

ISHA-ENCS

KECI

NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances

Taiwan Chemical Substance Inventory Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|---|---|--------------------------|
| 2.2 | | Hazardous ingredients for labelling: Eosin G (C.I. 45380) | yes |
| 2.3 | Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB. | Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0,1%. | yes |
| 2.3 | | Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0,1%. | yes |
| 15.1 | | National inventories: change in the listing (table) | yes |

Abbreviations and acronyms

Australia (en) Page 10 / 12

acc. to Safe Work Australia - Code of Practice

Panoptical fast staining - Solution 1

article number: 8934



| Abbr. | Descriptions of used abbreviations | |
|------------|---|--|
| BCF | Bioconcentration factor | |
| BOD | Biochemical Oxygen Demand | |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) | |
| COD | Chemical oxygen demand | |
| DGR | Dangerous Goods Regulations (see IATA/DGR) | |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval | |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) | |
| ED | Endocrine disruptor | |
| EINECS | European Inventory of Existing Commercial Chemical Substances | |
| ELINCS | European List of Notified Chemical Substances | |
| ErC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control | |
| Eye Dam. | Seriously damaging to the eye | |
| Eye Irrit. | Irritant to the eye | |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations | |
| IATA | International Air Transport Association | |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) | |
| ICAO | International Civil Aviation Organization | |
| IMDG | International Maritime Dangerous Goods Code | |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval | |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval | |
| log KOW | n-Octanol/water | |
| NLP | No-Longer Polymer | |
| PBT | Persistent, Bioaccumulative and Toxic | |
| Skin Sens. | Skin sensitisation | |
| UN RTDG | UN Recommendations on the Transport of Dangerous Good | |
| vPvB | Very Persistent and very Bioaccumulative | |

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Australia (en) Page 11 / 12

acc. to Safe Work Australia - Code of Practice



Panoptical fast staining - Solution 1

article number: 8934

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text | |
|------|--------------------------------------|--|
| H317 | May cause an allergic skin reaction. | |
| H319 | Causes serious eye irritation. | |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 12 / 12

acc. to Safe Work Australia - Code of Practice

Panoptical fast staining - Solution 2

article number: 8935 date of compilation: 2019-08-06 Version: GHS 3.0 en Revision: 2023-12-01

Replaces version of: 2021-09-15

Version: (GHS 2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance Panoptical fast staining - Solution 2

Article number 8935

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory and analytical use

Laboratory chemical

Uses advised against: Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 **Emergency telephone number**

| Name | Street | Postal code/city | Telephone | Website |
|--|-----------------|-------------------------|-----------|---------|
| NSW Poisons Information Centre Childrens Hospital | Hawkesbury Road | 2145 West- mead, NSW | 131126 | |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

This mixture does not meet the criteria for classification.

2.2 **Label elements**

Labelling

not required

Page 1 / 10 Australia (en)

acc. to Safe Work Australia - Code of Practice

ROTH

Panoptical fast staining - Solution 2

article number: 8935

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of \geq 0,1%.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

This product does not meet the criteria for classification in any hazard class according to GHS

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

Australia (en) Page 2 / 10

acc. to Safe Work Australia - Code of Practice

Panoptical fast staining - Solution 2

article number: 8935



SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

No special measures are necessary.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Australia (en) Page 3 / 10

acc. to Safe Work Australia - Code of Practice

Panoptical fast staining - Solution 2

article number: 8935



SECTION 7: Handling and storage

7.1 Precautions for safe handling

No special measures are necessary.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

Australia (en) Page 4 / 10

acc. to Safe Work Australia - Code of Practice

Panoptical fast staining - Solution 2

article number: 8935

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Usually no personal respirative protection necessary.

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour light blue

Odour characteristic

Melting point/freezing point ~0 °C at 1,013 hPa

Boiling point or initial boiling point and boiling ~100 °C at 1,013 mPa

range

Flammability non-combustible

Lower and upper explosion limit not determined

Flash point not determined

Auto-ignition temperature not determined

Decomposition temperature not relevant

pH (value) 6 – 8

Kinematic viscosity not determined

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure 23 hPa at 20 °C

Density and/or relative density

Density ~1 g/_{cm³} at 20 °C

Particle characteristics not relevant (liquid)

Australia (en) Page 5 / 10

acc. to Safe Work Australia - Code of Practice

Panoptical fast staining - Solution 2

article number: 8935

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics:

Miscibility completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

This mixture does not meet the criteria for classification.

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Australia (en) Page 6 / 10



acc. to Safe Work Australia - Code of Practice

Panoptical fast staining - Solution 2

article number: 8935



Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

Data are not available.

• If in eyes

Data are not available.

If inhaled

Data are not available.

• If on skin

Data are not available.

Other information

Health effects are not known. This information is based upon the present state of our knowledge.

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

SECTION 12: Ecological information

12.1 Toxicity

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of \geq 0,1%.

Australia (en) Page 7 / 10



acc. to Safe Work Australia - Code of Practice

Panoptical fast staining - Solution 2

article number: 8935

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

| 14.1 | UN number | not subject to transport regulations |
|------|-----------|--------------------------------------|
| | | |

14.2 UN proper shipping name not assigned
 14.3 Transport hazard class(es) not assigned
 14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

Not subject to transport regulations. UN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

Australia (en) Page 8 / 10



acc. to Safe Work Australia - Code of Practice

Panoptical fast staining - Solution 2

article number: 8935



SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

All ingredients are listed or exempt from listing.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

| Country | Inventory | Status | |
|---------|------------|-------------------------------------|--|
| AU | AIIC | all ingredients are listed | |
| CA | DSL | all ingredients are listed | |
| CN | IECSC | all ingredients are listed | |
| EU | ECSI | all ingredients are listed | |
| EU | REACH Reg. | all ingredients are listed | |
| JP | CSCL-ENCS | all ingredients are listed | |
| JP | ISHA-ENCS | not all ingredients are listed | |
| KR | KECI | all ingredients are listed | |
| MX | INSQ | all ingredients are listed | |
| NZ | NZIoC | all ingredients are listed | |
| PH | PICCS | all ingredients are listed | |
| TW | TCSI | all ingredients are listed | |
| US | TSCA | all ingredients are listed (ACTIVE) | |

Legend

AIIC CSCL-ENCS

Australian Inventory of Industrial Chemicals List of Existing and New Chemical Substances (CSCL-ENCS)

DSL ECSI IECSC INSQ

Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances
Inventory of Existing and New Chemical Substances (ISHA-ENCS)
Korea Existing Chemicals Inventory
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH registered substances

ISHA-ENCS

KECI NZIoC

REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory

TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

Australia (en) Page 9 / 10

acc. to Safe Work Australia - Code of Practice



article number: 8935



SECTION 16: Other information

Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|---|---|--------------------------|
| 2.3 | Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB. | Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0,1%. | yes |
| 2.3 | | Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0,1%. | yes |
| 15.1 | | National inventories: change in the listing (table) | yes |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations | |
|----------|---|--|
| DGR | Dangerous Goods Regulations (see IATA/DGR) | |
| ED | Endocrine disruptor | |
| EINECS | European Inventory of Existing Commercial Chemical Substances | |
| ELINCS | European List of Notified Chemical Substances | |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations | |
| IATA | International Air Transport Association | |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) | |
| ICAO | International Civil Aviation Organization | |
| IMDG | International Maritime Dangerous Goods Code | |
| NLP | No-Longer Polymer | |
| PBT | Persistent, Bioaccumulative and Toxic | |
| UN RTDG | UN Recommendations on the Transport of Dangerous Good | |
| vPvB | Very Persistent and very Bioaccumulative | |

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 10 / 10