1.4

Oil of bergamot , natural

article number: **6501** Version: **4.0 en** Replaces version of: 2023-03-13 Version: (3)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance	Oil of bergamot , natural
Article number	6501
EC number	616-915-9
CAS number	8007-75-8
Alternative name(s)	Oleum Bergamottae

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

Emergency telephone number

NameStreetPostal
code/cityTelephoneWebsiteNational Poisons Information
Service
City HospitalDudley RdB187QH
Birmingham844 892 0111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture



Revision: 2024-03-04

date of compilation: 2021-04-27

sicherheit@carlroth.de

acc. to Regulation (EC) No. 1907/2006 (REACH)



Oil of bergamot , natural

article number: 6501

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	3	Flam. Liq. 3	H226
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.4S	Skin sensitisation	1	Skin Sens. 1	H317
3.10	Aspiration hazard	1	Asp. Tox. 1	H304
4.1C	Hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS02, GHS07, GHS08



Hazard statements

H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H412	Harmful to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- P280 Wear protective gloves/eye protection

Precautionary statements - response

P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor
P302+P352	IF ON SKIN: Wash with plenty of water

acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of bergamot , natural

article number: 6501

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

"UVCB substance" (substance of unknown or variable composition).

Name of substance	Oil of bergamot
CAS No	8007-75-8
EC No	616-915-9

Impurities/additives/constituents:

Name of substance	Identifier	Wt%
D-(+)-Limonene	CAS No 5989-27-5	25 – 50
	EC No 227-813-5	
	Index No 601-096-00-2	
Acetic acid linalyl ester	CAS No 115-95-7	25 – 50
	EC No 204-116-4	
Linalool	CAS No 78-70-6	10 – 25
	EC No 201-134-4	
	Index No 603-235-00-2	
ß-Pinene	CAS No 127-91-3	5 – 10
	EC No 204-872-5	
γ-Terpinene	CAS No 99-85-4	5 - 10
	EC No 202-794-6	
Myrcene	CAS No 123-35-3	1 – 5
	EC No 204-622-5	
DL-a-Pinene	CAS No 80-56-8	1 – 5
	EC No 201-291-9	



acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of bergamot , natural

article number: 6501



Name of substance	Identifier	Wt%
Geranial	CAS No 141-27-5	<1
	EC No 205-476-5	
Neral	CAS No 106-26-3	<1
	EC No 203-379-2	
Neryl Acetate	CAS No 141-12-8	<1
	EC No 205-459-2	
Sabinene	CAS No 3387-41-5	<1
	EC No 222-212-4	
Terpinolene	CAS No 586-62-9	<1
	EC No 209-578-0	
β-Caryophyllene	CAS No 87-44-5	<1
	EC No 201-746-1	

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin reactions, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Call a physician immediately. Observe aspiration hazard if vomiting occurs.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of bergamot , natural

article number: 6501

4.2 Most important symptoms and effects, both acute and delayed Aspiration hazard, Irritation, Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂), Nitrogen oxides (NOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.



acc. to Regulation (EC) No. 1907/2006 (REACH)



Oil of bergamot , natural

article number: 6501

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ground/bond container and receiving equipment.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Oil of bergamot , natural

article number: 6501

Relevant DNELs and other threshold levels								
Endpoint	Threshold level	Protec route o	tion goal, f exposure	Used in		Exposure time		
DNEL	6,88 mg/m ³	human	, inhalatory	worker (indu	stry)	chroni	c - systemic effects	
DNEL	3,9 mg/kg bw/ day	huma	n, dermal	worker (indu	stry)	chroni	c - systemic effects	
Relevant DNE	s of compone	ents						
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used	d in	Exposure time	
D-(+)-Limonene	5989-27-5	DNEL	66,7 mg/ m³	human, inhalat- ory	worker (ii	ndustry)	chronic - systemi effects	
D-(+)-Limonene	5989-27-5	DNEL	9,5 mg/kg bw/day	human, dermal	worker (ii	ndustry)	chronic - systemi effects	
Acetic acid linalyl ester	115-95-7	DNEL	2,75 mg/ m ³	human, inhalat- ory	worker (ii	ndustry)	chronic - systemi effects	
Acetic acid linalyl ester	115-95-7	DNEL	2,5 mg/kg bw/day	human, dermal	worker (ii	ndustry)	chronic - system effects	
Acetic acid linalyl ester	115-95-7	DNEL	236,2 μg/ cm²	human, dermal	worker (industry)		chronic - local ef fects	
Acetic acid linalyl ester	115-95-7	DNEL	236,2 µg/ cm²	human, dermal	worker (ii	ndustry)	acute - local ef- fects	
Linalool	78-70-6	DNEL	2,8 mg/m ³	human, inhalat- ory	worker (ii	ndustry)	chronic - system effects	
Linalool	78-70-6	DNEL	16,5 mg/ m³	human, inhalat- ory	worker (ii	ndustry)	acute - systemic effects	
Linalool	78-70-6	DNEL	2,5 mg/kg bw/day	human, dermal	worker (ii	ndustry)	chronic - systemi effects	
Linalool	78-70-6	DNEL	5 mg/kg bw/day	human, dermal	worker (ii	ndustry)	acute - systemic effects	
y-Terpinene	99-85-4	DNEL	2,939 mg/ m ³	human, inhalat- ory	worker (ii	ndustry)	chronic - systemi effects	
γ-Terpinene	99-85-4	DNEL	0,833 mg/ kg bw/day	human, dermal	worker (ii	ndustry)	chronic - systemi effects	
ß-Pinene	127-91-3	DNEL	5,69 mg/ m ³	human, inhalat- ory	worker (ii	ndustry)	chronic - systemi effects	
ß-Pinene	127-91-3	DNEL	0,8 mg/kg bw/day	human, dermal	worker (ii	ndustry)	chronic - systemi effects	
ß-Pinene	127-91-3	DNEL	54 µg/cm²	human, dermal	worker (ii	ndustry)	chronic - local ef fects	
DL-α-Pinene	80-56-8	DNEL	3,8 mg/m ³	human, inhalat- ory	worker (ii	ndustry)	chronic - system effects	

human, dermal

human, inhalat-

ory

worker (industry)

worker (industry)

0,542 mg/ kg bw/day

9 mg/m³

DNEL

DNEL

DL-α-Pinene

Neral

80-56-8

106-26-3

chronic - systemic effects

chronic - systemic effects

acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of bergamot , natural



article number: 6501

Relevant DNELs of components						
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Neral	106-26-3	DNEL	1,7 mg/kg bw/day	human, dermal	worker (industry)	chronic - system effects
Neral	106-26-3	DNEL	140 µg/ cm²	human, dermal	worker (industry)	chronic - local e fects
Relevant PNECs	of compone	ents				
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure tim
D-(+)-Limonene	5989-27-5	PNEC	14 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (sing instance)
D-(+)-Limonene	5989-27-5	PNEC	1,4 ^{µg} / _l	aquatic organ- isms	marine water	short-term (sing instance)
D-(+)-Limonene	5989-27-5	PNEC	1,8 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sing instance)
D-(+)-Limonene	5989-27-5	PNEC	3,85 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (sing instance)
D-(+)-Limonene	5989-27-5	PNEC	0,385 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (sing instance)
D-(+)-Limonene	5989-27-5	PNEC	0,763 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (sing instance)
Acetic acid linalyl ester	115-95-7	PNEC	0,011 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (sing instance)
Acetic acid linalyl ester	115-95-7	PNEC	0,001 ^{mg} / _l	aquatic organ- isms	marine water	short-term (sing instance)
Acetic acid linalyl ester	115-95-7	PNEC	1 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sing instance)
Acetic acid linalyl ester	115-95-7	PNEC	0,609 ^{mg} / kg	aquatic organ- isms	freshwater sedi- ment	short-term (sing instance)
Acetic acid linalyl ester	115-95-7	PNEC	0,061 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (sing instance)
Acetic acid linalyl ester	115-95-7	PNEC	0,115 ^{mg} / kg	terrestrial organ- isms	soil	short-term (sing instance)
Linalool	78-70-6	PNEC	0,2 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (sing instance)
Linalool	78-70-6	PNEC	0,02 ^{mg} / _l	aquatic organ- isms	marine water	short-term (sing instance)
Linalool	78-70-6	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sing instance)
Linalool	78-70-6	PNEC	2,22 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (sing instance)
Linalool	78-70-6	PNEC	0,222 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (sing instance)
Linalool	78-70-6	PNEC	0,327 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (sing instance)

Safety data sheet acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of bergamot , natural

article number: 6501



Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
y-Terpinene	99-85-4	PNEC	0,003 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (sing instance)
γ-Terpinene	99-85-4	PNEC	0 ^{mg} / _l	aquatic organ- isms	marine water	short-term (sing instance)
y-Terpinene	99-85-4	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sing instance)
γ-Terpinene	99-85-4	PNEC	0,49 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (sing instance)
γ-Terpinene	99-85-4	PNEC	0,049 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (sing instance)
γ-Terpinene	99-85-4	PNEC	0,423 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (sing instance)
ß-Pinene	127-91-3	PNEC	1,004 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (sing instance)
ß-Pinene	127-91-3	PNEC	0,1 ^{µg} / _l	aquatic organ- isms	marine water	short-term (sing instance)
ß-Pinene	127-91-3	PNEC	3,26 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sing instance)
ß-Pinene	127-91-3	PNEC	0,337 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (sing instance)
ß-Pinene	127-91-3	PNEC	0,034 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (sing instance)
ß-Pinene	127-91-3	PNEC	0,067 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (sing instance)
DL-a-Pinene	80-56-8	PNEC	0,606 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (sing instance)
DL-a-Pinene	80-56-8	PNEC	0,061 ^{µg} / _l	aquatic organ- isms	marine water	short-term (sing instance)
DL-a-Pinene	80-56-8	PNEC	0,2 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sing instance)
DL-a-Pinene	80-56-8	PNEC	157 ^{µg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (sing instance)
DL-a-Pinene	80-56-8	PNEC	15,7 ^{µg} / _{kg}	aquatic organ- isms	marine sediment	short-term (sing instance)
DL-a-Pinene	80-56-8	PNEC	31,7 ^{µg} / _{kg}	terrestrial organ- isms	soil	short-term (sing instance)
Neral	106-26-3	PNEC	0,007 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (sing instance)
Neral	106-26-3	PNEC	0,001 ^{mg} / _l	aquatic organ- isms	marine water	short-term (sing instance)
Neral	106-26-3	PNEC	1,6 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sing instance)
Neral	106-26-3	PNEC	0,125 ^{mg} / kg	aquatic organ- isms	freshwater sedi- ment	short-term (sing instance)

acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of bergamot , natural



article number: 6501

Relevant PNECs of components								
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time		
Neral	106-26-3	PNEC	0,013 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)		
Neral	106-26-3	PNEC	0,021 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)		

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

>0,3 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of bergamot , natural

article number: 6501

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1	Information on basic physical and chemical pro	operties			
	Physical state	liquid			
	Colour	yellow			
	Odour	characteristic			
	Melting point/freezing point	<-30 °C (ECHA)			
	Boiling point or initial boiling point and boiling range	not determined			
	Flammability	flammable liquid in accordance with GHS criteria			
	Lower and upper explosion limit	not determined			
	Flash point	56 °C (ECHA)			
	Auto-ignition temperature	235 °C at 1.019 hPa (ECHA)			
	Decomposition temperature	not relevant			
	pH (value)	not determined			
	Kinematic viscosity	not determined			
	Solubility(ies)				
	Water solubility	1,767 ^g / _l at 25 °C (ECHA)			
	Partition coefficient				
	Partition coefficient n-octanol/water (log value):	2,14 – 6,3 (ECHA)			
	Soil organic carbon/water (log KOC)	≥1,69–≤4,9 (ECHA)			
	Vapour pressure	123,1 Pa at 25 °C			
	Density and/or relative density				
	Density	0,88 ^g / _{cm³} at 20 °C			
	Particle characteristics	not relevant (liquid)			
	Other safety parameters				
	Oxidising properties	none			
9.2	Other information				
	Information with regard to physical hazard classes:	There is no additional information.			
	Other safety characteristics:				



acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of bergamot , natural

article number: 6501

Refractive index

1,468

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition.

If heated

Risk of ignition. Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>10.000 ^{mg} / _{kg}	rat		ECHA
dermal	LD50	>20.000 ^{mg} / _{kg}	rabbit		ECHA

Acute toxicity of components

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
D-(+)-Limonene	5989-27-5	oral	LD50	>2.000 ^{mg} / _{kg}	rat
Acetic acid linalyl ester	115-95-7	oral	LD50	>9.000 ^{mg} / _{kg}	rat
Acetic acid linalyl ester	115-95-7	dermal	LD50	>5.000 ^{mg} / _{kg}	rabbit
Linalool	78-70-6	oral	LD50	2.790 ^{mg} / _{kg}	rat
Linalool	78-70-6	dermal	LD50	5.610 ^{mg} / _{kg}	rabbit
γ-Terpinene	99-85-4	oral	LD50	>2.000 ^{mg} / _{kg}	rat
		1			



acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of bergamot , natural



article number: 6501

Г

ite toxicity of components					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
y-Terpinene	99-85-4	dermal	LD50	>2.000 ^{mg} / _{kg}	rat
ß-Pinene	127-91-3	oral	LD50	4.700 ^{mg} / _{kg}	rat
Myrcene	123-35-3	oral	LD50	>3.380 ^{mg} / _{kg}	mouse
Myrcene	123-35-3	dermal	LD50	>5.000 ^{mg} / _{kg}	rabbit
DL-a-Pinene	80-56-8	dermal	LD50	>2.000 ^{mg} / _{kg}	rat
DL-a-Pinene	80-56-8	oral	LD50	3.700 ^{mg} / _{kg}	rat
Sabinene	3387-41-5	oral	LD50	301 – 2.000 ^{mg} / _{kg}	rat
Geranial	141-27-5	oral	LD50	6.800 ^{mg} / _{kg}	rat
Geranial	141-27-5	dermal	LD50	>2.000 ^{mg} / _{kg}	rat
Neryl Acetate	141-12-8	oral	LD50	>2.000 ^{mg} / _{kg}	rat
β-Caryophyllene	87-44-5	oral	LD50	>5.000 ^{mg} / _{kg}	mouse
Terpinolene	586-62-9	oral	LD50	>2.000 ^{mg} / _{kg}	rat
Terpinolene	586-62-9	dermal	LD50	>2.000 ^{mg} / _{kg}	rat
Neral	106-26-3	oral	LD50	6.800 ^{mg} / _{kg}	rat
Neral	106-26-3	dermal	LD50	>2.000 ^{mg} / _{kg}	rat

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

May be fatal if swallowed and enters airways.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of bergamot , natural

article number: 6501



Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

aspiration hazard

• If in eyes

Causes serious eye irritation

• If inhaled

Data are not available.

• If on skin

causes skin irritation, May produce an allergic reaction, pruritis, localised redness

Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute)					
Endpoint	Value	Species	Source	Exposure time	
LL50	57 ^{mg} / _l	fish	ECHA	24 h	
EL50	60 ^{mg} / _l	aquatic invertebrates	ECHA	24 h	

Aquatic toxicity (acute) of components

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time	
D-(+)-Limonene	5989-27-5	LC50	0,46 ^{mg} / _l	fish	96 h	
D-(+)-Limonene	5989-27-5	EC50	0,307 ^{mg} / _l	aquatic invertebrates	48 h	
D-(+)-Limonene	5989-27-5	ErC50	0,32 ^{mg} / _l	algae	72 h	
Acetic acid linalyl ester	115-95-7	ErC50	62 ^{mg} / _l	algae	72 h	
Acetic acid linalyl ester	115-95-7	LC50	11 ^{mg} / _l	fish	96 h	
Acetic acid linalyl ester	115-95-7	EC50	59 ^{mg} / _l	aquatic invertebrates	48 h	
Linalool	78-70-6	LC50	27,8 ^{mg} / _l	fish	96 h	
Linalool	78-70-6	EC50	59 ^{mg} / _l	aquatic invertebrates	48 h	
Linalool	78-70-6	ErC50	156,7 ^{mg} / _l	algae	96 h	

acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of bergamot , natural

article number: 6501



Aquatic toxicity (acute) of components							
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time		
y-Terpinene	99-85-4	EC50	2,792 ^{mg} / _l	fish	96 h		
ß-Pinene	127-91-3	LC50	0,68 ^{mg} / _l	rainbow trout (Onco- rhynchus mykiss)	96 h		
ß-Pinene	127-91-3	EC50	1,09 ^{mg} / _l	daphnia magna	48 h		
ß-Pinene	127-91-3	ErC50	0,7 ^{mg} / _l	Pseudokirchneriella subcapitata	72 h		
Myrcene	123-35-3	EC50	1,47 ^{mg} / _l	aquatic invertebrates	48 h		
Myrcene	123-35-3	EC50	0,31 ^{mg} / _l	algae	72 h		
Myrcene	123-35-3	ErC50	0,342 ^{mg} / _l	algae	72 h		
DL-α-Pinene	80-56-8	LC50	0,303 ^{mg} / _l	fish	96 h		
DL-α-Pinene	80-56-8	EC50	0,475 ^{mg} / _l	aquatic invertebrates	48 h		
Sabinene	3387-41-5	EC50	3.960 ^{mg} / _l	aquatic invertebrates	48 h		
Geranial	141-27-5	LC50	6,78 ^{mg} / _l	fish	96 h		
Geranial	141-27-5	EC50	6,8 ^{mg} / _l	aquatic invertebrates	48 h		
Geranial	141-27-5	ErC50	103,8 ^{mg} / _l	algae	72 h		
Neryl Acetate	141-12-8	LC50	6 ^{mg} / _l	fish	96 h		
Neryl Acetate	141-12-8	EC50	10,68 ^{mg} / _l	aquatic invertebrates	24 h		
Neryl Acetate	141-12-8	ErC50	4,9 ^{mg} / _l	algae	72 h		
β-Caryophyllene	87-44-5	EC50	>0,17 ^{mg} /l	daphnia magna	48 h		
β-Caryophyllene	87-44-5	ErC50	>0,033 ^{mg} / _l	algae	72 h		
Terpinolene	586-62-9	LC50	0,805 ^{mg} / _l	fish	96 h		
Terpinolene	586-62-9	EC50	0,634 ^{mg} / _l	aquatic invertebrates	48 h		
Terpinolene	586-62-9	ErC50	0,692 ^{mg} /l	algae	72 h		
Neral	106-26-3	LC50	6,78 ^{mg} / _l	fish	96 h		
Neral	106-26-3	EC50	6,8 ^{mg} / _l	aquatic invertebrates	48 h		
Neral	106-26-3	ErC50	103,8 ^{mg} / _l	algae	72 h		

Aquatic toxicity (chronic) of components
--

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
D-(+)-Limonene	5989-27-5	EC50	<0,67 ^{mg} / _l	fish	8 d
D-(+)-Limonene	5989-27-5	EC50	188 ^{µg} / _l	aquatic invertebrates	21 d
Acetic acid linalyl ester	115-95-7	LC50	11,14 ^{mg} / _l	fish	20 h
Linalool	78-70-6	EC50	>100 ^{mg} / _l	microorganisms	30 min

acc. to Regulation (EC) No. 1907/2006 (REACH)



Oil of bergamot , natural

article number: 6501

Aquatic toxicity (chronic) of components							
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time		
y-Terpinene	99-85-4	EC50	>1.000 ^{mg} / _l	microorganisms	3 h		
ß-Pinene	127-91-3	EC50	326 ^{mg} / _l	microorganisms	3 h		
Geranial	141-27-5	EC50	160 ^{mg} / _l	microorganisms	30 min		
Neryl Acetate	141-12-8	EC50	≥1.000 ^{mg} / _l	microorganisms	3 h		
Terpinolene	586-62-9	EC50	69 ^{mg} / _l	microorganisms	3 h		
Neral	106-26-3	EC50	160 ^{mg} / _l	microorganisms	30 min		

12.2 Persistence and degradability

Biodegradation

The substance is readily biodegradable.

Degradability of components

begradubiney of components						
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
D-(+)-Limonene	5989-27-5	carbon dioxide generation	58,8 %	14 d		ECHA
D-(+)-Limonene	5989-27-5	oxygen deple- tion	80 %	28 d		ECHA
Acetic acid linalyl ester	115-95-7	oxygen deple- tion	≥0 – ≤10 %	1 d		ECHA
Linalool	78-70-6	oxygen deple- tion	40,9 %	5 d		ECHA
γ-Terpinene	99-85-4	oxygen deple- tion	27 %	28 d		ECHA
ß-Pinene	127-91-3	oxygen deple- tion	76 %	28 d		ECHA
Myrcene	123-35-3	oxygen deple- tion	76 %	28 d		ECHA
DL-α-Pinene	80-56-8	oxygen deple- tion	68 %	28 d		ECHA
Sabinene	3387-41-5	oxygen deple- tion	36 %	28 d		ECHA
Geranial	141-27-5	oxygen deple- tion	>90 %	28 d		ECHA
Neryl Acetate	141-12-8	oxygen deple- tion	90 %	28 d		ECHA
β-Caryophyl- lene	87-44-5	oxygen deple- tion	10 %	28 d		ECHA
Terpinolene	586-62-9	oxygen deple- tion	81 %	28 d		ECHA
Neral	106-26-3	oxygen deple- tion	>90 %	28 d		ECHA

acc. to Regulation (EC) No. 1907/2006 (REACH)



Oil of bergamot , natural

article number: 6501

12.3 Bioaccumulative potential

The substance fulfils the very bioaccumulative criterion.

n-octanol/water (log KOW)

2,14 - 6,3 (ECHA)

Bioaccumulative potential of components

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
D-(+)-Limonene	5989-27-5		4,38 (pH value: 7,2, 37 °C)	
Acetic acid linalyl ester	115-95-7	174	3,9 (25 °C)	
Linalool	78-70-6		2,9 (pH value: 7, 20 °C)	
y-Terpinene	99-85-4		5,4 (25 °C)	
Myrcene	123-35-3		4,82 (pH value: ~6,5, 30 °C)	
DL-α-Pinene	80-56-8		4,83	
Neryl Acetate	141-12-8		3,98 (pH value: 7,2, 37 °C)	
β-Caryophyllene	87-44-5		6,23 (pH value: 7, 25 °C)	
Terpinolene	586-62-9		4,47	
Neral	106-26-3	89,72		

12.4 Mobility in soil

The Organic Carbon normalised adsorption coefficient	≥1,69 – ≤4,9 (ECHA)

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of bergamot , natural

article number: 6501

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- HP 3 flammable
- HP 4 irritant skin irritation and eye damage
- HP 5 specific target organ toxicity (STOT)/aspiration toxicity
- HP 13 sensitising
- HP 14 ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1	UN number or ID number	
	ADRRID	UN 1197
	IMDG-Code	UN 1197
	ICAO-TI	UN 1197
14.2	UN proper shipping name	
	ADRRID	EXTRACTS, LIQUID
	IMDG-Code	EXTRACTS, LIQUID
	ICAO-TI	Extracts, liquid
14.3	Transport hazard class(es)	
	ADRRID	3
	IMDG-Code	3
	ICAO-TI	3
14.4	Packing group	
	ADRRID	III
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations



acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of bergamot , natural

article number: 6501



f bergamot , natural	
le number: 6501	
Agreement concerning the International (information	Carriage of Dangerous Goods by Road (ADR)Additional
Proper shipping name	EXTRACTS, LIQUID
Particulars in the transport document	UN1197, EXTRACTS, LIQUID, 3, III, (D/E)
Classification code	F1
Danger label(s)	3
Special provisions (SP)	601
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Tunnel restriction code (TRC)	D/E
Hazard identification No	30
Emergency Action Code	3Y
Regulations concerning the International information	Carriage of Dangerous Goods by Rail (RID)Additional
Classification code	F1
Danger label(s)	3
Special provisions (SP)	601
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Hazard identification No	30
International Maritime Dangerous Goods	Code (IMDG) - Additional information
Proper shipping name	EXTRACTS, LIQUID
Particulars in the shipper's declaration	UN1197, EXTRACTS, LIQUID, 3, III, 56°C c.c.
Marine pollutant	-
Danger label(s)	3
Special provisions (SP)	223, 955
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-E, S-D

acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of bergamot , natural

® Roth

article number: 6501

Stowage category	A
International Civil Aviation Organization (IC	AO-IATA/DGR) - Additional information
Proper shipping name	Extracts, liquid
Particulars in the shipper's declaration	UN1197, Extracts, liquid, 3, III
Danger label(s)	3
Special provisions (SP)	A3
Excepted quantities (EQ)	E1
Limited quantities (LQ)	10 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/	2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (plication of lower a quirem	nd upper-tier re-	Notes
P5c	flammable liquids (cat. 2, 3)	5.000	50.000	51)

Notation

51) Flammable liquids, categories 2 or 3 not covered by P5a and P5b

Deco-Paint Directive

VOC content	100 %
VOC content	880 ^g /l

Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	880 ^g /l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

not listed

Regulation on the marketing and use of explosives precursors

not listed

acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of bergamot , natural

article number: 6501



Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
Oil of bergamot	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3
Oil of bergamot	flammable / pyrophoric		40

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
KR	KECI	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

AIIČ	Australian Inventory of Industrial Chemicals
DSL	Domestic Substances List (DSL)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

acc. to Regulation (EC) No. 1907/2006 (REACH)



Oil of bergamot , natural

article number: 6501

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air

acc. to Regulation (EC) No. 1907/2006 (REACH)



Oil of bergamot , natural

article number: 6501

Abbr.	Descriptions of used abbreviations
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality
log KOW	n-Octanol/water
NLP	No-Longer Polymer
РВТ	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.