according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Oil of bergamot , natural

article number: **6501** Version: **4.0 en** Replaces version of: 2023-03-13 Version: (3)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance	Oil of bergamot , natural
Article number	6501
Registration number (REACH)	01-2120117613-65-xxxx
EC number	616-915-9
CAS number	8007-75-8
Alternative name(s)	Oleum Bergamottae

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	+353 1 809 2166	https:// www.poisons.ie/

date of compilation: 2021-04-27 Revision: 2024-03-04

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Oil of bergamot , natural

article number: 6501

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	3	Flam. Liq. 3	H226
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.4S	Skin sensitisation	1	Skin Sens. 1	H317
3.10	Aspiration hazard	1	Asp. Tox. 1	H304
4.1C	Hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms



Hazard statements

H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H412	Harmful to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition
	sources. No smoking
P280	Wear protective gloves/eye protection

Precautionary statements - response

P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor
P302+P352	IF ON SKIN: Wash with plenty of water

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Oil of bergamot , natural

article number: 6501



Labelling of packages where the contents do not exceed 125 ml Signal word: Danger

Symbol(s)



H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.
P280	Wear protective gloves/eye protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P302+P352	IF ON SKIN: Wash with plenty of water.

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

"UVCB substance" (substance of unknown or variable composition).

Name of substance	Oil of bergamot
REACH Reg. No	01-2120117613-65-xxxx
CAS No	8007-75-8
EC No	616-915-9

Impurities/additives/constituents:

Name of substance	Identifier	Wt%
D-(+)-Limonene	CAS No 5989-27-5	25 – 50
	EC No 227-813-5	
	Index No 601-096-00-2	
Acetic acid linalyl ester	CAS No 115-95-7	25 – 50
	EC No 204-116-4	
Linalool	CAS No 78-70-6	10 - 25
	EC No 201-134-4	
	Index No 603-235-00-2	

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Oil of bergamot , natural

article number: 6501



Name of substance	Identifier	Wt%
ß-Pinene	CAS No 127-91-3	5 - 10
	EC No 204-872-5	
y-Terpinene	CAS No 99-85-4	5 – 10
	EC No 202-794-6	
Myrcene	CAS No 123-35-3	1 – 5
	EC No 204-622-5	
DL-α-Pinene	CAS No 80-56-8	1 – 5
	EC No 201-291-9	
Geranial	CAS No 141-27-5	<1
	EC No 205-476-5	
Neral	CAS No 106-26-3	<1
	EC No 203-379-2	
Neryl Acetate	CAS No 141-12-8	<1
	EC No 205-459-2	
Sabinene	CAS No 3387-41-5	<1
	EC No 222-212-4	
Terpinolene	CAS No 586-62-9	<1
	EC No 209-578-0	
β-Caryophyllene	CAS No 87-44-5	<1
	EC No 201-746-1	

Remarks

For full text of abbreviations: see SECTION 16

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Oil of bergamot , natural

article number: 6501

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin reactions, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Call a physician immediately. Observe aspiration hazard if vomiting occurs.

4.2 Most important symptoms and effects, both acute and delayed

Aspiration hazard, Irritation, Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂), Nitrogen oxides (NOx)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Oil of bergamot , natural

article number: 6501

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Oil of bergamot , natural

article number: 6501

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ground/bond container and receiving equipment.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

Human health values

Relevant DNELs and other threshold levels					
Endpoint Threshold Protection goal, level route of exposure		Used in	Exposure time		
DNEL	6,88 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects	
DNEL	3,9 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects	

Relevant DNELs of components

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
D-(+)-Limonene	5989-27-5	DNEL	66,7 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
D-(+)-Limonene	5989-27-5	DNEL	9,5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Acetic acid linalyl ester	115-95-7	DNEL	2,75 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Acetic acid linalyl ester	115-95-7	DNEL	2,5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Acetic acid linalyl ester	115-95-7	DNEL	236,2 μg/ cm²	human, dermal	worker (industry)	chronic - local ef- fects
Acetic acid linalyl ester	115-95-7	DNEL	236,2 μg/ cm²	human, dermal	worker (industry)	acute - local ef- fects
Linalool	78-70-6	DNEL	2,8 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Linalool	78-70-6	DNEL	16,5 mg/ m³	human, inhalat- ory	worker (industry)	acute - systemic effects



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Oil of bergamot , natural

article number: 6501

Relevant DNELs	Relevant DNELs of components								
Name of sub- stance		End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time			
Linalool	78-70-6	DNEL	2,5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects			
Linalool	78-70-6	DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects			
y-Terpinene	99-85-4	DNEL	2,939 mg/ m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects			
y-Terpinene	99-85-4	DNEL	DNEL 0,833 mg/ human, dermal worker (industry) kg bw/day		chronic - systemic effects				
ß-Pinene	127-91-3	DNEL	5,69 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects			
ß-Pinene	127-91-3	DNEL	0,8 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects			
ß-Pinene	127-91-3	DNEL	54 µg/cm²	human, dermal	worker (industry)	chronic - local ef- fects			
DL-a-Pinene	80-56-8	DNEL	3,8 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects			
DL-a-Pinene	80-56-8	DNEL	0,542 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects			
Neral	106-26-3	DNEL	9 mg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects			
Neral	106-26-3	DNEL	1,7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects			
Neral	106-26-3	DNEL	140 μg/ cm²	human, dermal	worker (industry)	chronic - local ef- fects			

Relevant PNECs of components									
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time			
D-(+)-Limonene	5989-27-5	PNEC	14 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)			
D-(+)-Limonene	5989-27-5	PNEC	1,4 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)			
D-(+)-Limonene	5989-27-5	PNEC	1,8 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)			
D-(+)-Limonene	5989-27-5	PNEC	3,85 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)			
D-(+)-Limonene	5989-27-5	PNEC	0,385 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)			
D-(+)-Limonene	5989-27-5	PNEC	0,763 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)			
Acetic acid linalyl ester	115-95-7	PNEC	0,011 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (singl instance)			
Acetic acid linalyl ester	115-95-7	PNEC	0,001 ^{mg} / _l	aquatic organ- isms	marine water	short-term (singl instance)			



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Oil of bergamot , natural

article number: 6501

Relevant PNECs of components								
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time		
Acetic acid linalyl ester	115-95-7	PNEC	1 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)		
Acetic acid linalyl ester	115-95-7	PNEC	0,609 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)		
Acetic acid linalyl ester	115-95-7	PNEC	0,061 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)		
Acetic acid linalyl ester	115-95-7	PNEC	0,115 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)		
Linalool	78-70-6	PNEC	0,2 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)		
Linalool	78-70-6	PNEC	0,02 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)		
Linalool	78-70-6	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (singl instance)		
Linalool	78-70-6	PNEC	2,22 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (singl instance)		
Linalool	78-70-6	PNEC	0,222 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (singl instance)		
Linalool	78-70-6	PNEC	0,327 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (singl instance)		
y-Terpinene	99-85-4	PNEC	0,003 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (singl instance)		
y-Terpinene	99-85-4	PNEC	0 ^{mg} / _l	aquatic organ- isms	marine water	short-term (singl instance)		
y-Terpinene	99-85-4	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (singl instance)		
y-Terpinene	99-85-4	PNEC	0,49 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (singl instance)		
y-Terpinene	99-85-4	PNEC	0,049 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (singl instance)		
y-Terpinene	99-85-4	PNEC	0,423 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (singl instance)		
ß-Pinene	127-91-3	PNEC	1,004 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (singl instance)		
ß-Pinene	127-91-3	PNEC	0,1 ^{µg} / _l	aquatic organ- isms	marine water	short-term (singl instance)		
ß-Pinene	127-91-3	PNEC	3,26 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (singl instance)		
ß-Pinene	127-91-3	PNEC	0,337 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (singl instance)		
ß-Pinene	127-91-3	PNEC	0,034 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (singl instance)		
ß-Pinene	127-91-3	PNEC	0,067 ^{mg} / kg	terrestrial organ- isms	soil	short-term (singl instance)		



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Oil of bergamot , natural

® Roth

article number: 6501

Г

Relevant PNECs of components									
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time			
DL-a-Pinene	80-56-8	PNEC	0,606 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (sing instance)			
DL-a-Pinene	80-56-8	PNEC	0,061 ^{µg} / _l	aquatic organ- isms	marine water	short-term (sing instance)			
DL-a-Pinene	80-56-8	PNEC	0,2 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sing instance)			
DL-a-Pinene	80-56-8	PNEC	157 ^{µg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (sing instance)			
DL-a-Pinene	80-56-8	PNEC	15,7 ^{µg} / _{kg}	aquatic organ- isms	marine sediment	short-term (sing instance)			
DL-a-Pinene	80-56-8	PNEC	31,7 ^{µg} / _{kg}	terrestrial organ- isms	soil	short-term (sing instance)			
Neral	106-26-3	PNEC	0,007 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (sing instance)			
Neral	106-26-3	PNEC	0,001 ^{mg} / _l	aquatic organ- isms	marine water	short-term (sing instance)			
Neral	106-26-3	PNEC	1,6 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sing instance)			
Neral	106-26-3	PNEC	0,125 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (sing instance)			
Neral	106-26-3	PNEC	0,013 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (sing instance)			
Neral	106-26-3	PNEC	0,021 ^{mg} / kg	terrestrial organ- isms	soil	short-term (sing instance)			

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Oil of bergamot , natural

article number: 6501

hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

>0,3 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation.

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	•
Physical state	liquid
Colour	yellow
Odour	characteristic
Melting point/freezing point	<-30 °C (ECHA)
Boiling point or initial boiling point and boiling range	not determined
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	not determined
Flash point	56 °C (ECHA)
Auto-ignition temperature	235 °C at 1.019 hPa (ECHA)
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Oil of bergamot , natural

article number: 6501



Solubility(ies)1,767 9 /1 at 25 °C (ECHA)Partition coefficient2,14 - 6,3 (ECHA)Partition coefficient n-octanol/water (log value):2,14 - 6,3 (ECHA)Soil organic carbon/water (log KOC) $\geq 1,69 - \leq 4,9$ (ECHA)Vapour pressure123,1 Pa at 25 °CDensity and/or relative density Density $o,88 {}^{9}/cm^{3}$ at 20 °CParticle characteristicsnot relevant (liquid)Other safety parameters Oxidising propertiesnoneOther informationThere is no additional information.Information with regard to physical hazard classes:There is no additional information.Other safety characteristics:1,468Temperature class (EU, acc. to ATEX)T3 Maximum permissible surface temperature or		
Partition coefficientPartition coefficient n-octanol/water (log value): $2,14-6,3$ (ECHA)Soil organic carbon/water (log KOC) $\geq 1,69-\leq 4,9$ (ECHA)Vapour pressure $123,1$ Pa at 25 °CDensity and/or relative density $0,88$ $^{9}/_{cm^{3}}$ at 20 °CParticle characteristicsnot relevant (liquid)Other safety parametersnoneOxidising propertiesnoneOther informationThere is no additional information.Information with regard to physical hazard classes:There is no additional information.Other safety characteristics:There is no additional information.Other safety characteristics: $1,468$ Temperature class (EU, acc. to ATEX)T3 Maximum permissible surface temperature or	Solubility(ies)	
Partition coefficient n-octanol/water (log value): $2,14 - 6,3$ (ECHA)Soil organic carbon/water (log KOC) $\geq 1,69 - \leq 4,9$ (ECHA)Vapour pressure123,1 Pa at 25 °CDensity and/or relative density Density $0,88 \ ^{9/}{cm^{3}}$ at 20 °CParticle characteristicsnot relevant (liquid)Other safety parameters Oxidising propertiesnoneOther information Lasses:There is no additional information. classes:Other safety characteristics:There is no additional information. There is no additional information.Other safety characteristics:Ta Maximum permissible surface temperature of Maximum permissible surface temperature of	Water solubility	1,767 ^g / _l at 25 °C (ECHA)
Soil organic carbon/water (log KOC) $\geq 1,69 - \leq 4,9$ (ECHA)Vapour pressure123,1 Pa at 25 °CDensity and/or relative density Density $0,88 \ ^9/_{cm^3}$ at 20 °CParticle characteristicsnot relevant (liquid)Other safety parameters Oxidising propertiesnoneOther information Classes:There is no additional information. classes:Other safety characteristics:There is no additional information. Tas Maximum permissible surface temperature or	Partition coefficient	
Vapour pressure 123,1 Pa at 25 °C Density and/or relative density 0,88 g/cm³ at 20 °C Density 0,88 g/cm³ at 20 °C Particle characteristics not relevant (liquid) Other safety parameters 0 Oxidising properties none Other information There is no additional information. Information with regard to physical hazard classes: There is no additional information. Other safety characteristics: There is no additional information. Refractive index 1,468 Temperature class (EU, acc. to ATEX) T3 Maximum permissible surface temperature or	Partition coefficient n-octanol/water (log value):	2,14 – 6,3 (ECHA)
Density and/or relative densityDensity0,88 g/cm³ at 20 °CParticle characteristicsnot relevant (liquid)Other safety parametersOxidising propertiesOxidising propertiesnoneOther informationThere is no additional information.Information with regard to physical hazard classes:There is no additional information.Other safety characteristics:1,468Refractive index1,468Temperature class (EU, acc. to ATEX)T3 Maximum permissible surface temperature or	Soil organic carbon/water (log KOC)	≥1,69 – ≤4,9 (ECHA)
Density and/or relative densityDensity0,88 g/cm³ at 20 °CParticle characteristicsnot relevant (liquid)Other safety parametersOxidising propertiesOxidising propertiesnoneOther informationThere is no additional information.Information with regard to physical hazard classes:There is no additional information.Other safety characteristics:1,468Refractive index1,468Temperature class (EU, acc. to ATEX)T3 Maximum permissible surface temperature or		
Density0,88 g/cm³ at 20 °CParticle characteristicsnot relevant (liquid)Other safety parametersnoneOxidising propertiesnoneOther informationThere is no additional information.Information with regard to physical hazard classes:There is no additional information.Other safety characteristics:1,468Refractive index1,468Temperature class (EU, acc. to ATEX)T3 Maximum permissible surface temperature or	Vapour pressure	123,1 Pa at 25 °C
Particle characteristicsnot relevant (liquid)Other safety parametersOxidising propertiesOxidising propertiesnoneOther informationThere is no additional information.Information with regard to physical hazard classes:There is no additional information.Other safety characteristics:There is no additional information.Refractive index1,468Temperature class (EU, acc. to ATEX)T3 Maximum permissible surface temperature or	Density and/or relative density	
Other safety parametersOxidising propertiesnoneOther informationThere is no additional information.Information with regard to physical hazard classes:There is no additional information.Other safety characteristics:1,468Refractive index1,468Temperature class (EU, acc. to ATEX)T3 Maximum permissible surface temperature or	Density	0,88 ^g / _{cm³} at 20 °C
Other safety parametersOxidising propertiesnoneOther informationThere is no additional information.Information with regard to physical hazard classes:There is no additional information.Other safety characteristics:1,468Refractive index1,468Temperature class (EU, acc. to ATEX)T3 Maximum permissible surface temperature or		
Oxidising propertiesnoneOther informationThere is no additional information.Information with regard to physical hazard classes:There is no additional information.Other safety characteristics:There is no additional information.Other safety characteristics:1,468Temperature class (EU, acc. to ATEX)T3 Maximum permissible surface temperature or	Particle characteristics	not relevant (liquid)
Oxidising propertiesnoneOther informationThere is no additional information.Information with regard to physical hazard classes:There is no additional information.Other safety characteristics:There is no additional information.Other safety characteristics:1,468Temperature class (EU, acc. to ATEX)T3 Maximum permissible surface temperature or	Other safety parameters	
Other information Information with regard to physical hazard classes: Other safety characteristics: Refractive index Temperature class (EU, acc. to ATEX) T3 Maximum permissible surface temperature or		none
classes: Other safety characteristics: Refractive index 1,468 Temperature class (EU, acc. to ATEX) T3 Maximum permissible surface temperature or	Other information	
Refractive index 1,468 Temperature class (EU, acc. to ATEX) T3 Maximum permissible surface temperature or		There is no additional information.
Temperature class (EU, acc. to ATEX) T3 Maximum permissible surface temperature or	Other safety characteristics:	
Maximum permissible surface temperature or	Refractive index	1,468
the equipment. 200 C	Temperature class (EU, acc. to ATEX)	T3 Maximum permissible surface temperature on the equipment: 200°C

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

It's a reactive substance. Risk of ignition.

If heated

Risk of ignition. Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

There is no additional information.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Oil of bergamot , natural

article number: 6501

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Г

Shall not be classified as acutely toxic.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>10.000 ^{mg} / _{kg}	rat		ECHA
dermal	LD50	>20.000 ^{mg} / _{kg}	rabbit		ECHA

Acute toxicity of components

Name of substance	CAS No	Exposure route	Endpoint	Value	Specie
D-(+)-Limonene	5989-27-5	oral	LD50	>2.000 ^{mg} / _{kg}	rat
Acetic acid linalyl ester	115-95-7	oral	LD50	>9.000 ^{mg} / _{kg}	rat
Acetic acid linalyl ester	115-95-7	dermal	LD50	>5.000 ^{mg} / _{kg}	rabbit
Linalool	78-70-6	oral	LD50	2.790 ^{mg} / _{kg}	rat
Linalool	78-70-6	dermal	LD50	5.610 ^{mg} / _{kg}	rabbit
y-Terpinene	99-85-4	oral	LD50	>2.000 ^{mg} / _{kg}	rat
y-Terpinene	99-85-4	dermal	LD50	>2.000 ^{mg} / _{kg}	rat
ß-Pinene	127-91-3	oral	LD50	4.700 ^{mg} / _{kg}	rat
Myrcene	123-35-3	oral	LD50	>3.380 ^{mg} / _{kg}	mouse
Myrcene	123-35-3	dermal	LD50	>5.000 ^{mg} / _{kg}	rabbit
DL-a-Pinene	80-56-8	dermal	LD50	>2.000 ^{mg} / _{kg}	rat
DL-a-Pinene	80-56-8	oral	LD50	3.700 ^{mg} / _{kg}	rat
Sabinene	3387-41-5	oral	LD50	301 – 2.000 ^{mg} / _{kg}	rat
Geranial	141-27-5	oral	LD50	6.800 ^{mg} / _{kg}	rat
Geranial	141-27-5	dermal	LD50	>2.000 ^{mg} / _{kg}	rat
Neryl Acetate	141-12-8	oral	LD50	>2.000 ^{mg} / _{kg}	rat
β-Caryophyllene	87-44-5	oral	LD50	>5.000 ^{mg} / _{kg}	mouse
Terpinolene	586-62-9	oral	LD50	>2.000 ^{mg} / _{kg}	rat
Terpinolene	586-62-9	dermal	LD50	>2.000 ^{mg} / _{kg}	rat
Neral	106-26-3	oral	LD50	6.800 ^{mg} / _{kg}	rat

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Oil of bergamot , natural

article number: 6501

Acute toxicity of components								
Name of substance	CAS No	Exposure route	Endpoint	Value	Species			
Neral	106-26-3	dermal	LD50	>2.000 ^{mg} / _{kg}	rat			

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

aspiration hazard

• If in eyes

Causes serious eye irritation

• If inhaled

Data are not available.

• If on skin

causes skin irritation, May produce an allergic reaction, pruritis, localised redness

• Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

11.3 Information on other hazards

There is no additional information.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Oil of bergamot , natural

article number: 6501

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute)								
Endpoint	Value	Species	Source	Exposure time				
LL50	57 ^{mg} / _l	fish	ECHA	24 h				
EL50	60 ^{mg} / _l	aquatic invertebrates	ECHA	24 h				

Aquatic toxicity (acute) of components								
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time			
D-(+)-Limonene	5989-27-5	LC50	0,46 ^{mg} / _l	fish	96 h			
D-(+)-Limonene	5989-27-5	EC50	0,307 ^{mg} / _l	aquatic invertebrates	48 h			
D-(+)-Limonene	5989-27-5	ErC50	0,32 ^{mg} / _l	algae	72 h			
Acetic acid linalyl ester	115-95-7	ErC50	62 ^{mg} / _l	algae	72 h			
Acetic acid linalyl ester	115-95-7	LC50	11 ^{mg} / _l	fish	96 h			
Acetic acid linalyl ester	115-95-7	EC50	59 ^{mg} / _l	aquatic invertebrates	48 h			
Linalool	78-70-6	LC50	27,8 ^{mg} / _l	fish	96 h			
Linalool	78-70-6	EC50	59 ^{mg} / _l	aquatic invertebrates	48 h			
Linalool	78-70-6	ErC50	156,7 ^{mg} / _l	algae	96 h			
y-Terpinene	99-85-4	EC50	2,792 ^{mg} / _l	fish	96 h			
ß-Pinene	127-91-3	LC50	0,68 ^{mg} / _l	rainbow trout (Onco- rhynchus mykiss)	96 h			
ß-Pinene	127-91-3	EC50	1,09 ^{mg} / _l	daphnia magna	48 h			
ß-Pinene	127-91-3	ErC50	0,7 ^{mg} / _l	Pseudokirchneriella subcapitata	72 h			
Myrcene	123-35-3	EC50	1,47 ^{mg} / _l	aquatic invertebrates	48 h			
Myrcene	123-35-3	EC50	0,31 ^{mg} / _l	algae	72 h			
Myrcene	123-35-3	ErC50	0,342 ^{mg} / _l	algae	72 h			
DL-α-Pinene	80-56-8	LC50	0,303 ^{mg} / _l	fish	96 h			
DL-a-Pinene	80-56-8	EC50	0,475 ^{mg} / _l	aquatic invertebrates	48 h			
Sabinene	3387-41-5	EC50	3.960 ^{mg} / _l	aquatic invertebrates	48 h			
Geranial	141-27-5	LC50	6,78 ^{mg} / _l	fish	96 h			
Geranial	141-27-5	EC50	6,8 ^{mg} / _l	aquatic invertebrates	48 h			
Geranial	141-27-5	ErC50	103,8 ^{mg} / _l	algae	72 h			

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Oil of bergamot , natural



article number: 6501

Aquatic toxicity (acute) of components									
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time				
Neryl Acetate	141-12-8	LC50	6 ^{mg} / _l	fish	96 h				
Neryl Acetate	141-12-8	EC50	10,68 ^{mg} / _l	aquatic invertebrates	24 h				
Neryl Acetate	141-12-8	ErC50	4,9 ^{mg} / _l	algae	72 h				
β-Caryophyllene	87-44-5	EC50	>0,17 ^{mg} / _l	daphnia magna	48 h				
β-Caryophyllene	87-44-5	ErC50	>0,033 ^{mg} / _l	algae	72 h				
Terpinolene	586-62-9	LC50	0,805 ^{mg} /l	fish	96 h				
Terpinolene	586-62-9	EC50	0,634 ^{mg} / _l	aquatic invertebrates	48 h				
Terpinolene	586-62-9	ErC50	0,692 ^{mg} / _l	algae	72 h				
Neral	106-26-3	LC50	6,78 ^{mg} / _l	fish	96 h				
Neral	106-26-3	EC50	6,8 ^{mg} / _l	aquatic invertebrates	48 h				
Neral	106-26-3	ErC50	103,8 ^{mg} / _l	algae	72 h				

Aquatic toxicity (chronic) of components

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
D-(+)-Limonene	5989-27-5	EC50	<0,67 ^{mg} / _l	fish	8 d
D-(+)-Limonene	5989-27-5	EC50	188 ^{µg} / _l	aquatic invertebrates	21 d
Acetic acid linalyl ester	115-95-7	LC50	11,14 ^{mg} / _l	fish	20 h
Linalool	78-70-6	EC50	>100 ^{mg} / _l	microorganisms	30 min
y-Terpinene	99-85-4	EC50	>1.000 ^{mg} / _l	microorganisms	3 h
ß-Pinene	127-91-3	EC50	326 ^{mg} / _l	microorganisms	3 h
Geranial	141-27-5	EC50	160 ^{mg} / _l	microorganisms	30 min
Neryl Acetate	141-12-8	EC50	≥1.000 ^{mg} / _l	microorganisms	3 h
Terpinolene	586-62-9	EC50	69 ^{mg} / _l	microorganisms	3 h
Neral	106-26-3	EC50	160 ^{mg} / _l	microorganisms	30 min

12.2 Persistence and degradability

Biodegradation

The substance is readily biodegradable.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Oil of bergamot , natural



article number: 6501

		ents				
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
D-(+)-Limonene	5989-27-5	carbon dioxide generation	58,8 %	14 d		ECHA
D-(+)-Limonene	5989-27-5	oxygen deple- tion	80 %	28 d		ECHA
Acetic acid linalyl ester	115-95-7	oxygen deple- tion	≥0 – ≤10 %	1 d		ECHA
Linalool	78-70-6	oxygen deple- tion	40,9 %	5 d		ECHA
y-Terpinene	99-85-4	oxygen deple- tion	27 %	28 d		ECHA
ß-Pinene	127-91-3	oxygen deple- tion	76 %	28 d		ECHA
Myrcene	123-35-3	oxygen deple- tion	76 %	28 d		ECHA
DL-a-Pinene	80-56-8	oxygen deple- tion	68 %	28 d		ECHA
Sabinene	3387-41-5	oxygen deple- tion	36 %	28 d		ECHA
Geranial	141-27-5	oxygen deple- tion	>90 %	28 d		ECHA
Neryl Acetate	141-12-8	oxygen deple- tion	90 %	28 d		ECHA
β-Caryophyl- lene	87-44-5	oxygen deple- tion	10 %	28 d		ECHA
Terpinolene	586-62-9	oxygen deple- tion	81 %	28 d		ECHA
Neral	106-26-3	oxygen deple- tion	>90 %	28 d		ECHA

12.3 Bioaccumulative potential

The substance fulfils the very bioaccumulative criterion.

n-octanol/water (log KOW)			2,14 -	6,3 (ECHA)				
Bioaccumulative potential of components								
Name of substance	CAS No	BCF	:	Log KOW	BOD5/COD			
D-(+)-Limonene	5989-27-5			4,38 (pH value: 7,2, 37 °C)				
Acetic acid linalyl ester	115-95-7	174		3,9 (25 °C)				
Linalool	78-70-6			2,9 (pH value: 7, 20 °C)				
y-Terpinene	99-85-4			5,4 (25 °C)				
Myrcene	123-35-3			4,82 (pH value: ~6,5, 30 °C)				
DL-α-Pinene	80-56-8			4,83				
Neryl Acetate	141-12-8			3,98 (pH value: 7,2, 37 °C)				

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Oil of bergamot , natural

article number: 6501

ioaccumulative potential of components				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
β-Caryophyllene	87-44-5		6,23 (pH value: 7, 25 °C)	
Terpinolene	586-62-9		4,47	
Neral	106-26-3	89,72		

12.4 Mobility in soil

The Organic Carbon normalised adsorption coefficient	≥1,69 – ≤4,9 (ECHA)
--	---------------------

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- **HP3** flammable
- HP 4 irritant skin irritation and eye damage
- **HP 5** specific target organ toxicity (STOT)/aspiration toxicity
- HP 13 sensitising
- HP 14 ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Oil of bergamot , natural

article number: 6501

SEC	TION 14: Transport information			
14.1	UN number or ID number			
	ADRRID	UN 1197		
	IMDG-Code	UN 1197		
	ICAO-TI	UN 1197		
14.2	UN proper shipping name			
	ADRRID	EXTRACTS, LIQUID		
	IMDG-Code	EXTRACTS, LIQUID		
	ICAO-TI	Extracts, liquid		
14.3	Transport hazard class(es)			
	ADRRID	3		
	IMDG-Code	3		
	ICAO-TI	3		
14.4	Packing group			
	ADRRID	III		
	IMDG-Code	III		
	ICAO-TI	III		
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations		
14.6	Special precautions for user			
	Provisions for dangerous goods (ADR) should	be complied within the premises.		
14.7	Maritime transport in bulk according to IN			
	The cargo is not intended to be carried in bulk.			
14.8	Information for each of the UN Model Reg	ulations		
	Agreement concerning the International (information	Carriage of Dangerous Goods by Road (ADR)Additional		
	Proper shipping name	EXTRACTS, LIQUID		
	Particulars in the transport document	UN1197, EXTRACTS, LIQUID, 3, III, (D/E)		
	Classification code	F1		
	Danger label(s)	3		
	Special provisions (SP)	601		
	Excepted quantities (EQ)	E1		
	Limited quantities (LQ)	5 L		

3

Transport category (TC)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Oil of bergamot , natural

Tunnel restriction code (TRC)	D/E
Hazard identification No	30
Regulations concerning the International (information	Carriage of Dangerous Goods by Rail (RID)Additiona
Classification code	F1
Danger label(s)	3
Special provisions (SP)	601
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Hazard identification No	30
International Maritime Dangerous Goods (Code (IMDG) - Additional information
Proper shipping name	EXTRACTS, LIQUID
Particulars in the shipper's declaration	UN1197, EXTRACTS, LIQUID, 3, III, 56°C c.c.
Marine pollutant	-
Danger label(s)	3
Special provisions (SP)	223, 955
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-E, S-D
Stowage category	A
International Civil Aviation Organization (l	ICAO-IATA/DGR) - Additional information
Proper shipping name	Extracts, liquid
Particulars in the shipper's declaration	UN1197, Extracts, liquid, 3, III
Danger label(s)	3
*	
Special provisions (SP)	A3
Excepted quantities (EQ)	E1
Limited quantities (LQ)	10 L

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Oil of bergamot, natural

article number: 6501

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Oil of bergamot	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
Oil of bergamot	flammable / pyrophoric		R40	40
Oil of bergamot	substances in tattoo inks and perman- ent make-up		R75	75

Legend R3

R40

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

tricks and jokes,

games for one or more participants, or any article intended to be used as such, even with ornamental aspects,

 Articles not complying with paragraph 1 shall not be placed on the market.
 Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they

- can be used as fuel in decorative oil lamps for supply to the general public, and

present an aspiration hazard and are labelled with H304.

4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and pack-aging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:

ments are met:
(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil - or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';
1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended

1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following: - metallic glitter intended mainly for decoration, - artificial snow and frost,

- 'whoopee' cushions,

- silly string aerosols

- imitation excrement,

- horns for parties,

- decorative flakes and foams,

- artificial cobwebs

stink bombs.

2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:

'For professional users only'.

By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
 The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.





according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Oil of bergamot, natural

article number: 6501



Legend R75

1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such sub-stances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:

(a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight; (b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by

weight;

(c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser cat-egory 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;

(d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive cat-egory 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than: (i) 0,1 % by weight, if the substance is used solely as a pH regulator

(ií) 0,01 % by weight, in all other cases;

(e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (*1), the substance is present in the

(f) in the case of a substance in which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;

(ii) "Rinse-off products";
(ii) "Not to be used in products applied on mucous membranes";
(iii) "Not to be used in eye products";

(g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column; (h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration. (n) In the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.
2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.
3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the strictest in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.

A. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:
(a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);
(b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).
5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of the paragraph 1 or substance then paragraph 1 or substance to paragraph 1 or substance then paragraph 1 or substance to paragraph 1 or su plication of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, para-graph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification. 6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes affect after the date referred to in paragraph 1 or as the case may be paragraph 4 of this entry.

amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made. 7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information: (a) the statement "Mixture for use in tattoos or permanent make-up"; (b) a reference number to uniquely identify the barch:

(a) the statement "Mixture for use in tattoos or permanent make-up";
(b) a reference number to uniquely identify the batch;
(c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation;
(d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;
(e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;

tion limit specified in Appendix 13

(f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below

the concentration limit specified in Appendix 13; (g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.

The information shall be clearly visible, easily legible and marked in a way that is indelible. The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise. Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use.

Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph. 8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for

tattooing purposes.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Oil of bergamot , natural

article number: 6501

Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

Seveso Directive

2012/18/EU (Seveso III)					
Νο	Dangerous substance/hazard categories	Qualifying quantity plication of lower quire		Notes	
P5c	flammable liquids (cat. 2, 3)	5.000	50.000	51)	

Notation

51) Flammable liquids, categories 2 or 3 not covered by P5a and P5b

Deco-Paint Directive

VOC content	100 %
VOC content	880 ^g /l

Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	880 ^g /l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

not listed

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Oil of bergamot , natural

article number: 6501

Regulation on persistent organic pollutants (POP)

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status	
AU	AIIC	substance is listed	
CA	DSL	substance is listed	
CN	IECSC	substance is listed	
KR	KECI	substance is listed	
NZ	NZIoC	substance is listed	
PH	PICCS	substance is listed	
TW	TCSI	substance is listed	
US	TSCA	substance is listed (ACTIVE)	
VN	NCI	substance is listed	

Legend

AIIC	Australian Inventory of Industrial Chemicals
DSL	Domestic Substances List (DSL)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical safety assessment

According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1		National inventories: change in the listing (table)	yes
15.2	Chemical Safety Assessment: No Chemical Safety Assessment has been car- ried out for this substance.	Chemical safety assessment: According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.	yes

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Oil of bergamot , natural



article number: 6501

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)	
BCF	Bioconcentration factor	
BOD	Biochemical Oxygen Demand	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
COD	Chemical oxygen demand	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi fier of substances commercially available within the EU (European Union)	
ED	Endocrine disruptor	
EINECS	European Inventory of Existing Commercial Chemical Substances	
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality	
log KOW	n-Octanol/water	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Oil of bergamot , natural

article number: 6501

Abbr.	Descriptions of used abbreviations
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
SVHC	Substance of Very High Concern
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.