article number: 6510 Version: GHS 2.0 en Replaces version of: 2021-06-17 Version: (GHS 1)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance

Article number

CAS number

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

This substance does not meet the criteria for classification.

2.2 Label elements

Labelling

not required

acc. to Safe Work Australia - Code of Practice

Ethylenediamine tetraacetic acid manganese disodium salt dihydrate \geq 93%, for synthesis

Australia (en)

Safety data sheet Safety data sheet

date of compilation: 2021-06-17 Revision: 2024-03-03



6510

15375-84-5

Laboratory chemical Laboratory and analytical use

sicherheit@carlroth.de

Do not use for private purposes (household). Food, drink and animal feedingstuffs.

Ethylenediamine tetraacetic acid manganese **disodium salt dihydrate** ≥ 93%, for synthesis

acc. to Safe Work Australia - Code of Practice

Ethylenediamine tetraacetic acid manganese disodium salt dihydrate \ge 93%, for synthesis

article number: 6510

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance

Ethylenediamine tetraacetic acid manganese disodium salt dihydrate

C₁₀H₁₂MnN₂Na₂O₈ * 2 H₂O

425.2 ^g/_{mol}

15375-84-5

Molecular formula

Molar mass

CAS No

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed none

acc. to Safe Work Australia - Code of Practice



Ethylenediamine tetraacetic acid manganese disodium salt dihydrate \ge 93%, for synthesis

article number: 6510

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Control of dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

acc. to Safe Work Australia - Code of Practice

Ethylenediamine tetraacetic acid manganese disodium salt dihydrate \ge 93%, for synthesis

article number: 6510

SECTION 7: Handling and storage

7.1 Precautions for safe handling Provide adequate ventilation.

Advice on general occupational hygiene Wash hands before breaks and after work.

7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	nuisance dusts		WES	10			i	WES

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur
Inhalable fraction
STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Human health values

Relevant DN	Relevant DNELs and other threshold levels						
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time			
DNEL	10 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects			
DNEL	25,000 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects			



acc. to Safe Work Australia - Code of Practice



Ethylenediamine tetraacetic acid manganese disodium salt dihydrate \ge 93%, for synthesis

article number: 6510

Environm	Environmental values							
Relevant	Relevant PNECs and other threshold levels							
End- point	Threshold level	Organism	Environmental com- partment	Exposure time				
PNEC	2.67 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)				
PNEC	0.27 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)				
PNEC	64 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)				
PNEC	0.208 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)				

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

acc. to Safe Work Australia - Code of Practice

Ethylenediamine tetraacetic acid manganese disodium salt dihydrate \ge 93%, for synthesis

article number: 6510

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Physical state solid Form powder, crystalline Colour light pink Odour odourless 252 °C Melting point/freezing point Boiling point or initial boiling point and boiling not determined range Flammability this material is combustible, but will not ignite readily Lower and upper explosion limit not determined Flash point not applicable Auto-ignition temperature 264 °C at 101,325 Pa (ECHA) >252 °C Decomposition temperature pH (value) this information is not available Kinematic viscosity not relevant Solubility(ies) Water solubility 412 ^g/_l at 25 °C (ECHA) Partition coefficient Partition coefficient n-octanol/water (log value): -8.12 (ECHA) 0.001 mbar at 120.8 °C Vapour pressure Density and/or relative density Density 1.403 ^g/_{cm³} at 20 °C (ECHA) Relative vapour density Information on this property is not available. No data available. Particle characteristics Other safety parameters Oxidising properties none 9.2 **Other information** Information with regard to physical hazard hazard classes acc. to GHS (physical hazards): not relevant classes: There is no additional information. Other safety characteristics:





acc. to Safe Work Australia - Code of Practice



Ethylenediamine tetraacetic acid manganese disodium salt dihydrate \ge 93%, for synthesis

article number: 6510

SECTION 10: Stability and reactivity

10.1 Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: >252 °C.

10.5 Incompatible materials

aluminium

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

This substance does not meet the criteria for classification.

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful if swallowed or if inhaled.

Acute toxicity						
Exposure route	Endpoint	Value	Species	Source		
oral	LD50	>2,000 ^{mg} / _{kg}	rat	ECHA		
inhalation: dust/mist	LC50	>5.16 ^{mg} /ı/4h	rat	ECHA		

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

acc. to Safe Work Australia - Code of Practice

Ethylenediamine tetraacetic acid manganese disodium salt dihydrate \ge 93%, for synthesis

article number: 6510

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

Data are not available.

• If in eyes

Data are not available.

• If inhaled

Inhalation of dust may cause irritation of the respiratory system

• If on skin

Data are not available.

• Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life.

quatic toxicity (acute)					
Endpoint	Value	Species	Source	Exposure time	
LC50	100 ^{mg} / _l	daphnia magna		48 h	
LC50	100 ^{mg} / _l	fish		96 h	
EC50	100.9 ^{mg} / _l	aquatic invertebrates	ECHA	48 h	
ErC50	649.3 ^{mg} / _l	algae	ECHA	72 h	
quatic toxicity (chro	onic)				
Endpoint	Value	Species	Source	Exposure time	
EC50	365 ^{mg} / _l	aquatic invertebrates	ECHA	21 d	



acc. to Safe Work Australia - Code of Practice





article number: 6510

12.2 Persistence and degradability

Theoretical Oxygen Demand (without nitrification): $0.5739 \text{ }^{\text{mg}}/_{\text{mg}}$ Theoretical Oxygen Demand (with nitrification): $0.7338 \text{ }^{\text{mg}}/_{\text{mg}}$ Theoretical Carbon Dioxide: $1.035 \text{ }^{\text{mg}}/_{\text{mg}}$

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	-8.12 (ECHA)	
BCF	1.8 (ECHA)	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number

- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards

not subject to transport regulations

not assigned

not assigned

not assigned

non-environmentally hazardous acc. to the dangerous goods regulations

acc. to Safe Work Australia - Code of Practice



article number: 6510

- 14.6 Special precautions for user There is no additional information.
- 14.7 Transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.
- 14.8 Information for each of the UN Model Regulations
 - Transport informationNational regulationsAdditional information(UN RTDG)

Not subject to transport regulations. UN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
NZ	NZIoC	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

AIIC Australian Inventory of Industrial Chemicals CICR Chemical Inventory and Control Regulation CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)



acc. to Safe Work Australia - Code of Practice

Ethylenediamine tetraacetic acid manganese disodium salt dihydrate \ge 93%, for synthesis

article number: 6510

Legend	
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
REACH Reg	. REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1		Other information: Directive 94/33/EC on the protection of young people at work. Observe employment restric- tions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations		
BCF	Bioconcentration factor		
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)		
Ceiling-C	Ceiling value		
DGR	Dangerous Goods Regulations (see IATA/DGR)		
DNEL	Derived No-Effect Level		
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval		
ED	Endocrine disruptor		
EINECS	European Inventory of Existing Commercial Chemical Substances		
ELINCS	European List of Notified Chemical Substances		
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control		
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions		
IATA	International Air Transport Association		
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)		



acc. to Safe Work Australia - Code of Practice



Ethylenediamine tetraacetic acid manganese disodium salt dihydrate \ge 93%, for synthesis

article number: 6510

Abbr.	Descriptions of used abbreviations
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
РВТ	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
STEL	Short-term exposure limit
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.