

**1 Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name:** BISMUTH SUBCARBONAT  $\geq$  97,5%, USP**Article number:** 6551**CAS Number:**

5892-10-4

**EC number:**

227-567-9

**Registration number**

A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**Application of the substance / the preparation**

Laboratory chemical

**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Carl Roth GmbH + Co. KG

Schoemperlenstraße 3-5

76185 Karlsruhe

Germany

Telefon: +49/(0)721 5606-0

Telefax: +49/(0)721 5606-149

E-Mail: [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)**Further information obtainable from:** Department Health, Safety and Environment**1.4 Emergency telephone number:**

Poison Centre Munich

Telefon +49/(0)89 19240

**2 Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008** Void**Classification according to Directive 67/548/EEC or Directive 1999/45/EC** Void**Additional information:** Note, not yet fully tested.**2.2 Label elements****Labelling according to Regulation (EC) No 1272/2008** Void**Hazard pictograms** Void**Signal word** Void**Hazard statements** Void**2.3 Other hazards**

All chemicals are potentially dangerous. They are therefore only be handled by specially trained personnel with the necessary care.

**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.

(Contd. on page 2)

**Trade name: BISMUTH SUBCARBONAT  $\geq 97,5\%$ , USP**

(Contd. of page 1)

### 3 Composition/information on ingredients

#### 3.1 Chemical characterization: Substances

**CAS No. Description**

5892-10-4 dibismuth carbonate dioxide

**Identification number(s)****EC number:** 227-567-9**Formula:**  $\text{CBi}_2\text{O}_5$ **Molar mass [g/mol]:** 509,97

### 4 First aid measures



#### 4.1 Description of first aid measures

**General information:**

Remove any clothing soiled by the product.

**After inhalation:**

Supply fresh air; if there is any trouble seek medical help.

**After skin contact:**

Rinse with water

If there is any trouble seek medical help.

**After eye contact:**

To be sure rinse opened eye under running water. If there is any trouble seek medical help.

**After swallowing:**

Rinse out mouth and then drink water.

Seek medical treatment.

#### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Firefighting measures

#### 5.1 Extinguishing media

**Suitable extinguishing agents:**

Use fire extinguishing methods suitable to surrounding conditions.

CO<sub>2</sub>, powder, foam or water spray.

#### 5.2 Special hazards arising from the substance or mixture

In the event of fire development of hazardous combustion gases or vapours possible.

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

(Contd. on page 3)



**Trade name: BISMUTH SUBCARBONAT  $\geq$  97,5%, USP**

(Contd. of page 2)

### 5.3 Advice for firefighters

#### Protective equipment:

Wear self-contained respiratory protective device.

In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

## 6 Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with the eyes and skin.

Do not breathe dust.

### 6.2 Environmental precautions

Do not allow product to reach sewage system or any water course.

### 6.3 Methods and material for containment and cleaning up

Pick up mechanically.

Dispose of the material collected according to regulations.

### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

### 7.1 Precautions for safe handling

Provide suction extractors if dust is formed.

Keep containers, equipment and working place clean.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage:

#### Requirements to be met by storerooms and receptacles:

No special requirements.

#### Information about storage in one common storage facility:

Store away from foodstuffs.

#### Further information about storage conditions:

Keep container tightly sealed.

Store in dry conditions.

**Recommended storage temperature:** +15 °C - +25 °C

### 7.3 Specific end use(s)

No further relevant information available.

## 8 Exposure controls/personal protection

#### Additional information about design of technical facilities:

No further data; see item 7.

### 8.1 Control parameters

**Ingredients with limit values that require monitoring at the workplace:** Not required.

#### Additional information:

The lists valid during the making were used as basis.

(Contd. on page 4)

**Trade name: BISMUTH SUBCARBONAT  $\geq$  97,5%, USP**

(Contd. of page 3)

## 8.2 Exposure controls

### Personal protective equipment:

#### **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

#### **Individual protection measures**

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

#### **Respiratory protection:**



Particle filter required when dusts are generated.

Recommended filter typ:

Filter P1 (colour code: white)

#### **Protection of hands:**



Protective gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### **Material of gloves**

Nitrile, thickness:  $\geq$  0.11 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

#### **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### **Eye protection:**



Tightly sealed goggles

#### **Body protection:**

Protective work clothing

(Contd. on page 5)



**Trade name: BISMUTH SUBCARBONAT  $\geq$  97,5%, USP**

(Contd. of page 4)

## 9 Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### General Information

#### Appearance:

Form:	Powder
Colour:	Yellowish
Odour:	Odourless
Odour threshold:	No information available.

pH-value: No information available.

#### Change in condition

Melting point/Melting range:	No information available.
Boiling point/Boiling range:	Not applicable (decomposition)

Flash point: No information available

Flammability (solid, gaseous): No information available

Ignition temperature: No information available

Decomposition temperature: No information available

Self-igniting: No information available

Danger of explosion: No information available

#### Explosion limits:

Lower:	No information available.
Upper:	No information available.

Oxidizing properties: No information available.

Vapour pressure: No information available

Density at 20 °C: 6.86 g/cm<sup>3</sup>

Vapour density: No information available

Evaporation rate: No information available

#### Solubility in / Miscibility with water:

Not miscible or difficult to mix.

Partition coefficient (n-octanol/water): No information available

#### Viscosity:

Dynamic:	No information available.
Kinematic:	No information available.

**9.2 Other information** No further relevant information available.

## 10 Stability and reactivity

### 10.1 Reactivity

See section 10.3

### 10.2 Chemical stability

#### Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

### 10.3 Possibility of hazardous reactions

Reacts with strong oxidizing agents.

Reacts with strong acids.

(Contd. on page 6)

**Trade name: BISMUTH SUBCARBONAT  $\geq$  97,5%, USP**

(Contd. of page 5)

**10.4 Conditions to avoid**

Strong Heating. (decomposition)

**10.5 Incompatible materials:**

No information available.

**10.6 Hazardous decomposition products:**

In case of fire: see item 5.

**11 Toxicological information****11.1 Information on toxicological effects****Acute toxicity:****LD/LC50 values relevant for classification:**

Quantitative data on the toxicity of this product are not available.

**Primary irritant effect:****on the skin:**

Prolonged or repeated contact may cause skin irritations.

**on the eye:**

Intense exposure may cause irritative symptoms.

**after inhalation:**

Intensive contact with dusts may lead to irritations of the eyes and the respiratory tract.

**Sensitization:**

No sensitizing effects known.

**CMR effects:****Germ cell mutagenicity:**

No information available.

**Carcinogenicity:**

No information available.

**Reproductive toxicity:**

No information available.

**Aspiration hazard:**

No aspiration toxicity classification.

**Specific target organ toxicity - single exposure**

The substance or mixture is not classified as specific target organ toxicant, single exposure.

**Specific target organ toxicity - repeated exposure**

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Additional toxicological information:****Further information:**

To the best of our knowledge, the toxicological properties have not been thoroughly investigated. Hazardous properties cannot be excluded.

The product should be handled with the care usual when dealing with chemicals.

**12 Ecological information****12.1 Toxicity****Aquatic toxicity:**

Quantitative data on the ecological effect of this product are not available.

**12.2 Persistence and degradability**

No further relevant information available.

(Contd. on page 7)

## Safety data sheet

according to Regulation (EC) No. 1907/2006



Printing date 28.08.2013

Version number 1

Revision: 28.08.2013

**Trade name: BISMUTH SUBCARBONAT ≥ 97,5%, USP**

(Contd. of page 6)

**12.3 Bioaccumulative potential**

No further relevant information available.

**12.4 Mobility in soil**

No further relevant information available.

**Ecotoxicological effects:****Remark:**

Do not allow to enter waters, waste water, or soil!

**12.5 Results of PBT and vPvB assessment**

PBT: Not applicable.

vPvB: Not applicable.

**12.6 Other adverse effects**

No further relevant information available.

### 13 Disposal considerations

**Waste treatment methods****Recommendation**

The disposal is regionally differently regulated, therefore the kind of disposal is to be inquired at the responsible authorities.

**Uncleaned packaging:****Recommendation:**

Disposal according to official regulations.

### 14 Transport information

<b>14.1 UN-Number</b>	
ADR, ADN, IMDG, IATA	Void
<b>14.2 UN proper shipping name</b>	
ADR, ADN, IMDG, IATA	Void
<b>14.3 Transport hazard class(es)</b>	
ADR, ADN, IMDG, IATA Class	Void
<b>14.4 Packing group</b>	
ADR, IMDG, IATA	Void
<b>14.5 Environmental hazards:</b>	
Marine pollutant:	No
<b>14.6 Special precautions for user</b>	Not applicable.
<b>14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
<b>Transport/Additional information:</b>	
ADR Remarks:	Not subject to transport regulations.

(Contd. on page 8)

# Safety data sheet

according to Regulation (EC) No. 1907/2006



Printing date 28.08.2013

Version number 1

Revision: 28.08.2013

**Trade name: BISMUTH SUBCARBONAT  $\geq$  97,5%, USP**

(Contd. of page 7)

**UN "Model Regulation":**

-

## 15 Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**National regulations:****Waterhazard class:** Water hazard class 3 (Self-assessment): extremely hazardous for water.

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Department issuing MSDS:** Department: Health, Safety and Environment**Contact:** Frau Weckemann**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

LD50\*: Lethal Dose, 50 percent (Not relevant for classification)

LD50\*: Lethal Concentration, 50 percent (Not relevant for classification)