acc. to Safe Work Australia - Code of Practice



date of compilation: 2019-02-14

Revision: 2024-03-02

Bismuth(III) oxide ≥99,5 %, p.a.

article number: **6555** Version: **GHS 4.0 en** Replaces version of: 2023-11-08 Version: (GHS 3)

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

Identification of the substance

Article number

CAS number

**Bismuth(III) oxide** ≥99,5 %, p.a.

6555

1304-76-3

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Laboratory chemical Laboratory and analytical use

Uses advised against:

Do not use for private purposes (household). Food, drink and animal feedingstuffs.

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

### e-mail (competent person):

### sicherheit@carlroth.de

### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### **Classification acc. to GHS**

This substance does not meet the criteria for classification.

### 2.2 Label elements

### Labelling

not required

acc. to Safe Work Australia - Code of Practice

### Bismuth(III) oxide ≥99,5 %, p.a.

article number: 6555

### 2.3 Other hazards

### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

### **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Name of substanceBismuth(III) oxideMolecular formulaBi2O3Molar mass466 g/molCAS No1304-76-3

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures



### **General notes**

No special measures are necessary.

### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

### Following skin contact

Rinse skin with water/shower.

### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

### **Following ingestion**

Rinse mouth. Call a doctor if you feel unwell.

# **4.2** Most important symptoms and effects, both acute and delayed Symptoms and effects are not known to date.

# **4.3 Indication of any immediate medical attention and special treatment needed** none



acc. to Safe Work Australia - Code of Practice



### Bismuth(III) oxide ≥99,5 %, p.a.

article number: 6555

### SECTION 5: Firefighting measures

### 5.1 Extinguishing media



### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, dry extinguishing powder, ABC-powder

### Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



### For non-emergency personnel

Control of dust.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically.

### Other information relating to spills and releases

Place in appropriate containers for disposal.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

acc. to Safe Work Australia - Code of Practice



### Bismuth(III) oxide ≥99,5 %, p.a.

article number: 6555

### **SECTION 7: Handling and storage**

#### **Precautions for safe handling** 7.1

No special measures are necessary.

### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

### Incompatible substances or mixtures

Observe hints for combined storage.

### **Consideration of other advice:**

#### **Ventilation requirements**

Use local and general ventilation.

### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 **Control parameters**

### National limit values

### **Occupational exposure limit values (Workplace Exposure Limits)**

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	nuisance dusts		WES	10			i	WES

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

Inhalable fraction

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-TWA

minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

### Human health values

Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	70.5 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects

acc. to Safe Work Australia - Code of Practice



### Bismuth(III) oxide ≥99,5 %, p.a.

article number: 6555

Environm	iental values				
Relevant PNECs and other threshold levels					
End- point	Threshold level	Organism	Environmental com- partment	Exposure time	
PNEC	0.1 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)	
PNEC	0.01 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)	
PNEC	17.5 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)	
PNEC	45,709 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)	
PNEC	4,571 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)	
PNEC	67.6 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)	

### 8.2 Exposure controls

### Individual protection measures (personal protective equipment)

### Eye/face protection



Use safety goggle with side protection.

### Skin protection



### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

### • type of material

NBR (Nitrile rubber)

### material thickness

>0,11 mm

### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

acc. to Safe Work Australia - Code of Practice

### Bismuth(III) oxide ≥99,5 %, p.a.

article number: 6555

### Environmental exposure controls

Keep away from drains, surface and ground water.

# SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state       solid         Form       powder         Colour       light yellow         Odour       odourless         Metting point/freezing point       817 - 820 °C         Boiling point or initial boiling point and boiling       1,890 °C         Flammability       non-combustible         Lower and upper explosion limit       not determined         Plast point       not determined         Auto-ignition temperature       not determined         Decomposition temperature       not relevant         pH (value)       not relevant         Kinematic viscosity       not relevant         Water solubility       (practically insoluble)         Partition coefficient       not determined         Partition coefficient n-octanol/water (log value):       not relevant (inorganic)         Vapour pressure       not determined         Density and/or relative density       Information on this property is not available         Bulk density       -1,000 <sup>kg</sup> / <sub>m³</sub> Particle characteristics       No data available.         Other information       none		•
Colouright yellowOdourodourlessMelting point/freezing point817 - 820 °CBoiling point or initial boiling point and boiling range1,890 °CFlammabilitynon-combustibleLower and upper explosion limitnot determinedFlash pointnot determinedAuto-ignition temperaturenot determinedDecomposition temperaturenot relevantpH (value)not applicableKinematic viscositynot relevantWater solubility(practically insoluble)Partition coefficientnot determinedPartition coefficientnot determinedDensity and/or relative densityInformation on this property is not availableDensity-1,000 kg/m³Bulk density-1,000 kg/m³Particle characteristicsNo data available.Other safety parameters Oxidising propertiesnone	Physical state	solid
OdourodourlessMelting point/freezing point817 - 820 °CBoiling point or initial boiling point and boiling range1,890 °CFlammabilitynon-combustibleLower and upper explosion limitnot determinedFlash pointnot applicableAuto-ignition temperaturenot determinedDecomposition temperaturenot relevantpH (value)not relevantSolubility(ies)(practically insoluble)Water solubility(practically insoluble)Partition coefficientnot determinedPartition coefficient n-octanol/water (log value):not relevant (inorganic)Vapour pressurenot determinedDensity and/or relative densitySol 91/cm³ at 20 °CRelative vapour densityInformation on this property is not availableBulk density-1,000 kg/m³Particle characteristicsNo data available.Other safety parameters Oxidising propertiesnone	Form	powder
Melting point/freezing point817 - 820 °CBoiling point or initial boiling point and boiling range1,890 °CFlammabilitynon-combustibleLower and upper explosion limitnot determinedFlash pointnot applicableAuto-ignition temperaturenot determinedDecomposition temperaturenot relevantPH (value)not applicableKinematic viscositynot relevantSolubility(ies)(practically insoluble)Water solubility(practically insoluble)Partition coefficient Partition coefficient n-octanol/water (log value):not determinedDensity and/or relative density Density8.93 9/ <sub>cm3</sub> at 20 °CRelative vapour density Bulk densityInformation on this property is not available -1,000 kg/ <sub>m3</sub> Other safety parameters Oxidising propertiesNo data available.	Colour	light yellow
Boiling point or initial boiling point and boiling range1,890 °CFlammabilitynon-combustibleLower and upper explosion limitnot determinedFlash pointnot applicableAuto-ignition temperaturenot determinedDecomposition temperaturenot applicableKinematic viscositynot relevantSolubility(ies)Water solubilityWater solubility(practically insoluble)Partition coefficientnot determinedPartition coefficient n-octanol/water (log value):not relevant (inorganic)Vapour pressurenot determinedDensity and/or relative densityInformation on this property is not availableBulk density~1,000 kg/m³Particle characteristicsNo data available.Oxidising propertiesnone	Odour	odourless
rangeFlammabilitynon-combustibleLower and upper explosion limitnot determinedFlash pointnot applicableAuto-ignition temperaturenot determinedDecomposition temperaturenot relevantpH (value)not applicableKinematic viscositynot relevantSolubility(ies)water solubilityWater solubility(practically insoluble)Partition coefficientnot determinedPartition coefficient n-octanol/water (log value):not relevant (inorganic)Vapour pressurenot determinedDensity and/or relative densityInformation on this property is not availableBulk density~1,000 kg/m³Particle characteristicsNo data available.Oxtidising propertiesnone	Melting point/freezing point	817 – 820 °C
Lower and upper explosion limitnot determinedFlash pointnot applicableAuto-ignition temperaturenot determinedDecomposition temperaturenot relevantpH (value)not applicableKinematic viscositynot relevantSolubility(ies)(practically insoluble)Water solubility(practically insoluble)Partition coefficientnot relevant (inorganic)Partition coefficientnot determinedPartition coefficientnot determinedPartition coefficientnot determinedPartition coefficientnot relevant (inorganic)Vapour pressurenot determinedDensity and/or relative densitys.93 9/cm³ at 20 °CRelative vapour densityInformation on this property is not availableBulk density~1,000 kg/m³Particle characteristicsNo data available.Other safety parametersnone		1,890 °C
Flash pointnot applicableAuto-ignition temperaturenot determinedDecomposition temperaturenot relevantpH (value)not applicableKinematic viscositynot relevantSolubility(ies)(practically insoluble)Water solubility(practically insoluble)Partition coefficientnot relevant (inorganic)Partition coefficient n-octanol/water (log value):not relevant (inorganic)Vapour pressurenot determinedDensity and/or relative densitys.93 9/cm³ at 20 °CRelative vapour densityInformation on this property is not availableBulk density~1,000 kg/m³Particle characteristicsNo data available.Other safety parametersnone	Flammability	non-combustible
Auto-ignition temperaturenot determinedDecomposition temperaturenot relevantpH (value)not applicableKinematic viscositynot relevantSolubility(ies)(practically insoluble)Water solubility(practically insoluble)Partition coefficientnot relevant (inorganic)Partition coefficient n-octanol/water (log value):not relevant (inorganic)Vapour pressurenot determinedDensity and/or relative densitys.93 9/cm³ at 20 °CRelative vapour densityInformation on this property is not availableBulk density~1,000 kg/m³Particle characteristicsNo data available.Other safety parameters Oxidising propertiesnone	Lower and upper explosion limit	not determined
Decomposition temperaturenot relevantpH (value)not applicableKinematic viscositynot relevantSolubility(ies)water solubilityWater solubility(practically insoluble)Partition coefficientnot relevant (inorganic)Partition coefficient n-octanol/water (log value):not relevant (inorganic)Vapour pressurenot determinedDensity and/or relative densitynot determinedDensity8.93 9/cm³ at 20 °CRelative vapour densityInformation on this property is not availableBulk density~1,000 kg/m³Particle characteristicsNo data available.Other safety parametersnone	Flash point	not applicable
pH (value)not applicableKinematic viscositynot relevantSolubility(ies)(practically insoluble)Water solubility(practically insoluble)Partition coefficient Partition coefficient n-octanol/water (log value):not relevant (inorganic)Vapour pressurenot determinedDensity and/or relative density Densitys.93 g/cm³ at 20 °CRelative vapour density Bulk densityInformation on this property is not available ~1,000 kg/m³Particle characteristicsNo data available.Other safety parameters Oxidising propertiesnone	Auto-ignition temperature	not determined
Kinematic viscosity       not relevant         Solubility(ies)       (practically insoluble)         Water solubility       (practically insoluble)         Partition coefficient       not relevant (inorganic)         Partition coefficient n-octanol/water (log value):       not relevant (inorganic)         Vapour pressure       not determined         Density and/or relative density       s.93 %/cm³ at 20 °C         Relative vapour density       Information on this property is not available         Bulk density       ~1,000 kg/m³         Particle characteristics       No data available.         Other safety parameters       none	Decomposition temperature	not relevant
Solubility(ies)       (practically insoluble)         Water solubility       (practically insoluble)         Partition coefficient       not relevant (inorganic)         Partition coefficient n-octanol/water (log value):       not relevant (inorganic)         Vapour pressure       not determined         Density and/or relative density       s.93 9/cm³ at 20 °C         Relative vapour density       Information on this property is not available         Bulk density       ~1,000 kg/m³         Particle characteristics       No data available.         Other safety parameters       none	pH (value)	not applicable
Water solubility(practically insoluble)Partition coefficient Partition coefficient n-octanol/water (log value):not relevant (inorganic)Vapour pressurenot determinedDensity and/or relative density Density8.93 g/cm³ at 20 °CRelative vapour density Bulk densityInformation on this property is not available ~1,000 kg/m³Particle characteristicsNo data available.Other safety parameters Oxidising propertiesnone	Kinematic viscosity	not relevant
Partition coefficient Partition coefficient n-octanol/water (log value):not relevant (inorganic)Vapour pressurenot determinedDensity and/or relative density Density8.93 9/cm³ at 20 °CRelative vapour density Bulk densityInformation on this property is not available ~1,000 kg/m³Particle characteristicsNo data available.Other safety parameters Oxidising propertiesnone	Solubility(ies)	
Partition coefficient n-octanol/water (log value):not relevant (inorganic)Vapour pressurenot determinedDensity and/or relative density8.93 g/cm³ at 20 °CDensity8.93 g/cm³ at 20 °CRelative vapour densityInformation on this property is not available ~1,000 kg/m³Bulk density~1,000 kg/m³Particle characteristicsNo data available.Other safety parameters Oxidising propertiesnone	Water solubility	(practically insoluble)
Vapour pressurenot determinedDensity and/or relative density $8.93  {}^9/{}_{cm^3}$ at 20 °CDensity $8.93  {}^9/{}_{cm^3}$ at 20 °CRelative vapour densityInformation on this property is not availableBulk density $-1,000  {}^{kg}/{}_{m^3}$ Particle characteristicsNo data available.Other safety parameters Oxidising propertiesnone	Partition coefficient	
Density and/or relative density   Density   Density   Density   Relative vapour density   Bulk density   Particle characteristics   Other safety parameters   Oxidising properties	Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
Density8.93 g/cm³ at 20 °CRelative vapour densityInformation on this property is not availableBulk density~1,000 kg/m³Particle characteristicsNo data available.Other safety parameters	Vapour pressure	not determined
Relative vapour density Information on this property is not available   Bulk density ~1,000 kg/m³   Particle characteristics No data available.   Other safety parameters none	Density and/or relative density	
Bulk density~1,000 kg/m³Particle characteristicsNo data available.Other safety parameters Oxidising propertiesnone	Density	8.93 <sup>g</sup> / <sub>cm³</sub> at 20 °C
Particle characteristics     No data available.       Other safety parameters     Oxidising properties	Relative vapour density	Information on this property is not available.
Other safety parameters Oxidising properties none	Bulk density	~1,000 <sup>kg</sup> / <sub>m³</sub>
Other safety parameters Oxidising properties none		
Oxidising properties none	Particle characteristics	No data available.
	Other safety parameters	
Other information	Oxidising properties	none
	Other information	

9.2



acc. to Safe Work Australia - Code of Practice

### Bismuth(III) oxide ≥99,5 %, p.a.

article number: 6555

Information with regard to physical hazard classes:

hazard classes acc. to GHS (physical hazards): not relevant

There is no additional information.

Other safety characteristics:

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### **10.5** Incompatible materials

There is no additional information.

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

### **SECTION 11: Toxicological information**

### **11.1** Information on toxicological effects

### **Classification acc. to GHS**

This substance does not meet the criteria for classification.

### Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful if swallowed or if inhaled.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>2,000 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA
inhalation: dust/ mist	LC50	>5.07 <sup>mg</sup> / <sub>l</sub> /4h	rat		ECHA

### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.



acc. to Safe Work Australia - Code of Practice

### Bismuth(III) oxide ≥99,5 %, p.a.

article number: 6555

#### Carcinogenicity

Shall not be classified as carcinogenic.

### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

### • If swallowed

Data are not available.

#### • If in eyes

Data are not available.

### If inhaled

Inhalation of dust may cause irritation of the respiratory system

### • If on skin

Data are not available.

### Other information

none

### **11.2 Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)					
Endpoint	Value	Species	Source	Exposure time	
LC50	>137 <sup>mg</sup> / <sub>l</sub>	fish	ECHA	96 h	
EC50	>137 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	48 h	
ErC50	>137 <sup>mg</sup> / <sub>l</sub>	algae	ECHA	72 h	

### 12.2 Persistence and degradability

Data are not available.

### 12.3 Bioaccumulative potential

Data are not available.



acc. to Safe Work Australia - Code of Practice



### Bismuth(III) oxide ≥99,5 %, p.a.

article number: 6555

### 12.4 Mobility in soil

Data are not available.

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6** Endocrine disrupting properties Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

### 12.7 Other adverse effects

Data are not available.

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

### Sewage disposal-relevant information

Do not empty into drains.

### Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

### **SECTION 14: Transport information**

- 14.1 UN number
- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards
- 14.6 Special precautions for user

There is no additional information.

- **14.7 Transport in bulk according to IMO instruments** The cargo is not intended to be carried in bulk.
- 14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

Not subject to transport regulations. UN RTDG

**International Maritime Dangerous Goods Code (IMDG) - Additional information** Not subject to IMDG.

not subject to transport regulations

not assigned

not assigned

not assigned

non-environmentally hazardous acc. to the dangerous goods regulations

acc. to Safe Work Australia - Code of Practice



### Bismuth(III) oxide ≥99,5 %, p.a.

article number: 6555

### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

### National regulations(Australia)

### Australian Inventory of Chemical Substances(AICS)

Substance is listed.

### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

#### Legend

AIICAustralian Inventory of Industrial ChemicalsCSCL-ENCSList of Existing and New Chemical Substances (CSCL-ENCS)DSLDomestic Substances List (DSL)ECSIEC Substance Inventory (EINECS, ELINCS, NLP)IECSCInventory of Existing Chemical Substances Produced or Imported in ChinaKECIKorea Existing Chemicals InventoryNCINational Chemical InventoryNZIOCNew Zealand Inventory of Chemicals and Chemical Substances (PICCS)PICCSPhilippine Inventory of Chemicals and Chemical Substances (PICCS)REACH Reg.REACH registered substancesTCSITaiwan Chemical Substance Inventory

TSCA Toxic Substance Control Act

### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

acc. to Safe Work Australia - Code of Practice



### Bismuth(III) oxide ≥99,5 %, p.a.

article number: 6555

### **SECTION 16: Other information**

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0,1%.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
STEL	Short-term exposure limit
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

acc. to Safe Work Australia - Code of Practice

### Bismuth(III) oxide ≥99,5 %, p.a.



#### article number: 6555

#### Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.