acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Oil of cedar leaf, pure

article number: **6594**Version: **2.0 en**date of compilation: 2021-12-09
Revision: 2024-02-21

Replaces version of: 2021-12-09

Version: (1)



#### 1.1 Product identifier

Identification of the substance Oil of cedar leaf , pure

Article number 6594

EC number 616-907-5 CAS number 8007-20-3

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-

stuffs.

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

#### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification acc. to GHS

United Kingdom (en) Page 1 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Oil of cedar leaf, pure

article number: 6594

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	3	Flam. Liq. 3	H226
3.10	Acute toxicity (oral)	3	Acute Tox. 3	H301
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.45	Skin sensitisation	1	Skin Sens. 1	H317
3.10	Aspiration hazard	1	Asp. Tox. 1	H304
4.1C	Hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16

### The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of watercourses.

#### 2.2 Label elements

#### Labelling

Signal word Danger

### **Pictograms**

GHS02, GHS06, GHS08, GHS09









#### **Hazard statements**

H226 H301 H304 H315 H317 H411	Flammable liquid and vapour Toxic if swallowed May be fatal if swallowed and enters airways Causes skin irritation May cause an allergic skin reaction Toxic to aquatic life with long lasting effects
H411	loxic to aquatic life with long lasting effects

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking

P280 Wear protective gloves/eye protection

#### **Precautionary statements - response**

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor

#### 2.3 Other hazards

This material is combustible, but will not ignite readily.

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

United Kingdom (en) Page 2 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



article number: 6594



## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

"UVCB substance" (substance of unknown or variable composition).

Name of substance Oil of cedar leaf

CAS No 8007-20-3 EC No 616-907-5

#### Impurities/additives/constituents:

Name of substance	Identifier	Wt%
(-)-α-Thujone	CAS No 546-80-5	50 - 75
	EC No 208-912-2	
Fenchone	CAS No 1195-79-5	10 – 25
	EC No 214-804-6	
Myrcene	CAS No 123-35-3	1 – < 5
	EC No 204-622-5	
Sabinene	CAS No 3387-41-5	1 – < 5
	EC No 222-212-4	
(+)-Camphor	CAS No 464-49-3	1 – < 5
	EC No 207-355-2	
4-Terpinenol	CAS No 562-74-3	1 – < 5
	EC No 209-235-5	
L-(-)-Limonene	CAS No 5989-54-8	1 – < 5
	EC No 227-815-6	
	Index No 601-029-00-7	
Camphene	CAS No 79-92-5	1-<5
	EC No 201-234-8	
DL-α-Pinene	CAS No 80-56-8	1-<5
	EC No 201-291-9	

United Kingdom (en) Page 3 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Oil of cedar leaf, pure

article number: 6594

Name of substance	Identifier	Wt%
y-Terpinene	CAS No 99-85-4	1-<5
	EC No 202-794-6	

#### Substance, Specific Conc. Limits, M-factors, ATE

Specific Conc. Limits	M-Factors	ATE	Exposure route
-	-	>50 <sup>mg</sup> / <sub>kg</sub>	oral

#### **Remarks**

For full text of abbreviations: see SECTION 16

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

#### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician. In case of skin irritation, consult a physician.

#### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

#### **Following ingestion**

Rinse mouth immediately and drink plenty of water. Call a physician immediately. Observe aspiration hazard if vomiting occurs.

#### 4.2 Most important symptoms and effects, both acute and delayed


Aspiration hazard, Irritation, Allergic reactions

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

United Kingdom (en) Page 4 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



article number: 6594



### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

#### **Hazardous combustion products**

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), May produce toxic fumes of carbon monoxide if burning.

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

#### **6.2** Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

United Kingdom (en) Page 5 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Oil of cedar leaf, pure

article number: 6594



#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Provision of sufficient ventilation. Clear contaminated areas thoroughly.

#### Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

#### Measures to protect the environment

Avoid release to the environment.

#### Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product. When using do not smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

#### **Incompatible substances or mixtures**

Observe hints for combined storage.

#### Consideration of other advice:

Store locked up. Ground/bond container and receiving equipment.

#### **Ventilation requirements**

Use local and general ventilation.

#### 7.3 Specific end use(s)

No information available.

### SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### **National limit values**

#### **Occupational exposure limit values (Workplace Exposure Limits)**

This information is not available.

Relevant DNELs	of compone	ents				
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
(+)-Camphor	464-49-3	DNEL	17,63 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects

United Kingdom (en) Page 6 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



article number: 6594



# Relevant DNELs of components


Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
(+)-Camphor	464-49-3	DNEL	10 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
DL-α-Pinene	80-56-8	DNEL	3,8 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - systemic effects
DL-α-Pinene	80-56-8	DNEL	0,542 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
L-(-)-Limonene	5989-54-8	DNEL	33,3 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
L-(-)-Limonene	5989-54-8	DNEL	222 μg/ cm²	human, dermal	worker (industry)	acute - local ef- fects
Camphene	79-92-5	DNEL	110,2 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Camphene	79-92-5	DNEL	110,2 mg/ m³	human, inhalat- ory	worker (industry)	acute - systemic effects
Camphene	79-92-5	DNEL	0,21 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Camphene	79-92-5	DNEL	1,25 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
y-Terpinene	99-85-4	DNEL	2,939 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
y-Terpinene	99-85-4	DNEL	0,833 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

# Relevant PNECs of components

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
(+)-Camphor	464-49-3	PNEC	1,71 <sup>µg</sup> / <sub>I</sub>	aquatic organ- isms	freshwater	short-term (single instance)
(+)-Camphor	464-49-3	PNEC	0,171 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
(+)-Camphor	464-49-3	PNEC	1 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
(+)-Camphor	464-49-3	PNEC	0,139 <sup>mg</sup> / kg	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
(+)-Camphor	464-49-3	PNEC	0,017 <sup>mg</sup> / kg	aquatic organ- isms	marine sediment	short-term (single instance)
(+)-Camphor	464-49-3	PNEC	0,013 <sup>mg</sup> / kg	terrestrial organ- isms	soil	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	0,606 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	0,061 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	0,2 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)

United Kingdom (en) Page 7 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



article number: 6594



# Relevant PNECs of components

Relevant PNECs	or compone	ents				
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
DL-α-Pinene	80-56-8	PNEC	157 <sup>µg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	15,7 <sup>µg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	31,7 <sup>µg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
L-(-)-Limonene	5989-54-8	PNEC	5,4 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
L-(-)-Limonene	5989-54-8	PNEC	0,54 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
L-(-)-Limonene	5989-54-8	PNEC	0,2 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
L-(-)-Limonene	5989-54-8	PNEC	1,322 <sup>mg</sup> / kg	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
L-(-)-Limonene	5989-54-8	PNEC	0,132 <sup>mg</sup> / kg	aquatic organ- isms	marine sediment	short-term (single instance)
L-(-)-Limonene	5989-54-8	PNEC	0,262 <sup>mg</sup> / kg	terrestrial organ- isms	soil	short-term (single instance)
Camphene	79-92-5	PNEC	0,001 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Camphene	79-92-5	PNEC	0 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Camphene	79-92-5	PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Camphene	79-92-5	PNEC	0,026 <sup>mg</sup> / kg	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Camphene	79-92-5	PNEC	0,003 <sup>mg</sup> / kg	aquatic organ- isms	marine sediment	short-term (single instance)
Camphene	79-92-5	PNEC	0,021 <sup>mg</sup> / kg	terrestrial organ- isms	soil	short-term (single instance)
y-Terpinene	99-85-4	PNEC	0,003 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
y-Terpinene	99-85-4	PNEC	0 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
y-Terpinene	99-85-4	PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
y-Terpinene	99-85-4	PNEC	0,49 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
y-Terpinene	99-85-4	PNEC	0,049 <sup>mg</sup> / kg	aquatic organ- isms	marine sediment	short-term (single instance)
y-Terpinene	99-85-4	PNEC	0,423 <sup>mg</sup> /	terrestrial organ- isms	soil	short-term (single instance)

United Kingdom (en) Page 8 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Oil of cedar leaf, pure

article number: 6594



#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

#### **Eye/face protection**





Use safety goggle with side protection.

#### Skin protection





#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### type of material

NBR (Nitrile rubber)

#### material thickness

≥0,3 mm

#### · breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

United Kingdom (en) Page 9 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Oil of cedar leaf, pure

article number: 6594



### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state liquid

Colour yellowish brown
Odour characteristic
Melting point/freezing point <20 °C (ECHA)

Boiling point or initial boiling point and boiling 193 °C (data apply to the main component)

range

Flammability flammable liquid in accordance with GHS criteria

Lower and upper explosion limit not determined

Flash point 62 °C at 97,3 kPa (ECHA) Auto-ignition temperature 260 °C at 1 atm (ECHA)

Decomposition temperature not relevant pH (value) not determined Kinematic viscosity not determined

Solubility(ies)

Water solubility not determined

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure not determined

Density and/or relative density

Density  $0,915 \, \mathrm{g/_{cm^3}}$ 

Relative vapour density Information on this property is not available.

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard There is no additional information.

classes:

Other safety characteristics:

Refractive index 1,458

United Kingdom (en) Page 10 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Oil of cedar leaf, pure

article number: 6594



### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

It's a reactive substance. Risk of ignition.

#### If heated

Risk of ignition. Vapours may form explosive mixtures with air.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

#### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### 10.5 Incompatible materials

There is no additional information.

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Classification acc. to GHS

#### **Acute toxicity**

Toxic if swallowed.

#### **Acute toxicity of components**

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
		Toute			
(-)-α-Thujone	546-80-5	oral	LD50	500 <sup>mg</sup> / <sub>kg</sub>	rat
Sabinene	3387-41-5	oral	LD50	301 – 2.000 <sup>mg</sup> / <sub>kg</sub>	rat
(+)-Camphor	464-49-3	oral	LD50	1.310 <sup>mg</sup> / <sub>kg</sub>	mouse
(+)-Camphor	464-49-3	dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat
DL-α-Pinene	80-56-8	dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat
DL-α-Pinene	80-56-8	oral	LD50	3.700 <sup>mg</sup> / <sub>kg</sub>	rat
Myrcene	123-35-3	oral	LD50	>3.380 <sup>mg</sup> / <sub>kg</sub>	mouse
Myrcene	123-35-3	dermal	LD50	>5.000 <sup>mg</sup> / <sub>kg</sub>	rabbit
4-Terpinenol	562-74-3	oral	LD50	1.300 <sup>mg</sup> / <sub>kg</sub>	rat
4-Terpinenol	562-74-3	dermal	LD50	>2.500 - <5.00 0 <sup>mg</sup> / <sub>kg</sub>	rabbit
y-Terpinene	99-85-4	oral	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat

United Kingdom (en) Page 11 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Oil of cedar leaf, pure

article number: 6594

Acute toxicity of components
------------------------------

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
y-Terpinene	99-85-4	dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

May cause an allergic skin reaction.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

May be fatal if swallowed and enters airways.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

aspiration hazard

#### • If in eyes

Data are not available.

#### • If inhaled

Data are not available.

#### • If on skin

causes skin irritation, May produce an allergic reaction, pruritis, localised redness

#### Other information

none

#### 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0.1\%$ .

#### 11.3 Information on other hazards

There is no additional information.

United Kingdom (en) Page 12 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



article number: 6594



### **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

### Aquatic toxicity (acute) of components

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Sabinene	3387-41-5	EC50	3.960 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
(+)-Camphor	464-49-3	LC50	33,25 <sup>mg</sup> / <sub>l</sub>	fish	96 h
(+)-Camphor	464-49-3	EC50	4,23 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
(+)-Camphor	464-49-3	ErC50	1,71 <sup>mg</sup> / <sub>l</sub>	algae	72 h
DL-α-Pinene	80-56-8	LC50	0,303 <sup>mg</sup> / <sub>l</sub>	fish	96 h
DL-α-Pinene	80-56-8	EC50	0,475 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Myrcene	123-35-3	EC50	1,47 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Myrcene	123-35-3	EC50	0,31 <sup>mg</sup> / <sub>l</sub>	algae	72 h
Myrcene	123-35-3	ErC50	0,342 <sup>mg</sup> / <sub>l</sub>	algae	72 h
Camphene	79-92-5	LC50	0,72 <sup>mg</sup> / <sub>l</sub>	fish	96 h
Camphene	79-92-5	EC50	0,72 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Camphene	79-92-5	ErC50	>1.000 <sup>mg</sup> / <sub>l</sub>	algae	72 h
y-Terpinene	99-85-4	EC50	2,792 <sup>mg</sup> / <sub>l</sub>	fish	96 h

### Aquatic toxicity (chronic) of components

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
(+)-Camphor	464-49-3	EC50	>100 <sup>mg</sup> / <sub>l</sub>	microorganisms	3 h
Camphene	79-92-5	EC50	>1.000 <sup>mg</sup> / <sub>l</sub>	microorganisms	3 h
y-Terpinene	99-85-4	EC50	>1.000 <sup>mg</sup> / <sub>l</sub>	microorganisms	3 h

### 12.2 Persistence and degradability

### **Biodegradation**

Not readily biodegradable.

### **Process of degradability**

Process	Degradation rate	Time
oxygen depletion	58,44 %	28 d

United Kingdom (en) Page 13 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



article number: 6594



### Degradability of components

Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Sabinene	3387-41-5	oxygen deple- tion	36 %	28 d		ECHA
DL-α-Pinene	80-56-8	oxygen deple- tion	68 %	28 d		ECHA
Myrcene	123-35-3	oxygen deple- tion	76 %	28 d		ECHA
L-(-)-Limonene	5989-54-8	oxygen deple- tion	85 %	28 d		ECHA
y-Terpinene	99-85-4	oxygen deple- tion	27 %	28 d		ECHA

#### 12.3 Bioaccumulative potential

Data are not available.

	<b>Bioaccumulative</b>	potential	of com	ponents
--	------------------------	-----------	--------	---------

Name of substance	CAS No	BCF	Log KOW BOD5/C	
Fenchone	1195-79-5		3,52	
(+)-Camphor	464-49-3	2,3 (20 °C)		
DL-α-Pinene	80-56-8		4,83	
Myrcene	123-35-3		4,82 (pH value: ~6,5, 30 °C)	
L-(-)-Limonene	5989-54-8	864,8	4,38 (pH value: 7,2, 37 °C)	
Camphene	79-92-5		4,22 (pH value: 7,2, 37 °C)	
y-Terpinene	99-85-4		5,4 (25 °C)	

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0.1\%$ .

#### 12.7 Other adverse effects

Data are not available.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

United Kingdom (en) Page 14 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Oil of cedar leaf, pure

article number: 6594



#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous

HP 3 flammable

**HP 4** irritant - skin irritation and eye damage

**HP 5** specific target organ toxicity (STOT)/aspiration toxicity

**HP 6** acute toxicity

**HP 13** sensitising

**HP 14** ecotoxic

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADRRID UN 1992 IMDG-Code UN 1992 ICAO-TI UN 1992

#### 14.2 UN proper shipping name

ADRRID FLAMMABLE LIQUID, TOXIC, N.O.S. IMDG-Code FLAMMABLE LIQUID, TOXIC, N.O.S. ICAO-TI Flammable liquid, toxic, n.o.s.

Technical name Oil of cedar leaf

#### 14.3 Transport hazard class(es)

ADRRID 3 (6.1)
IMDG-Code 3 (6.1)
ICAO-TI 3 (6.1)

### 14.4 Packing group

ADRRID III
IMDG-Code III
ICAO-TI III

#### **14.5 Environmental hazards** hazardous to the aquatic environment

#### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

United Kingdom (en) Page 15 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Oil of cedar leaf, pure

article number: 6594



#### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

# Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name FLAMMABLE LIQUID, TOXIC, N.O.S.

Particulars in the transport document UN1992, FLAMMABLE LIQUID, TOXIC, N.O.S., (Oil

of cedar leaf), 3 (6.1), III, (D/E), environmentally

hazardous

Classification code FT1

Danger label(s) 3+6.1, "Fish and tree"

Environmental hazards yes (hazardous to the aquatic environment)

Special provisions (SP) 274, 802(ADN)

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
Transport category (TC) 3
Tunnel restriction code (TRC) D/E
Hazard identification No 36

Emergency Action Code 3W

# Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code FT1

**Danger label(s)** 3+6.1, "Fish and tree"







Environmental hazards

Yes Hazardous to water

Special provisions (SP) 274, 802(ADN)

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
Transport category (TC) 3

Hazard identification No 36

United Kingdom (en) Page 16 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Oil of cedar leaf, pure

article number: 6594



### International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name FLAMMABLE LIQUID, TOXIC, N.O.S.

Particulars in the shipper's declaration UN1992, FLAMMABLE LIQUID, TOXIC, N.O.S., (Oil

of cedar leaf), 3 (6.1), III, MARINE POLLUTANT

Marine pollutant yes (hazardous to the aquatic environment)

Danger label(s) 3+6.1, "Fish and tree"

Special provisions (SP) 223, 274

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
EmS F-E, S-D

Stowage category A

#### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Flammable liquid, toxic, n.o.s.

Particulars in the shipper's declaration UN1992, Flammable liquid, toxic, n.o.s., (Oil of ce-

dar leaf), 3 (6.1), III

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 3+6.1





Special provisions (SP)

Excepted quantities (EQ)

Limited quantities (LQ)

2 L

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

#### **Seveso Directive**

2012/	2012/18/EU (Seveso III)						
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes			
H2	acute toxic (cat. 2 + cat. 3, inhal.)	50	200	41)			

#### **Notation**

41) - Category 2, all exposure routes

- category 3, inhalation exposure route

#### **Deco-Paint Directive**

VOC content	100 %
-------------	-------

United Kingdom (en) Page 17 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Oil of cedar leaf, pure

article number: 6594

#### **Industrial Emissions Directive (IED)**

VOC content	100 %
-------------	-------

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

not listed

Regulation on the marketing and use of explosives precursors

not listed

**Regulation on drug precursors** 

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

Restrictions according to GB REACH, Annex 17

# Dangerous substances with restrictions (GB REACH, Annex 17)

Name of substance	Name acc. to inventory	CAS No	No
Oil of cedar leaf	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3
Oil of cedar leaf	flammable / pyrophoric		40

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
KR	KECI	substance is listed

United Kingdom (en) Page 18 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Oil of cedar leaf, pure

article number: 6594

Country	Inventory	Status
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

AIIC Australian Inventory of Industrial Chemicals

DSL IECSC Domestic Substances List (DSL)
Inventory of Existing Chemical Substances Produced or Imported in China
Korea Existing Chemicals Inventory

KECI National Chemical Inventory
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS)
Taiwan Chemical Substance Inventory NCI NZIoC PICCS

**Toxic Substance Control Act** 

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

### **SECTION 16: Other information**

#### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2	Hazardous ingredients for labelling: DL-α-Pinene, (-)-α-Thujone, L-(-)-Limonene, y- Terpinene		yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2	contains: DL-α-Pinene, (-)-α-Thujone, L-(-)-Limonene, y- Terpinene		yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.2	Technical name: Fenchone, Camphene	Technical name: Oil of cedar leaf	yes
14.8		Proper shipping name: FLAMMABLE LIQUID, TOXIC, N.O.S.	yes

United Kingdom (en) Page 19 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



article number: 6594



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.8		Particulars in the transport document: UN1992, FLAMMABLE LIQUID, TOXIC, N.O.S., (Oil of cedar leaf), 3 (6.1), III, (D/E), environment- ally hazardous	yes
14.8		Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID)Addition- al information	yes
14.8		Classification code: FT1	yes
14.8		Danger label(s): 3+6.1, "Fish and tree"	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Environmental hazards: Yes Hazardous to water	yes
14.8		Special provisions (SP): 274, 802(ADN)	yes
14.8		Excepted quantities (EQ): E1	yes
14.8		Limited quantities (LQ): 5 L	yes
14.8		Transport category (TC): 3	yes
14.8		Hazard identification No: 36	yes
14.8		Proper shipping name: FLAMMABLE LIQUID, TOXIC, N.O.S.	yes
14.8		Particulars in the shipper's declaration: UN1992, FLAMMABLE LIQUID, TOXIC, N.O.S., (Oil of cedar leaf), 3 (6.1), III, MARINE POLLUT- ANT	yes
14.8	Marine pollutant: yes (hazardous to the aquatic environment), (DL-α-Pinene)	Marine pollutant: yes (hazardous to the aquatic environment)	yes
14.8		Proper shipping name: Flammable liquid, toxic, n.o.s.	yes
14.8		Particulars in the shipper's declaration: UN1992, Flammable liquid, toxic, n.o.s., (Oil of cedar leaf), 3 (6.1), III	yes
15.1	Restrictions according to REACH, Annex XVII		yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1	List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: Not listed.		yes
15.1		2012/18/EU (Seveso III): change in the listing (table)	yes

United Kingdom (en) Page 20 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Oil of cedar leaf, pure

article number: 6594



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
15.1	VOC content: 28 %	VOC content: 100 %	yes
15.1	VOC content: 28 %	VOC content: 100 %	yes
15.1	Water Framework Directive (WFD)	Water Framework Directive (WFD): not listed	yes
15.1		List of pollutants (WFD): change in the listing (table)	yes
15.1		National regulations(GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: not listed	yes
15.1		Restrictions according to GB REACH, Annex 17	yes
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
15.1		Other information: Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	yes
15.1		National inventories: change in the listing (table)	yes

### **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule

United Kingdom (en) Page 21 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Oil of cedar leaf, pure

article number: 6594



Abbr.	Descriptions of used abbreviations
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

#### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H411	Toxic to aquatic life with long lasting effects.

United Kingdom (en) Page 22 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Oil of cedar leaf, pure

article number: 6594

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 23 / 23