

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of cubeb natural

article number: **6608**
Version: **GHS 2.0 en**
Replaces version of: 2021-05-04
Version: (GHS 1)

date of compilation: 2021-05-04
Revision: 2024-03-04

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance **Oil of cubeb natural**
Article number 6608
CAS number 90063-59-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical
Laboratory and analytical use
Uses advised against: Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-stuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone: +49 (0) 721 - 56 06 0
Telefax: +49 (0) 721 - 56 06 149
e-mail: sicherheit@carlroth.de
Website: www.carlroth.de

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

e-mail (competent person): sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 Westmead, NSW	131126	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard statement
2.6	Flammable liquid	4	Flam. Liq. 4	H227
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2A	Eye Irrit. 2A	H319
3.4S	Skin sensitisation	1	Skin Sens. 1	H317

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of cubeb natural

article number: **6608**

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
3.10	Aspiration hazard	1	Asp. Tox. 1	H304

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling

Signal word

Danger

Pictograms

GHS07, GHS08



Hazard statements

H227	Combustible liquid
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation

Precautionary statements

Precautionary statements - prevention

P280 Wear protective gloves

Precautionary statements - response

P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
P302+P352	IF ON SKIN: Wash with plenty of soap and water
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P331	Do NOT induce vomiting
P370+P378	In case of fire: Use sand, carbon dioxide or powder extinguisher for extinction

2.3 Other hazards

This material is combustible, but will not ignite readily.

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of cubeb natural

article number: 6608

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Oil of cubeb

CAS No 90063-59-5

Impurities/additives/constituents:

Name of substance	Identifier	Wt%
Geranial	CAS No 141-27-5	25 – 50
Neral	CAS No 106-26-3	25 – 50
DL-Limonene	CAS No 138-86-3	10 – 25
DL- α -Pinene	CAS No 80-56-8	1 – 5
Citronellal	CAS No 106-23-0	1 – 5
Geraniol	CAS No 106-24-1	1 – 5
Myrcene	CAS No 123-35-3	1 – 5
β -Pinene	CAS No 127-91-3	1 – 5
Sabinene	CAS No 3387-41-5	1 – 5
Eucalyptol	CAS No 470-82-6	1 – 5
Linalool	CAS No 78-70-6	1 – 5
β -Caryophyllene	CAS No 87-44-5	1 – 5
Nerol	CAS No 106-25-2	1

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of cubeb natural

article number: **6608**

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician. In case of skin irritation, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Call a physician immediately. Observe aspiration hazard if vomiting occurs.

4.2 Most important symptoms and effects, both acute and delayed

Aspiration hazard, Irritation, Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings!
water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂), May produce toxic fumes of carbon monoxide if burning.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of cubeb natural

article number: 6608

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ventilation requirements

Use local and general ventilation.

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of cubeb natural

article number: **6608**

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

Human health values

Relevant DNELs and other threshold levels

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	9 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	1.71 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant DNELs of components

Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Neral	106-26-3	DNEL	9 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Neral	106-26-3	DNEL	1.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Neral	106-26-3	DNEL	140 µg/cm ²	human, dermal	worker (industry)	chronic - local effects
DL-α-Pinene	80-56-8	DNEL	3.8 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
DL-α-Pinene	80-56-8	DNEL	0.542 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Linalool	78-70-6	DNEL	2.8 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Linalool	78-70-6	DNEL	16.5 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
Linalool	78-70-6	DNEL	2.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Linalool	78-70-6	DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
Eucalyptol	470-82-6	DNEL	7.05 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Eucalyptol	470-82-6	DNEL	2 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of cubeb natural

article number: 6608

Relevant DNELs of components						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Geraniol	106-24-1	DNEL	161.6 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Geraniol	106-24-1	DNEL	12.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Geraniol	106-24-1	DNEL	11,800 µg/cm ²	human, dermal	worker (industry)	chronic - local effects
Citronellal	106-23-0	DNEL	9 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Citronellal	106-23-0	DNEL	1.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Citronellal	106-23-0	DNEL	140 µg/cm ²	human, dermal	worker (industry)	chronic - local effects
β-Pinene	127-91-3	DNEL	5.69 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
β-Pinene	127-91-3	DNEL	0.8 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
β-Pinene	127-91-3	DNEL	54 µg/cm ²	human, dermal	worker (industry)	chronic - local effects
Nerol	106-25-2	DNEL	4.4 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Nerol	106-25-2	DNEL	1.25 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Neral	106-26-3	PNEC	0.007 mg/l	aquatic organisms	freshwater	short-term (single instance)
Neral	106-26-3	PNEC	0.001 mg/l	aquatic organisms	marine water	short-term (single instance)
Neral	106-26-3	PNEC	1.6 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Neral	106-26-3	PNEC	0.125 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Neral	106-26-3	PNEC	0.013 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Neral	106-26-3	PNEC	0.021 mg/kg	terrestrial organisms	soil	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	0.606 µg/l	aquatic organisms	freshwater	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	0.061 µg/l	aquatic organisms	marine water	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	0.2 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of cubeb natural

article number: **6608**

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
DL- α -Pinene	80-56-8	PNEC	157 $\mu\text{g}/\text{kg}$	aquatic organisms	freshwater sediment	short-term (single instance)
DL- α -Pinene	80-56-8	PNEC	15.7 $\mu\text{g}/\text{kg}$	aquatic organisms	marine sediment	short-term (single instance)
DL- α -Pinene	80-56-8	PNEC	31.7 $\mu\text{g}/\text{kg}$	terrestrial organisms	soil	short-term (single instance)
Linalool	78-70-6	PNEC	0.2 mg/l	aquatic organisms	freshwater	short-term (single instance)
Linalool	78-70-6	PNEC	0.02 mg/l	aquatic organisms	marine water	short-term (single instance)
Linalool	78-70-6	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Linalool	78-70-6	PNEC	2.22 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Linalool	78-70-6	PNEC	0.222 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Linalool	78-70-6	PNEC	0.327 mg/kg	terrestrial organisms	soil	short-term (single instance)
Eucalyptol	470-82-6	PNEC	57 $\mu\text{g}/\text{l}$	aquatic organisms	freshwater	short-term (single instance)
Eucalyptol	470-82-6	PNEC	5.7 $\mu\text{g}/\text{l}$	aquatic organisms	marine water	short-term (single instance)
Eucalyptol	470-82-6	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Eucalyptol	470-82-6	PNEC	1.425 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Eucalyptol	470-82-6	PNEC	0.142 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Eucalyptol	470-82-6	PNEC	0.25 mg/kg	terrestrial organisms	soil	short-term (single instance)
Geraniol	106-24-1	PNEC	0.011 mg/l	aquatic organisms	freshwater	short-term (single instance)
Geraniol	106-24-1	PNEC	0.001 mg/l	aquatic organisms	marine water	short-term (single instance)
Geraniol	106-24-1	PNEC	0.7 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Geraniol	106-24-1	PNEC	0.115 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Geraniol	106-24-1	PNEC	0.011 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Geraniol	106-24-1	PNEC	0.017 mg/kg	terrestrial organisms	soil	short-term (single instance)
Citronellal	106-23-0	PNEC	0.009 mg/l	aquatic organisms	freshwater	short-term (single instance)

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of cubeb natural

article number: 6608

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Citronellal	106-23-0	PNEC	0.001 mg/l	aquatic organisms	marine water	short-term (single instance)
Citronellal	106-23-0	PNEC	4 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Citronellal	106-23-0	PNEC	0.159 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Citronellal	106-23-0	PNEC	0.016 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Citronellal	106-23-0	PNEC	0.027 mg/kg	terrestrial organisms	soil	short-term (single instance)
β -Pinene	127-91-3	PNEC	1.004 μ g/l	aquatic organisms	freshwater	short-term (single instance)
β -Pinene	127-91-3	PNEC	0.1 μ g/l	aquatic organisms	marine water	short-term (single instance)
β -Pinene	127-91-3	PNEC	3.26 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
β -Pinene	127-91-3	PNEC	0.337 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
β -Pinene	127-91-3	PNEC	0.034 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
β -Pinene	127-91-3	PNEC	0.067 mg/kg	terrestrial organisms	soil	short-term (single instance)
Nerol	106-25-2	PNEC	7.45 μ g/l	aquatic organisms	freshwater	short-term (single instance)
Nerol	106-25-2	PNEC	0.745 μ g/l	aquatic organisms	marine water	short-term (single instance)
Nerol	106-25-2	PNEC	12.9 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Nerol	106-25-2	PNEC	133 μ g/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Nerol	106-25-2	PNEC	13.3 μ g/kg	aquatic organisms	marine sediment	short-term (single instance)
Nerol	106-25-2	PNEC	22.3 μ g/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of cubeb natural

article number: 6608

Skin protection



• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

• material thickness

>0,11 mm


• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C, colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	yellow
Odour	characteristic
Melting point/freezing point	<-20 °C (ECHA)
Boiling point or initial boiling point and boiling range	83 °C at 1,013 hPa (ECHA)
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	not determined
Flash point	68.3 °C (ECHA)

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of cubeb natural

article number: **6608**

Auto-ignition temperature	265 °C at 1,004 hPa (ECHA)
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
<u>Solubility(ies)</u>	
Water solubility	0.0044 g/l at 25 °C (ECHA)
<u>Partition coefficient</u>	
Partition coefficient n-octanol/water (log value):	2.06 – 6.3 (pH value: 7, 25 °C) (ECHA)
Soil organic carbon/water (log KOC)	1.622 – 4.251 (ECHA)
Vapour pressure	60.29 Pa at 25 °C
<u>Density and/or relative density</u>	
Density	0.88 g/cm ³
Relative vapour density	Information on this property is not available.
Particle characteristics	not relevant (liquid)
<u>Other safety parameters</u>	
Oxidising properties	none
9.2 Other information	
Information with regard to physical hazard classes:	There is no additional information.
Other safety characteristics:	
Refractive index	1.479

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition.

If heated

Risk of ignition. Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of cubeb natural

article number: 6608

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful in contact with skin.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>5,000 mg/kg	rat		ECHA
dermal	LD50	4,800 mg/kg	rabbit		ECHA

Acute toxicity of components					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Geranial	141-27-5	oral	LD50	6,800 mg/kg	rat
Geranial	141-27-5	dermal	LD50	>2,000 mg/kg	rat
Neral	106-26-3	oral	LD50	6,800 mg/kg	rat
Neral	106-26-3	dermal	LD50	>2,000 mg/kg	rat
DL-Limonene	138-86-3	oral	LD50	5,300 mg/kg	rat
DL- α -Pinene	80-56-8	dermal	LD50	>2,000 mg/kg	rat
DL- α -Pinene	80-56-8	oral	LD50	3,700 mg/kg	rat
β -Caryophyllene	87-44-5	oral	LD50	>5,000 mg/kg	mouse
Sabinene	3387-41-5	oral	LD50	301 – 2,000 mg/kg	rat
Linalool	78-70-6	oral	LD50	2,790 mg/kg	rat
Linalool	78-70-6	dermal	LD50	5,610 mg/kg	rabbit
Eucalyptol	470-82-6	oral	LD50	2,480 mg/kg	rat
Geraniol	106-24-1	oral	LD50	3,600 mg/kg	rat
Geraniol	106-24-1	dermal	LD50	>5,000 mg/kg	rabbit
Citronellal	106-23-0	oral	LD50	2,150 mg/kg	rat

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of cubeb natural

article number: 6608

Acute toxicity of components					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Citronellal	106-23-0	dermal	LD50	>2,000 mg/kg	rat
Myrcene	123-35-3	oral	LD50	>3,380 mg/kg	mouse
Myrcene	123-35-3	dermal	LD50	>5,000 mg/kg	rabbit
β-Pinene	127-91-3	oral	LD50	4,700 mg/kg	rat
Nerol	106-25-2	oral	LD50	4,500 mg/kg	rat
Nerol	106-25-2	dermal	LD50	>5,000 mg/kg	rabbit

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

aspiration hazard

• If in eyes

Causes serious eye irritation

• If inhaled

Data are not available.

• If on skin

causes skin irritation, May produce an allergic reaction, pruritis, localised redness

• Other information

This information is based upon the present state of our knowledge.

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of cubeb natural

article number: **6608**

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
LL50	4.2 mg/l	fish	ECHA	24 h
EL50	4.2 mg/l	aquatic invertebrates	ECHA	24 h

Aquatic toxicity (acute) of components					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Geranial	141-27-5	LC50	6.78 mg/l	fish	96 h
Geranial	141-27-5	EC50	6.8 mg/l	aquatic invertebrates	48 h
Geranial	141-27-5	ErC50	103.8 mg/l	algae	72 h
Neral	106-26-3	LC50	6.78 mg/l	fish	96 h
Neral	106-26-3	EC50	6.8 mg/l	aquatic invertebrates	48 h
Neral	106-26-3	ErC50	103.8 mg/l	algae	72 h
DL-Limonene	138-86-3	EC50	17 mg/l	daphnia magna	48 h
DL-Limonene	138-86-3	LC50	80 mg/l	rainbow trout (<i>Oncorhynchus mykiss</i>)	96 h
DL- α -Pinene	80-56-8	LC50	0.303 mg/l	fish	96 h
DL- α -Pinene	80-56-8	EC50	0.475 mg/l	aquatic invertebrates	48 h
β -Caryophyllene	87-44-5	EC50	>0.17 mg/l	daphnia magna	48 h
β -Caryophyllene	87-44-5	ErC50	>0.033 mg/l	algae	72 h
Sabinene	3387-41-5	EC50	3,960 mg/l	aquatic invertebrates	48 h
Linalool	78-70-6	LC50	27.8 mg/l	fish	96 h
Linalool	78-70-6	EC50	59 mg/l	aquatic invertebrates	48 h
Linalool	78-70-6	ErC50	156.7 mg/l	algae	96 h
Eucalyptol	470-82-6	LC50	57 mg/l	fish	96 h
Eucalyptol	470-82-6	EC50	>100 mg/l	aquatic invertebrates	48 h
Eucalyptol	470-82-6	ErC50	>74 mg/l	algae	72 h
Geraniol	106-24-1	LC50	22 mg/l	fish	96 h
Geraniol	106-24-1	EC50	10.8 mg/l	aquatic invertebrates	48 h

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of cubeb natural

article number: 6608

Aquatic toxicity (acute) of components					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Geraniol	106-24-1	ErC50	13.1 mg/l	algae	72 h
Citronellal	106-23-0	LC50	22 mg/l	fish	96 h
Citronellal	106-23-0	ErC50	13.33 mg/l	algae	72 h
Myrcene	123-35-3	EC50	1.47 mg/l	aquatic invertebrates	48 h
Myrcene	123-35-3	EC50	0.31 mg/l	algae	72 h
Myrcene	123-35-3	ErC50	0.342 mg/l	algae	72 h
β -Pinene	127-91-3	LC50	0.68 mg/l	rainbow trout (<i>Oncorhynchus mykiss</i>)	96 h
β -Pinene	127-91-3	EC50	1.09 mg/l	daphnia magna	48 h
β -Pinene	127-91-3	ErC50	0.7 mg/l	<i>Pseudokirchneriella subcapitata</i>	72 h
Nerol	106-25-2	LC50	20.3 mg/l	fish	96 h
Nerol	106-25-2	EC50	32.4 mg/l	aquatic invertebrates	48 h
Nerol	106-25-2	ErC50	9.54 mg/l	algae	72 h

Aquatic toxicity (chronic) of components					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Geraniol	141-27-5	EC50	160 mg/l	microorganisms	30 min
Neral	106-26-3	EC50	160 mg/l	microorganisms	30 min
Linalool	78-70-6	EC50	>100 mg/l	microorganisms	30 min
Eucalyptol	470-82-6	EC50	>100 mg/l	microorganisms	3 h
Geraniol	106-24-1	EC50	70 mg/l	microorganisms	30 min
β -Pinene	127-91-3	EC50	326 mg/l	microorganisms	3 h
Nerol	106-25-2	EC50	241 mg/l	microorganisms	3 h

12.2 Persistence and degradability

Biodegradation

The substance is readily biodegradable.

Process of degradability		
Process	Degradation rate	Time
carbon dioxide generation	103.9 %	28 d

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of cubeb natural

article number: **6608**

Degradability of components						
Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
Geranial	141-27-5	oxygen depletion	>90 %	28 d		ECHA
Neral	106-26-3	oxygen depletion	>90 %	28 d		ECHA
DL- α -Pinene	80-56-8	oxygen depletion	68 %	28 d		ECHA
β -Caryophyllene	87-44-5	oxygen depletion	10 %	28 d		ECHA
Sabinene	3387-41-5	oxygen depletion	36 %	28 d		ECHA
Linalool	78-70-6	oxygen depletion	40.9 %	5 d		ECHA
Eucalyptol	470-82-6	carbon dioxide generation	82 %	28 d		ECHA
Geraniol	106-24-1	DOC removal	90 – 100 %	3 d		ECHA
Citronellal	106-23-0	biotic/abiotic	60 %	d		
Citronellal	106-23-0	carbon dioxide generation	83 %	28 d		ECHA
Myrcene	123-35-3	oxygen depletion	76 %	28 d		ECHA
β -Pinene	127-91-3	oxygen depletion	76 %	28 d		ECHA
Nerol	106-25-2	oxygen depletion	90 %	28 d		ECHA

12.3 Bioaccumulative potential

The substance fulfils the very bioaccumulative criterion.

n-octanol/water (log KOW)	2.06 – 6.3 (pH value: 7, 25 °C) (ECHA)
---------------------------	--

Bioaccumulative potential of components				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Neral	106-26-3	89.72		
DL-Limonene	138-86-3		4.57	
DL- α -Pinene	80-56-8		4.83	
β -Caryophyllene	87-44-5		6.23 (pH value: 7, 25 °C)	
Linalool	78-70-6		2.9 (pH value: 7, 20 °C)	
Eucalyptol	470-82-6		3.4	
Geraniol	106-24-1		2.6 (25 °C)	
Citronellal	106-23-0	113.6	3.62 (25 °C)	
Myrcene	123-35-3		4.82 (pH value: ~6.5, 30 °C)	

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of cubeb natural

article number: 6608

Bioaccumulative potential of components

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Nerol	106-25-2		2.76 (pH value: ~6.5, 30 °C)	

12.4 Mobility in soil

The Organic Carbon normalised adsorption coefficient	1.622 - 4.251 (ECHA)
--	----------------------

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H11 Toxic (Delayed or chronic)

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of cubeb natural

article number: 6608

SECTION 14: Transport information

14.1 UN number

UN RTDG	UN 3082
IMDG-Code	UN 3082
ICAO-TI	UN 3082

14.2 UN proper shipping name

UN RTDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
IMDG-Code	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
ICAO-TI	Environmentally hazardous substance, liquid, n.o.s.
Technical name	Oil of cubeb

14.3 Transport hazard class(es)

UN RTDG	9
IMDG-Code	9
ICAO-TI	9

14.4 Packing group

UN RTDG	III
IMDG-Code	III
ICAO-TI	III

14.5 Environmental hazards

hazardous to the aquatic environment

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport information National regulations Additional information (UN RTDG)

UN number	3082
Class	9
Environmental hazards	Yes Hazardous to the aquatic environment
Packing group	III
Danger label(s)	9 Fish and tree



Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of cubeb natural

article number: **6608**

Special provisions (SP) 274, 331, 335, 375
UN RTDG

Excepted quantities (EQ) E1
UN RTDG

Limited quantities (LQ) 5 L
UN RTDG

Emergency Action Code 3Z

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Particulars in the shipper's declaration UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (Oil of cubeb), 9, III

Marine pollutant YES (hazardous to the aquatic environment), (Oil of cubeb)

Danger label(s) 9, "Fish and tree"



Special provisions (SP) 274, 335, 969

Excepted quantities (EQ) E1

Limited quantities (LQ) 5 L

EmS F-A, S-F

Stowage category A

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

Particulars in the shipper's declaration UN3082, Environmentally hazardous substance, liquid, n.o.s., (Oil of cubeb), 9, III

Environmental hazards YES (hazardous to the aquatic environment)

Danger label(s) 9, "Fish and tree"



Special provisions (SP) A97, A158, A197, A215

Excepted quantities (EQ) E1

Limited quantities (LQ) 30 kg

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of cubeb natural

article number: 6608

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
KR	KECI	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
VN	NCI	substance is listed

Legend

AIIC	Australian Inventory of Industrial Chemicals
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
TCSI	Taiwan Chemical Substance Inventory

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.	yes
14.8		Emergency Action Code: 3Z	yes
15.1		Other information: Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	yes

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of cubeb natural

article number: **6608**

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of cubeb natural

article number: **6608**

Abbr.	Descriptions of used abbreviations
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H227	Combustible liquid.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.