acc. to Safe Work Australia - Code of Practice



Oil of palmarosa East Indian

article number: **6613** Version: **GHS 2.0 en** Replaces version of: 2021-10-12 Version: (GHS 1)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

CAS number

Oil of palmarosa East Indian

6613

8014-19-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Laboratory chemical Laboratory and analytical use

Uses advised against:

Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	4	Flam. Liq. 4	H227
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.4S	Skin sensitisation	1	Skin Sens. 1	H317

For full text of abbreviations: see SECTION 16

date of compilation: 2021-10-12 Revision: 2024-03-04

acc. to Safe Work Australia - Code of Practice

Oil of palmarosa East Indian

article number: 6613



The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS05, GHS07



Hazard statements

H227	Combustible liquid
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage

Precautionary statements

Precautionary statements - prevention

P210	Keep away from heat/sparks/open flames/hot surfaces No smoking
P261	Avoid breathing dust/fume/gas/mist/vapours/spray
P280	Wear protective gloves

Precautionary statements - response

P302+P352	IF ON SKIN: Wash with plenty of soap and water
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing
P370+P378	In case of fire: Use sand, carbon dioxide or powder extinguisher for extinction

Precautionary statements - disposal

P501 Dispose of contents/container to industrial combustion plant

2.3 Other hazards

This material is combustible, but will not ignite readily.

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

acc. to Safe Work Australia - Code of Practice



Oil of palmarosa East Indian

article number: 6613

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Oil of palmarosa
CAS No	8014-19-5

Impurities/additives/constituents:

Name of substance	Identifier	Wt%
Geraniol	CAS No 106-24-1	75 - < 90
Geranyl acetate	CAS No 105-87-3	10-<25
Linalool	CAS No 78-70-6	1 - < 5
β-Caryophyllene	CAS No 87-44-5	1-<5
Geranial	CAS No 141-27-5	<1
Nerol	CAS No 106-25-2	<1
Myrcene	CAS No 123-35-3	<1
DL-Limonene	CAS No 138-86-3	<1
Farnesol	CAS No 4602-84-0	<1

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician. In case of skin irritation, consult a physician.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

acc. to Safe Work Australia - Code of Practice

Oil of palmarosa East Indian

article number: 6613

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

- **4.2 Most important symptoms and effects, both acute and delayed** Risk of blindness, Risk of serious damage to eyes, Irritation, Allergic reactions
- **4.3 Indication of any immediate medical attention and special treatment needed** none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂), May produce toxic fumes of carbon monoxide if burning.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up



acc. to Safe Work Australia - Code of Practice

Oil of palmarosa East Indian

RO

article number: 6613

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

acc. to Safe Work Australia - Code of Practice



Oil of palmarosa East Indian

article number: 6613

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

Relevant DNELs of components

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure tim
Geraniol	106-24-1	DNEL	161.6 mg/ m ³	human, inhalat- ory	worker (industry)	chronic - system effects
Geraniol	106-24-1	DNEL	12.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - system effects
Geraniol	106-24-1	DNEL	11,800 µg/ cm²	human, dermal	worker (industry)	chronic - local e fects
Geranyl acetate	105-87-3	DNEL	62.59 mg/ m ³	human, inhalat- ory	worker (industry)	chronic - system effects
Geranyl acetate	105-87-3	DNEL	35.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - system effects
Linalool	78-70-6	DNEL	2.8 mg/m ³	human, inhalat- ory	worker (industry)	chronic - system effects
Linalool	78-70-6	DNEL	16.5 mg/ m ³	human, inhalat- ory	worker (industry)	acute - systemi effects
Linalool	78-70-6	DNEL	2.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - system effects
Linalool	78-70-6	DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	acute - systemio effects
Nerol	106-25-2	DNEL	4.4 mg/m ³	human, inhalat- ory	worker (industry)	chronic - system effects
Nerol	106-25-2	DNEL	1.25 mg/kg bw/day	human, dermal	worker (industry)	chronic - system effects
Farnesol	4602-84-0	DNEL	1.85 mg/ m ³	human, inhalat- ory	worker (industry)	chronic - system effects
Farnesol	4602-84-0	DNEL	1.32 mg/kg bw/day	human, dermal	worker (industry)	chronic - system effects
	1	1				

Relevant PNECs of components

	•					
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Geraniol	106-24-1	PNEC	0.011 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Geraniol	106-24-1	PNEC	0.001 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Geraniol	106-24-1	PNEC	0.7 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)

acc. to Safe Work Australia - Code of Practice

Oil of palmarosa East Indian

article number: 6613



Relevant PNECs of components						
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Geraniol	106-24-1	PNEC	0.115 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Geraniol	106-24-1	PNEC	0.011 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Geraniol	106-24-1	PNEC	0.017 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Geranyl acetate	105-87-3	PNEC	3.72 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Geranyl acetate	105-87-3	PNEC	0.372 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Geranyl acetate	105-87-3	PNEC	8 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Geranyl acetate	105-87-3	PNEC	0.442 ^{mg} / kg	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Geranyl acetate	105-87-3	PNEC	0.044 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (single instance)
Geranyl acetate	105-87-3	PNEC	0.086 ^{mg} / kg	terrestrial organ- isms	soil	short-term (single instance)
Linalool	78-70-6	PNEC	0.2 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Linalool	78-70-6	PNEC	0.02 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Linalool	78-70-6	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Linalool	78-70-6	PNEC	2.22 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Linalool	78-70-6	PNEC	0.222 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (single instance)
Linalool	78-70-6	PNEC	0.327 ^{mg} / kg	terrestrial organ- isms	soil	short-term (single instance)
Nerol	106-25-2	PNEC	7.45 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Nerol	106-25-2	PNEC	0.745 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Nerol	106-25-2	PNEC	12.9 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Nerol	106-25-2	PNEC	133 ^{µg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Nerol	106-25-2	PNEC	13.3 ^{µg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Nerol	106-25-2	PNEC	22.3 ^{µg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Farnesol	4602-84-0	PNEC	0.568 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)

acc. to Safe Work Australia - Code of Practice



Oil of palmarosa East Indian

article number: 6613

Relevant PNECs of components							
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time	
Farnesol	4602-84-0	PNEC	0.057 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)	
Farnesol	4602-84-0	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)	
Farnesol	4602-84-0	PNEC	87.19 ^{µg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)	
Farnesol	4602-84-0	PNEC	8.72 ^{µg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)	
Farnesol	4602-84-0	PNEC	17.07 ^{µg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)	

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

acc. to Safe Work Australia - Code of Practice

Oil of palmarosa East Indian

article number: 6613

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation.

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	yellowish brown
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point a range	nd boiling not determined
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	not determined
Flash point	90 °C
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
Solubility(ies)	
Water solubility	not determined
Partition coefficient	
Partition coefficient n-octanol/water	(log value): this information is not available
Vapour pressure	not determined
Density and/or relative density	
Density	0.88 ^g / _{cm³} at 20 °C
Relative vapour density	Information on this property is not available.
Particle characteristics	not relevant (liquid)
Other safety parameters	



acc. to Safe Work Australia - Code of Practice

Oil of palmarosa East Indian

article number: 6613

Oxidising propertiesnone9.2Other informationInformation with regard to physical hazard
classes:
Other safety characteristics:
Refractive indexThere is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition.

If heated

Risk of ignition. Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Acute	toxicity
-------	----------

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>5,000 ^{mg} / _{kg}	rat		
dermal	LD50	>5,000 ^{mg} / _{kg}	rabbit		

Australia (en)



acc. to Safe Work Australia - Code of Practice

Oil of palmarosa East Indian



article number: 6613

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Geraniol	106-24-1	oral	LD50	3,600 ^{mg} / _{kg}	rat
Geraniol	106-24-1	dermal	LD50	>5,000 ^{mg} / _{kg}	rabbit
Geranyl acetate	105-87-3	oral	LD50	6,330 ^{mg} / _{kg}	rat
Linalool	78-70-6	oral	LD50	2,790 ^{mg} / _{kg}	rat
Linalool	78-70-6	dermal	LD50	5,610 ^{mg} / _{kg}	rabbit
β-Caryophyllene	87-44-5	oral	LD50	>5,000 ^{mg} / _{kg}	mouse
Nerol	106-25-2	oral	LD50	4,500 ^{mg} / _{kg}	rat
Nerol	106-25-2	dermal	LD50	>5,000 ^{mg} / _{kg}	rabbit
Myrcene	123-35-3	oral	LD50	>3,380 ^{mg} / _{kg}	mouse
Myrcene	123-35-3	dermal	LD50	>5,000 ^{mg} / _{kg}	rabbit
DL-Limonene	138-86-3	oral	LD50	5,300 ^{mg} / _{kg}	rat
Geranial	141-27-5	oral	LD50	6,800 ^{mg} / _{kg}	rat
Geranial	141-27-5	dermal	LD50	>2,000 ^{mg} / _{kg}	rat
Farnesol	4602-84-0	oral	LD50	>5,000 ^{mg} / _{kg}	rat
Farnesol	4602-84-0	dermal	LD50	>15,000 ^{mg} / _{kg}	rat

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

acc. to Safe Work Australia - Code of Practice

Oil of palmarosa East Indian

article number: 6613



Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

Data are not available.

• If in eyes

Causes serious eye damage, risk of blindness

• If inhaled

Data are not available.

• If on skin

causes skin irritation, May produce an allergic reaction, pruritis, localised redness

Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Geraniol	106-24-1	LC50	22 ^{mg} /l	fish	96 h
Geraniol	106-24-1	EC50	10.8 ^{mg} / _l	aquatic invertebrates	48 h
Geraniol	106-24-1	ErC50	13.1 ^{mg} / _l	algae	72 h
Geranyl acetate	105-87-3	LC50	68.12 ^{mg} / _l	fish	96 h
Geranyl acetate	105-87-3	EC50	14.1 ^{mg} / _l	aquatic invertebrates	48 h
Geranyl acetate	105-87-3	ErC50	3.72 ^{mg} / _l	algae	72 h
Linalool	78-70-6	LC50	27.8 ^{mg} / _l	fish	96 h
Linalool	78-70-6	EC50	59 ^{mg} /l	aquatic invertebrates	48 h
Linalool	78-70-6	ErC50	156.7 ^{mg} / _l	algae	96 h
β-Caryophyllene	87-44-5	EC50	>0.17 ^{mg} / _l	daphnia magna	48 h
β-Caryophyllene	87-44-5	ErC50	>0.033 ^{mg} / _l	algae	72 h
Nerol	106-25-2	LC50	20.3 ^{mg} / _l	fish	96 h
Nerol	106-25-2	EC50	32.4 ^{mg} / _l	aquatic invertebrates	48 h
Nerol	106-25-2	ErC50	9.54 ^{mg} / _l	algae	72 h
Myrcene	123-35-3	EC50	1.47 ^{mg} / _l	aquatic invertebrates	48 h
Myrcene	123-35-3	EC50	0.31 ^{mg} / _l	algae	72 h

acc. to Safe Work Australia - Code of Practice

® **ROTH**

Oil of palmarosa East Indian

article number: 6613

Aquatic toxicity (acute) of components							
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time		
Myrcene	123-35-3	ErC50	0.342 ^{mg} / _l	algae	72 h		
DL-Limonene	138-86-3	EC50	17 ^{mg} / _l	daphnia magna	48 h		
DL-Limonene	138-86-3	LC50	80 ^{mg} / _l	rainbow trout (Onco- rhynchus mykiss)	96 h		
Geranial	141-27-5	LC50	6.78 ^{mg} / _l	fish	96 h		
Geranial	141-27-5	EC50	6.8 ^{mg} / _l	aquatic invertebrates	48 h		
Geranial	141-27-5	ErC50	103.8 ^{mg} / _l	algae	72 h		
Farnesol	4602-84-0	EC50	2.2 ^{mg} / _l	daphnia magna	48 h		
Farnesol	4602-84-0	LC50	1.8 ^{mg} / _l	rainbow trout (Onco- rhynchus mykiss)	96 h		

Aquatic toxicity (chronic) of components

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Geraniol	106-24-1	EC50	70 ^{mg} / _l	microorganisms	30 min
Linalool	78-70-6	EC50	>100 ^{mg} / _l	microorganisms	30 min
Nerol	106-25-2	EC50	241 ^{mg} / _l	microorganisms	3 h
Geranial	141-27-5	EC50	160 ^{mg} / _l	microorganisms	30 min

12.2 Persistence and degradability

Degradability of components

Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source	
Geraniol	106-24-1	DOC removal	90 – 100 %	3 d		ECHA	
Geranyl acet- ate	105-87-3	oxygen deple- tion	>70 %	28 d		ECHA	
Linalool	78-70-6	oxygen deple- tion	40.9 %	5 d		ECHA	
β-Caryophyl- lene	87-44-5	oxygen deple- tion	10 %	28 d		ECHA	
Nerol	106-25-2	oxygen deple- tion	90 %	28 d		ECHA	
Myrcene	123-35-3	oxygen deple- tion	76 %	28 d		ECHA	
Geranial	141-27-5	oxygen deple- tion	>90 %	28 d		ECHA	

12.3 Bioaccumulative potential

Data are not available.

acc. to Safe Work Australia - Code of Practice



Oil of palmarosa East Indian

article number: 6613

Bioaccumulative potential of components						
Name of substance	CAS No	BCF	Log KOW	BOD5/COD		
Geraniol	106-24-1		2.6 (25 °C)			
Geranyl acetate	105-87-3		4.04			
Linalool	78-70-6		2.9 (pH value: 7, 20 °C)			
β-Caryophyllene	87-44-5		6.23 (pH value: 7, 25 °C)			
Nerol	106-25-2		2.76 (pH value: ~6.5, 30 °C)			
Myrcene	123-35-3		4.82 (pH value: ~6.5, 30 °C)			
DL-Limonene	138-86-3		4.57			
Farnesol	4602-84-0		≥4.6 - ≤4.78 (22.3 °C)			

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

acc. to Safe Work Australia - Code of Practice

Oil of palmarosa East Indian

article number: 6613

SECTION 14: Transport information

- 14.1 UN number
- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards

not subject to transport regulations

not assigned

not assigned

not assigned

non-environmentally hazardous acc. to the dangerous goods regulations

- **14.6** Special precautions for user There is no additional information.
- **14.7** Transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG) Not subject to transport regulations. UN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
KR	KECI	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed



acc. to Safe Work Australia - Code of Practice



Oil of palmarosa East Indian

article number: 6613

Country	Inventory	Status
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed
Legend		

Legena	
AIIC	Australian Inventory of Industrial Chemicals
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EÌNEĆS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions

acc. to Safe Work Australia - Code of Practice



Oil of palmarosa East Indian

article number: 6613

Abbr.	Descriptions of used abbreviations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H227	Combustible liquid.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.