according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



date of compilation: 14.10.2020

Revision: 02.03.2024

#### Phenyl mercuric acetate ≥98 %, extra pure

article number: **6626** Version: **3.0 en** Replaces version of: 10.01.2022 Version: (2)

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

Registration number (REACH)

**Phenyl mercuric acetate** ≥98 %, extra pure

6626

080-011-00-5

200-532-5

62-38-4

It is not required to list the identified uses because the substance is not subject to registration according to REACH (< 1 t/a).

Index number in CLP Annex VI EC number

ec number

1.2

CAS number

# Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

#### e-mail (competent person):

sicherheit@carlroth.de

#### 1.4 Emergency telephone number

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Phenyl mercuric acetate ≥98 %, extra pure

#### article number: 6626

Section	Hazard class		Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)     3     Acute Tox. 3		H301	
3.2	Skin corrosion/irritation 1B Skin Corr. 1B		H314	
3.9	Specific target organ toxicity - repeated exposure         1         STOT RE 1		H372	
4.1A	Hazardous to the aquatic environment - acute hazard     1     Aquatic Acute 1		H400	
4.1C	Hazardous to the aquatic environment - chronic hazard	ironment - chronic hazard 1 Aquatic Chronic 1		H410

For full text of abbreviations: see SECTION 16

#### The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms



#### Hazard statements

H301	Toxic if swallowed
H314	Causes severe skin burns and eye damage
H372	Causes damage to organs through prolonged or repeated exposure
H410	Very toxic to aquatic life with long lasting effects

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P273	Avoid release to the environment
P280	Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary statements - response**

P301+P310 P303+P361+P353	IF SWALLOWED: Immediately call a POISON CENTER/doctor IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin
	with water [or shower]
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing

#### **Precautionary statements - storage**

P405 Store locked up


Labelling of packages where the contents do not exceed 125 ml Signal word: Danger

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

# ROTH

#### Phenyl mercuric acetate ≥98 %, extra pure

article number: 6626



#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

#### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Name of substance	Phenyl mercuric acetate
Molecular formula	C <sub>8</sub> H <sub>8</sub> HgO <sub>2</sub>
Molar mass	336,7 <sup>g</sup> / <sub>mol</sub>
CAS No	62-38-4
EC No	200-532-5
Index No	080-011-00-5

Substance, Specific Conc. Limits, M-factors, ATE				
Specific Conc. Limits         M-Factors         ATE         Exposure route				
-	-	100 <sup>mg</sup> / <sub>kg</sub>	oral	

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off immediately all contaminated clothing. Self-protection of the first aider.

#### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Phenyl mercuric acetate ≥98 %, extra pure

#### article number: 6626

#### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

#### **Following ingestion**

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

#### 4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Gastric perforation, Risk of blindness, Circulatory collapse, Gastrointestinal complaints, Effects on special senses (such as sight, hearing and sense of smell), Diarrhoea, Renal impairment, Lack of coordination, Nausea, Irritability, Impaired memory function, Vomiting, Cardiac arrhythmias, Blood pressure drop

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

#### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

None.

#### Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

# **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Phenyl mercuric acetate ≥98 %, extra pure

article number: 6626

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically. Control of dust.

#### Other information relating to spills and releases

Place in appropriate containers for disposal.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Handle and open container with care. Clear contaminated areas thoroughly. Measures to prevent aerosol and dust generation.

#### Measures to protect the environment

Avoid release to the environment.

#### Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Protect against external exposure, such as

direct light irradiation

#### Consideration of other advice:

Store locked up.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

# 7.3 Specific end use(s)

No information available.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### National limit values

#### **Occupational exposure limit values (Workplace Exposure Limits)**

This information is not available.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Phenyl mercuric acetate ≥98 %, extra pure

article number: 6626

#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection. Wear face protection.

#### Skin protection



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

#### • material thickness

>0,11 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White). Type: Hg-P3 (combined filters against mercury vapour and particles, colour code: Red/White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Phenyl mercuric acetate ≥98 %, extra pure

article number: 6626

# **SECTION 9: Physical and chemical properties**

9.1	Information on basic physical and chemical pro	operties
	Physical state	solid
	Form	powder, crystalline
	Colour	whitish
	Odour	odourless
	Melting point/freezing point	146 – 150 °C
	Boiling point or initial boiling point and boiling range	not determined
	Flammability	this material is combustible, but will not ignite readily
	Lower and upper explosion limit	not determined
	Flash point	not applicable
	Auto-ignition temperature	not determined
	Decomposition temperature	>146 °C
	pH (value)	not applicable
	Kinematic viscosity	not relevant
	Solubility(ies)	
	Water solubility	2 <sup>g</sup> / <sub>l</sub> at 20 °C
	Partition coefficient	
	Partition coefficient n-octanol/water (log value):	0,71 (exp 3rd parts MSDS)
	Vapour pressure	12,5 hPa at 35 °C
	Density and/or relative density	
	Density	not determined
	Relative vapour density	Information on this property is not available.
	Bulk density	~800 <sup>kg</sup> / <sub>m³</sub>
	Particle characteristics	No data available.
	Other safety parameters	
	Oxidising properties	none
9.2	Other information	
	Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
	Other safety characteristics:	There is no additional information.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Phenyl mercuric acetate ≥98 %, extra pure

article number: 6626

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### 10.2 Chemical stability

May cause decomposition by long-term light influence.

**10.3** Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Aluminium, Strong acid

#### 10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: >146 °C.

- **10.5 Incompatible materials** aluminium
- **10.6 Hazardous decomposition products** Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

#### Acute toxicity

Toxic if swallowed.

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### **Respiratory or skin sensitisation**

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Phenyl mercuric acetate ≥98 %, extra pure

article number: 6626

#### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

#### • If in eyes

causes burns, Causes serious eye damage, risk of blindness

#### • If inhaled

Data are not available.

#### • If on skin

causes severe burns, causes poorly healing wounds

#### Other information

Other adverse effects: Renal impairment, Circulatory collapse, Cardiac arrhythmias, Blood pressure drop, Abdominal pain, Nausea, Agitation, Vomiting, Diarrhoea, Central nervous system, Effects on special senses (such as sight, hearing and sense of smell), Impaired memory function, Irritability

#### 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

#### 11.3 Information on other hazards

There is no additional information.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

#### 12.2 Persistence and degradability

Theoretical Oxygen Demand: 0,8552 <sup>mg</sup>/<sub>mg</sub> Theoretical Carbon Dioxide: 1,046 <sup>mg</sup>/<sub>mg</sub>

#### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW) 0,71 (Exp 3rd parts MSDS)	
---	--

#### 12.4 Mobility in soil

Data are not available.

**12.5 Results of PBT and vPvB assessment** Data are not available.

#### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

#### 12.7 Other adverse effects

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Phenyl mercuric acetate ≥98 %, extra pure

article number: 6626

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous

- **HP 5** specific target organ toxicity (STOT)/aspiration toxicity
- HP 6 acute toxicity
- HP8 corrosive
- HP 14 ecotoxic

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

#### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

	ADR	UN 1674
	IMDG-Code	UN 1674
	ICAO-TI	UN 1674
2	UN proper shipping name	
	ADR	PHENYLMERCURIC ACETATE
	IMDG-Code	PHENYLMERCURIC ACETATE
	ICAO-TI	Phenylmercuric acetate
3	Transport hazard class(es)	
	ADR	6.1
	IMDG-Code	6.1
	ICAO-TI	6.1
ŀ	Packing group	
	ADR	II

14.2

14.3

14.4

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Phenyl mercuric acetate ≥98 %, extra pure

## article number: 6626

	IMDG-Code	II	
	ICAO-TI	II	
14.5	Environmental hazards	hazardous to the aquatic environment	
14.6	Special precautions for user		
	Provisions for dangerous goods (ADR) should be complied within the premises.		
14.7	Maritime transport in bulk according to IMC	D instruments	
	The cargo is not intended to be carried in bulk.		
14.8	Information for each of the UN Model Regul	lations	
	Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additiona information		
	Proper shipping name	PHENYLMERCURIC ACETATE	
	Particulars in the transport document	UN1674, PHENYLMERCURIC ACETATE, 6.1, II, (D/ E), environmentally hazardous	
	Classification code	Т3	
	Danger label(s)	6.1, "Fish and tree"	
	Environmental hazards	<b>YES</b> (hazardous to the aquatic environment)	
	Special provisions (SP)	43, 802(ADN)	
	Excepted quantities (EQ)	E4	
	Limited quantities (LQ)	500 g	
	Transport category (TC)	2	
	Tunnel restriction code (TRC)	D/E	
	Hazard identification No	60	
	International Maritime Dangerous Goods Co	ode (IMDG) - Additional information	
	Proper shipping name	PHENYLMERCURIC ACETATE	
	Particulars in the shipper's declaration	UN1674, PHENYLMERCURIC ACETATE, 6.1, II, MARINE POLLUTANT	
	Marine pollutant	<b>yes (P)</b> (hazardous to the aquatic environment)	
	Danger label(s)	6.1, "Fish and tree"	
	Special provisions (SP)	43	
	Excepted quantities (EQ)	E4	
	Limited quantities (LQ)	500 g	
	EmS	F-A, S-A	
	Stowage category	Α	

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Phenyl mercuric acetate ≥98 %, extra pure

article number: 6626

Segregation group	7 - Heavy metals and their salts
International Civil Aviation Organization (ICAO-	ATA/DGR) - Additional information
Proper shipping name	Phenylmercuric acetate
Particulars in the shipper's declaration	UN1674, Phenylmercuric acetate, 6.1, II
Environmental hazards	<b>Yes</b> (hazardous to the aquatic environment)
Danger label(s)	6.1
Special provisions (SP)	A6
Excepted quantities (EQ)	E4
Limited quantities (LQ)	1 kg

# **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture **Relevant provisions of the European Union (EU)**

**Restrictions according to REACH, Annex XVII** 

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	CAS No	Restriction	Νο	
Phenyl mercuric acetate	phenylmercury acetate	62-38-4	R62	62
Phenyl mercuric acetate	mercury compounds		R18	18
Phenyl mercuric acetate	substances in tattoo inks and perman- ent make-up		R75	75

Legend

R62

- the hulls of boats,
- cages, floats, nets and any other appliances or equipment used for fish or shellfish farming,

any totally or partly submerged appliances or equipment;

- (b) in the preservation of wood;
- $\dot{
  m (c)}$  in the impregnation of heavy-duty industrial textiles and yarn intended for their manufacture;

(d) in the treatment of industrial waters, irrespective of their use.
1. Shall not be manufactured, placed on the market or used as substances or in mixtures after 10 October 2017 if the concentration of mercury in the mixtures is equal to or greater than 0,01 % by weight.
2. Articles or any parts thereof containing one or more of these substances shall not be placed on the market after 10 October 2017 if the concentration of mercury in the articles or any part thereof is equal to or greater than 0,01 % by weight.

weight.

R18 Shall not be placed on the market, or used, as substances or in mixtures where the substance or mixture is intended for use: (a) to prevent the fouling by micro-organisms, plants or animals of:

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Phenyl mercuric acetate ≥98 %, extra pure

#### article number: 6626



tattooing purposes.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Phenyl mercuric acetate ≥98 %, extra pure

#### article number: 6626

#### Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or gener-ate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market or a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, or to the use of a mixture for tattooing purposes, or to the use of a mixture for tattooing purposes, or to the use of a mixture for tattooing purposes, or to the use of a mixture for tattooing purposes, or to the use of a mixture for tattooing purposes, or to the use of a mixture for tattooing purposes, or to the use of a mixture for tattooing purposes, or to the use of a mixture for tattooing purposes, or to the use of a mixture for tattooing purposes, or to the use of a mixture for tattooing purposes, or to the use of a mixture for tattooing purposes, or to the use of a mixture for tattooing purposes, or to the use of a mixture for tattooing purposes, or to a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

#### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

#### **Seveso Directive**

2012/	2012/18/EU (Seveso III)					
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements		Notes		
H2	acute toxic (cat. 2 + cat. 3, inhal.)	50	200	41)		

#### Notation

41)

- Category 2, all exposure routes - category 3, inhalation exposure route

#### **Deco-Paint Directive**

VOC content	0 %
-------------	-----

#### **Industrial Emissions Directive (IED)**

VOC content	100 %	
-------------	-------	--

#### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

#### Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

#### Water Framework Directive (WFD)

List of pollutants (WFD)					
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks	
Phenyl mercuric acetate	mercury compounds		b)	HAZ	
Phenyl mercuric acetate	mercury compounds	7439-97-6	c)		
Phenyl mercuric acetate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)		
Phenyl mercuric acetate	Metals and their compounds		a)		

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Phenyl mercuric acetate ≥98 %, extra pure

#### article number: 6626

Legend	
a)	Indicative list of the main pollutants
b)	List of priority substances in the field of water policy
c)	Environmental Quality Standards for Priority Substances and certain other pollutants
HAZ	Identified as priority hazardous substance

#### Regulation on the marketing and use of explosives precursors

not listed

#### **Regulation on drug precursors**

not listed

#### Regulation on substances that deplete the ozone layer (ODS)

not listed

#### Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

Name of substance	Name acc. to inventory	CAS No	Wt%	Category / subcat- egory	Use limita- tion
Phenyl mercuric acetate	mercury compounds	62-38-4	100	p(1) p(2)	b b
Phenyl mercuric acetate	mercury compounds		100	р	

# Legend

b Use limitation: ban (for the sub-category or sub-categories concerned) according to Union legislation
 p Category: p - pesticides
 p(1) Sub-category: p(1) - pesticide in the group of plant protection products
 p(2) Sub-category: p(2) - other pesticide including biocides

#### **Regulation on persistent organic pollutants (POP)**

not listed

#### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
JP	CSCL-ENCS	substance is listed
JP	ISHA-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Phenyl mercuric acetate ≥98 %, extra pure

#### article number: 6626

Country	Inventory	Status	
US	TSCA	substance is listed (ACTIVE)	
VN	NCI	substance is listed	
CSCL-ENCS DSL ECSI IECSC INSQ ISHA-ENCS KECI NCI NZIOC	Domestic Substances List EC Substance Inventory (E Inventory of Existing Chen National Inventory of Che Inventory of Existing and Korea Existing Chemicals National Chemical Inventory of New Zealand Inventory of	Chemical Substances (CSCL-ENCS) (DSL) EINECS, ELINCS, NLP) mical Substances Produced or Imported in China mical Substances New Chemical Substances (ISHA-ENCS) Inventory ory of Chemicals hemicals and Chemical Substances (PICCS) ce Inventory	

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

# **SECTION 16: Other information**

#### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1		Regulation concerning the export and import of hazardous chemicals (PIC): change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)	
ATE	Acute Toxicity Estimate	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mix		
DGR	Dangerous Goods Regulations (see IATA/DGR)	
EC No         The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number fier of substances commercially available within the EU (European Union)		
ED Endocrine disruptor		
EINECS European Inventory of Existing Commercial Chemical Substances		
ELINCS European List of Notified Chemical Substances		

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



#### Phenyl mercuric acetate ≥98 %, extra pure

#### article number: 6626

Abbr.	Descriptions of used abbreviations		
EmS	Emergency Schedule		
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions		
ΙΑΤΑ	International Air Transport Association		
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)		
ICAO	International Civil Aviation Organization		
ICAO-TI	AO-TI Technical instructions for the safe transport of dangerous goods by air		
IMDG	International Maritime Dangerous Goods Code		
IMDG-Code	International Maritime Dangerous Goods Code		
index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Reg (EC) No 1272/2008			
NLP No-Longer Polymer			
PBT	Persistent, Bioaccumulative and Toxic		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals		
SVHC	Substance of Very High Concern		
VOC	Volatile Organic Compounds		
vPvB Very Persistent and very Bioaccumulative			

#### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text	
H301	Toxic if swallowed.	
H314	Causes severe skin burns and eye damage.	
H372	Causes damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.