

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Calcium carbide 1-3 mm, technical

article number: **6666**  
Version: **3.0 en**  
Replaces version of: 2023-01-31  
Version: (2)

date of compilation: 2021-09-09  
Revision: 2024-03-03

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Identification of the substance	<b>Calcium carbide</b> 1-3 mm, technical
Article number	6666
Index No (GB CLP)	006-004-00-9
EC number	200-848-3
CAS number	75-20-7

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:	Laboratory chemical Laboratory and analytical use
Uses advised against:	Do not use for private purposes (household). Food, drink and animal feedingstuffs.

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:** +49 (0) 721 - 56 06 0  
**Telefax:** +49 (0) 721 - 56 06 149  
**e-mail:** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)  
**Website:** [www.carlroth.de](http://www.carlroth.de)

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

**e-mail (competent person):** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification acc. to GHS

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Calcium carbide 1-3 mm, technical

article number: 6666

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
2.12	Substance and mixture which, in contact with water, emits flammable gas	1	Water-react. 1	H260
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.8R	Specific target organ toxicity - single exposure (respiratory tract irritation)	3	STOT SE 3	H335

For full text of abbreviations: see SECTION 16

### The most important adverse physicochemical, human health and environmental effects

In contact with water releases flammable gases which may ignite spontaneously.

## 2.2 Label elements

### Labelling

#### Signal word

**Danger**

#### Pictograms

GHS02, GHS05,  
GHS07



#### Hazard statements

H260 In contact with water releases flammable gases which may ignite spontaneously  
H315 Causes skin irritation  
H318 Causes serious eye damage  
H335 May cause respiratory irritation

#### Precautionary statements

##### Precautionary statements - prevention

P223 Do not allow contact with water  
P280 Wear protective gloves/eye protection

##### Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of water  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 Immediately call a POISON CENTER/doctor

## 2.3 Other hazards

### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Calcium carbide 1-3 mm, technical

article number: 6666

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Name of substance	Calcium carbide
Molecular formula	C <sub>2</sub> Ca
Molar mass	64,1 g/mol
CAS No	75-20-7
EC No	200-848-3
Index No (GB CLP)	006-004-00-9

#### Impurities/additives/constituents:

Name of substance	Identifier	Wt%
Calcium oxide	CAS No 1305-78-8  EC No 215-138-9	14 - 18

#### Remarks

For full text of abbreviations: see SECTION 16

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures



##### General notes

Take off contaminated clothing.

##### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

##### Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

##### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

##### Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

#### 4.2 Most important symptoms and effects, both acute and delayed

Risk of blindness, Risk of serious damage to eyes, Irritation, Cough, Dyspnoea

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Calcium carbide 1-3 mm, technical

article number: 6666

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings!  
dry extinguishing powder, D-powder, dry sand

#### Unsuitable extinguishing media

water

### 5.2 Special hazards arising from the substance or mixture

Product may release hydrogen gas. Increased storage temperatures will accelerate this process. Water-reactive (in contact with water releases flammable gases). Non-combustible.

#### Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically. Control of dust. Take up carefully when dry.

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Calcium carbide 1-3 mm, technical

article number: 6666

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid dust formation.

#### Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed. Keep under inert gas.

#### Incompatible substances or mixtures

Observe hints for combined storage. Do not allow contact with water.

#### Evaporative conditions

Keep container tightly closed and in a well-ventilated place.

#### Protect against external exposure, such as

humidity, contact with air/oxygen

#### Consideration of other advice:

#### Ventilation requirements

Use local and general ventilation.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

#### 7.3 Specific end use(s)

No information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### National limit values

##### Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [mg/m <sup>3</sup> ]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [mg/m <sup>3</sup> ]	Notation	Source
GB	dust		WEL	10			i	EH40/2005
GB	dust		WEL	4			r	EH40/2005

##### Notation

Ceiling-C	Ceiling value is a limit value above which exposure should not occur
i	Inhalable fraction
r	Respirable fraction
STEL	Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Calcium carbide 1-3 mm, technical

article number: 6666

Relevant DNELs of components						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Calcium oxide	1305-78-8	DNEL	1 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
Calcium oxide	1305-78-8	DNEL	4 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Calcium oxide	1305-78-8	PNEC	0,37 mg/l	aquatic organisms	freshwater	short-term (single instance)
Calcium oxide	1305-78-8	PNEC	0,24 mg/l	aquatic organisms	marine water	short-term (single instance)
Calcium oxide	1305-78-8	PNEC	2,27 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Calcium oxide	1305-78-8	PNEC	817,4 mg/kg	terrestrial organisms	soil	short-term (single instance)

## 8.2 Exposure controls

### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection.

#### Skin protection



#### • hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

#### • material thickness

>0,11 mm

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Calcium carbide 1-3 mm, technical

article number: **6666**

- **breakthrough times of the glove material**

>480 minutes (permeation: level 6)

- **other protection measures**

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

### Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

### Environmental exposure controls

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	solid
Colour	dark grey - dark brown
Odour	characteristic
Melting point/freezing point	2.300 °C (ECHA)
Boiling point or initial boiling point and boiling range	not determined
Flammability	substance which, in contact with water, emits flammable gases (in accordance with GHS criteria)
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	not applicable
Kinematic viscosity	not relevant
<u>Solubility(ies)</u>	
Water solubility	(Hydrolysis)
<u>Partition coefficient</u>	
Partition coefficient n-octanol/water (log value):	0,37 (ECHA)
Vapour pressure	not determined

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Calcium carbide 1-3 mm, technical

article number: **6666**

### Density and/or relative density

Density	2,22 g/cm <sup>3</sup> at 20 °C
Relative vapour density	Information on this property is not available.
Bulk density	800 – 900 kg/m <sup>3</sup>

### Particle characteristics

Particle size	1 – 3 mm
---------------	----------

### Other safety parameters

Oxidising properties	none
----------------------	------

## 9.2 Other information

Information with regard to physical hazard classes:	There is no additional information.
Other safety characteristics:	There is no additional information.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

It's a reactive substance. Reactivity with water.

### 10.2 Chemical stability

Moisture-sensitive.

### 10.3 Possibility of hazardous reactions

Material reacts vigorously with water emitting flammable gases

### 10.4 Conditions to avoid

Protect from moisture.

### 10.5 Incompatible materials

copper, silver

#### Release of flammable materials with

Water

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Classification acc. to GHS

#### Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful if swallowed or in contact with skin.



# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Calcium carbide 1-3 mm, technical

article number: 6666

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>2.000 mg/kg	rat		ECHA
dermal	LD50	>2.500 mg/kg	rabbit		ECHA

Acute toxicity of components					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Calcium oxide	1305-78-8	oral	LD50	>2.000 mg/kg	rat

### Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/eye irritation

Causes serious eye damage.

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

May cause respiratory irritation.

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

Data are not available.

#### • If in eyes

Causes serious eye damage, risk of blindness

#### • If inhaled

Irritation to respiratory tract, cough, Dyspnoea

#### • If on skin

causes skin irritation

#### • Other information

none

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Calcium carbide 1-3 mm, technical

article number: 6666

### 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

### 11.3 Information on other hazards

There is no additional information.

## SECTION 12: Ecological information

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
LC50	$>50 \text{ mg/l}$	fish	ECHA	96 h
EC50	$4,62 \text{ mg/l}$	aquatic invertebrates	ECHA	48 h
ErC50	$46 \text{ mg/l}$	algae	ECHA	72 h

Aquatic toxicity (acute) of components					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Calcium oxide	1305-78-8	LC50	$50,6 \text{ mg/l}$	fish	96 h
Calcium oxide	1305-78-8	EC50	$49,1 \text{ mg/l}$	aquatic invertebrates	48 h
Calcium oxide	1305-78-8	ErC50	$184,6 \text{ mg/l}$	algae	72 h

Aquatic toxicity (chronic) of components					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Calcium oxide	1305-78-8	LC50	$53,1 \text{ mg/l}$	aquatic invertebrates	14 d
Calcium oxide	1305-78-8	EC50	$300,4 \text{ mg/l}$	microorganisms	3 h

### 12.2 Persistence and degradability

Theoretical Oxygen Demand:  $0,9984 \text{ mg/mg}$   
Theoretical Carbon Dioxide:  $1,373 \text{ mg/mg}$

#### Biodegradation

The substance is readily biodegradable.

### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	0,37 (ECHA)
---------------------------	-------------

### 12.4 Mobility in soil

Data are not available.

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Calcium carbide 1-3 mm, technical

article number: 6666

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous

**HP 3** flammable

**HP 4** irritant - skin irritation and eye damage

**HP 5** specific target organ toxicity (STOT)/aspiration toxicity

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADRRID UN 1402

IMDG-Code UN 1402

ICAO-TI UN 1402

### 14.2 UN proper shipping name

ADRRID CALCIUM CARBIDE

IMDG-Code CALCIUM CARBIDE

ICAO-TI Calcium carbide

### 14.3 Transport hazard class(es)

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Calcium carbide 1-3 mm, technical

article number: **6666**

ADRRID	4.3
IMDG-Code	4.3
ICAO-TI	4.3

### 14.4 Packing group

ADRRID	I
IMDG-Code	I
ICAO-TI	I

### 14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

### 14.8 Information for each of the UN Model Regulations

#### Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name	CALCIUM CARBIDE
Particulars in the transport document	UN1402, CALCIUM CARBIDE, 4.3, I, (B/E)
Classification code	W2
Danger label(s)	4.3



Excepted quantities (EQ)	E0
Limited quantities (LQ)	0
Transport category (TC)	1
Tunnel restriction code (TRC)	B/E
Hazard identification No	X423
<b>Emergency Action Code</b>	4W

#### Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

<b>Classification code</b>	W2
<b>Danger label(s)</b>	4.3



<b>Excepted quantities (EQ)</b>	E0
<b>Limited quantities (LQ)</b>	0
<b>Transport category (TC)</b>	1

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Calcium carbide 1-3 mm, technical

article number: **6666**

**Hazard identification No** X423

### International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name CALCIUM CARBIDE  
Particulars in the shipper's declaration UN1402, CALCIUM CARBIDE, 4.3, I  
Marine pollutant -  
Danger label(s) 4.3



Excepted quantities (EQ) E0  
Limited quantities (LQ) 0  
EmS F-G, S-N  
Stowage category B

### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Calcium carbide  
Particulars in the shipper's declaration UN1402, Calcium carbide, 4.3, I  
Danger label(s) 4.3



Excepted quantities (EQ) E0

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

##### Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
O2	other hazards (Water-react., cat. 1)	100 500	59)

##### Notation

59) Substances and mixtures which in contact with water emit flammable gases, category 1

##### Deco-Paint Directive

VOC content	0 %
VOC content	0 g/l

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Calcium carbide 1-3 mm, technical

article number: 6666

### Industrial Emissions Directive (IED)

VOC content	0 %
VOC content	0 g/l

### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

### Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

### Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Calcium carbide	Metals and their compounds		a)	

#### Legend

a) Indicative list of the main pollutants

### Regulation on the marketing and use of explosives precursors

not listed

### Regulation on drug precursors

not listed

### Regulation on substances that deplete the ozone layer (ODS)

not listed

### Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

### Regulation on persistent organic pollutants (POP)

not listed

### National regulations(GB)

### List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

not listed

### Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
Calcium carbide	flammable / pyrophoric		40

### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Calcium carbide 1-3 mm, technical

article number: 6666

### National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

#### Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

## 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

## SECTION 16: Other information

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$ .	yes
15.1	VOC content: 0 % 0 g/l	VOC content: 0 %	yes
15.1		VOC content: 0 g/l	yes

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Calcium carbide 1-3 mm, technical

article number: **6666**

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
15.1		National inventories: change in the listing (table)	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval



# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Calcium carbide 1-3 mm, technical

article number: **6666**

Abbr.	Descriptions of used abbreviations
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H260	In contact with water releases flammable gases which may ignite spontaneously.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.