acc. to Safe Work Australia - Code of Practice

## **Lithium bromide ≥ 99%, anhydrous**

article number: 6712 date of compilation: 2017-05-29 Version: GHS 3.0 en

Replaces version of: 2021-06-24

Version: (GHS 2)

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### **Product identifier** 1.1

Identification of the substance **Lithium bromide** ≥ 99%, anhydrous

Article number 6712

CAS number 7550-35-8

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

#### Details of the supplier of the safety data sheet 1.3

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

sheet:

e-mail (competent person): sicherheit@carlroth.de

#### 1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

## **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

## Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2A	Eye Irrit. 2A	H319
3.45	Skin sensitisation	1	Skin Sens. 1	H317

For full text of abbreviations: see SECTION 16

Australia (en) Page 1 / 13



Revision: 2024-03-01

acc. to Safe Work Australia - Code of Practice

## **Lithium bromide ≥ 99%, anhydrous**

article number: 6712

Signal word Warning

**Pictograms** 

GHS07



## **Hazard statements**

H302	Harmful if swallowed
H315	Causes skin irritation

May cause an allergic skin reaction H317 H319 Causes serious eye irritation

## **Precautionary statements**

## **Precautionary statements - prevention**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray

Wear protective gloves P280

## **Precautionary statements - response**

P302+P352 IF ON SKIN: Wash with plenty of soap and water

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

If skin irritation or rash occurs: Get medical advice/attention P333+P313 P337+P313 If eye irritation persists: Get medical advice/attention

## **Precautionary statements - disposal**

P501 Dispose of contents/container to industrial combustion plant

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

## **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 **Substances**

Name of substance Lithium bromide

Molecular formula BrLi

Molar mass 86.84 <sup>g</sup>/<sub>mol</sub> CAS No 7550-35-8

Australia (en) Page 2 / 13



#### 2.2 Label elements

Labelling

acc. to Safe Work Australia - Code of Practice

## **Lithium bromide ≥ 99%, anhydrous**

article number: 6712



## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

## **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

## **Following skin contact**

Rinse skin with water/shower. After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician. In case of skin irritation, consult a physician.

## Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

## Following ingestion

Rinse mouth with water (only if the person is conscious). Call a doctor.

## 4.2 Most important symptoms and effects, both acute and delayed

Gastrointestinal complaints, Vomiting, Nausea, Irritation, Allergic reactions

# 4.3 Indication of any immediate medical attention and special treatment needed

none

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media



## Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

#### Unsuitable extinguishing media

water iet

## 5.2 Special hazards arising from the substance or mixture

Non-combustible

#### **Hazardous combustion products**

Hydrogen bromide (HBr)

## **Hazardous combustion products**

In case of fire may be liberated:

Australia (en) Page 3 / 13

acc. to Safe Work Australia - Code of Practice

## Lithium bromide ≥ 99%, anhydrous

article number: 6712



## 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures



## For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Do not breathe dust.

## 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

## 6.3 Methods and material for containment and cleaning up

## Advice on how to contain a spill

Covering of drains. Take up mechanically.

## Advice on how to clean up a spill

Take up mechanically. Control of dust.

## Other information relating to spills and releases

Place in appropriate containers for disposal.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Avoid dust formation.

## Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

## Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Hygroscopic solid.

## **Incompatible substances or mixtures**

Observe hints for combined storage.

## Consideration of other advice:

## **Ventilation requirements**


Use local and general ventilation.

Australia (en) Page 4 / 13

acc. to Safe Work Australia - Code of Practice

## **Lithium bromide ≥ 99%, anhydrous**

article number: 6712



Recommended storage temperature: 15 - 25 °C

#### Specific end use(s) 7.3

No information available.

## SECTION 8: Exposure controls/personal protection

#### 8.1 **Control parameters**

## **National limit values**

## **Occupational exposure limit values (Workplace Exposure Limits)**

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	nuisance dusts		WES	10			i	WES

Notation

Ceiling value is a limit value above which exposure should not occur Inhalable fraction Ceiling-C

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) TWA

#### **Human health values**

Relevant DNELs and other threshold levels							
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time			
DNEL	3.8 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects			
DNEL	10.9 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects			

#### **Environmental values**

## **Relevant PNECs and other threshold levels**

End- point	Threshold level	Organism	Environmental com- partment	Exposure time					
PNEC	21.3 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)					
PNEC	2.13 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)					
PNEC	287 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)					
PNEC	105 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)					
PNEC	10.5 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)					
PNEC	8.45 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)					

Australia (en) Page 5 / 13



acc. to Safe Work Australia - Code of Practice

## Lithium bromide ≥ 99%, anhydrous

article number: 6712



## 8.2 Exposure controls

## Individual protection measures (personal protective equipment)

## **Eye/face protection**





Use safety goggle with side protection.

## Skin protection





## hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### type of material

NBR (Nitrile rubber)

#### material thickness

>0,11 mm

## · breakthrough times of the glove material

>480 minutes (permeation: level 6)

## other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

## **Respiratory protection**





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

Australia (en) Page 6 / 13

acc. to Safe Work Australia - Code of Practice

## **Lithium bromide ≥ 99%, anhydrous**

article number: 6712



# **SECTION 9: Physical and chemical properties**

#### Information on basic physical and chemical properties 9.1

Physical state solid

Form powder

Colour white - light pink

Odour odourless Melting point/freezing point 547 - 550 °C

Boiling point or initial boiling point and boiling 1,265 °C at 1,013 hPa (ECHA)

range

**Flammability** non-combustible Lower and upper explosion limit not determined Flash point not applicable Auto-ignition temperature not determined

not relevant Decomposition temperature

7 (in aqueous solution:  $10^{9}/_{l}$ ,  $20^{\circ}$ C) pH (value)

Kinematic viscosity not relevant

Solubility(ies)

1,490 <sup>g</sup>/<sub>l</sub> at 20 °C Water solubility

Partition coefficient

Partition coefficient n-octanol/water (log value): -0.37 (25 °C) (ECHA)

Vapour pressure 1 hPa at 748 °C

Density and/or relative density

 $3.46 \, {\rm g}/{\rm cm}^3$  at 20 °C Density

Relative vapour density Information on this property is not available.

 $\sim 1.800 \, \text{kg/m}^3$ **Bulk density** 

No data available. Particle characteristics

Other safety parameters

Oxidising properties none

9.2 Other information

> Information with regard to physical hazard hazard classes acc. to GHS (physical hazards): not relevant classes:

There is no additional information. Other safety characteristics:

Australia (en) Page 7 / 13

acc. to Safe Work Australia - Code of Practice

## **Lithium bromide ≥ 99%, anhydrous**

article number: 6712



# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

This material is not reactive under normal ambient conditions.

## 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

## 10.3 Possibility of hazardous reactions

Violent reaction with: Strong acid, strong oxidiser

#### 10.4 Conditions to avoid

Protect from moisture.

## 10.5 Incompatible materials

There is no additional information.

## 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### Classification acc. to GHS

#### **Acute toxicity**

Harmful if swallowed.

GHS of the United Nations, annex 4. May be harmful in contact with skin.

Acute toxicity								
Exposure route	Endpoint	Value	Species	Method	Source			
oral	LD50	>500 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA			
inhalation: dust/ mist	LC50	>15.57 <sup>mg</sup> / <sub>I</sub> /4h	rat		ECHA			
dermal	LD50	2,000 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA			

#### Skin corrosion/irritation

Causes skin irritation.

## Serious eye damage/eye irritation

Causes serious eye irritation.

## Respiratory or skin sensitisation

May cause an allergic skin reaction.

## **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

## Carcinogenicity

Shall not be classified as carcinogenic.

Australia (en) Page 8 / 13

acc. to Safe Work Australia - Code of Practice

## **Lithium bromide ≥ 99%, anhydrous**

article number: 6712



## **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

## Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

## Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

## **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

## Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

Data are not available.

## • If in eyes

Causes serious eye irritation

#### If inhaled

Data are not available.

#### • If on skin

causes skin irritation, May produce an allergic reaction, pruritis, localised redness

## Other information

none

## 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0.1\%$ .

# **SECTION 12: Ecological information**

## 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)						
Endpoint	Value	Species	Source	Exposure time		
LC50	438 <sup>mg</sup> / <sub>l</sub>	fish	ECHA	96 h		
EC50	364 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	48 h		
ErC50	>400 <sup>mg</sup> / <sub>I</sub>	algae	ECHA	72 h		

# Aquatic toxicity (chronic) Species Source Exposure time EC50 >1.7 mg/l aquatic invertebrates ECHA 21 d

## 12.2 Persistence and degradability

Data are not available.

Australia (en) Page 9 / 13

acc. to Safe Work Australia - Code of Practice

## Lithium bromide ≥ 99%, anhydrous

article number: 6712



Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	-0.37 (25 °C) (ECHA)
, 5	

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

## 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

#### 12.7 Other adverse effects

Data are not available.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

## Sewage disposal-relevant information

Do not empty into drains.

## Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

## 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

# **SECTION 14: Transport information**

14.1	UN number	not subject to transport regulations

14.2 UN proper shipping name not assigned
 14.3 Transport hazard class(es) not assigned
 14.4 Packing group not assigned

**14.5 Environmental hazards** non-environmentally hazardous acc. to the dan-

gerous goods regulations

#### 14.6 Special precautions for user

There is no additional information.

## 14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Australia (en) Page 10 / 13



acc. to Safe Work Australia - Code of Practice

#### **Lithium bromide ≥ 99%, anhydrous**

article number: 6712



## Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

Not subject to transport regulations. UN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

# **SECTION 15: Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

Australian Inventory of Industrial Chemicals List of Existing and New Chemical Substances (CSCL-ENCS) CSCL-ENCS

DSL ECSI

Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances

National Inventory of Chemical Substances

Korea Existing Chemicals Inventory

National Chemical Inventory

New Zealand Inventory of Chemicals

Philippine Inventory of Chemicals and Chemical Substances (PICCS)

Australia (en) Page 11 / 13

acc. to Safe Work Australia - Code of Practice

## **Lithium bromide ≥ 99%, anhydrous**

article number: 6712

Legend

REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory
TSCA Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

## **SECTION 16: Other information**

## Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1		Other information: Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	yes
15.1		National inventories: change in the listing (table)	yes

# Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval

Australia (en) Page 12 / 13



acc. to Safe Work Australia - Code of Practice

## **Lithium bromide ≥ 99%, anhydrous**

article number: 6712



Abbr.	Descriptions of used abbreviations
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
STEL	Short-term exposure limit
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

## Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

## List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

## Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 13 / 13