acc. to Regulation (EC) No. 1907/2006 (REACH)

Naphthalene ≥99 %, for synthesis

article number: **6714**Version: **5.0 en**date of compilation: 2017-08-11
Revision: 2024-03-02

Replaces version of: 2023-05-08

Version: (4)



1.1 Product identifier

Identification of the substance Naphthalene ≥99 %, for synthesis

Article number 6714

 Index No (GB CLP)
 601-052-00-2

 EC number
 202-049-5

 CAS number
 91-20-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-

stuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

United Kingdom (en) Page 1 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Naphthalene ≥99 %, for synthesis

article number: 6714





Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.7	Flammable solid	2	Flam. Sol. 2	H228
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.6	Carcinogenicity	2	Carc. 2	H351
4.1A	Hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	Hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

Signal word Warning

Pictograms

GHS02, GHS07, GHS08, GHS09









Hazard statements

H228 Flammable solid H302 Harmful if swallowed H351 Suspected of causing cancer

H410 Very toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat. No smoking P273 Avoid release to the environment P280 Wear protective gloves/eye protection

Precautionary statements - response

P308+P313 IF exposed or concerned: Get medical advice/attention

For professional users only

2.3 Other hazards

This material is combustible, but will not ignite readily.

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

United Kingdom (en) Page 2 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Naphthalene ≥99 %, for synthesis

article number: 6714



SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Naphthalene

Molecular formula C₁₀H₈

Molar mass 128,2 g/_{mol}

CAS No 91-20-3

EC No 202-049-5

Index No (GB CLP) 601-052-00-2

Substance, Specific Conc. Limits, M-factors, ATE

Specific Conc. Limits	M-Factors	ATE	Exposure route
-	-	710 ^{mg} / _{kg}	oral

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Wash with plenty of soap and water. In case of skin irritation, consult a physician.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth with water (only if the person is conscious). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Gastrointestinal complaints, Vomiting, Mild irritant to skin, Headache, Dizziness

4.3 Indication of any immediate medical attention and special treatment needed

none

United Kingdom (en) Page 3 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Naphthalene ≥99 %, for synthesis

article number: 6714



SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO₂), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United Kingdom (en) Page 4 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Naphthalene ≥99 %, for synthesis

article number: 6714



SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid exposure. Avoid dust formation.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Removal of dust deposits.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	naphthalene	91-20-3	IOELV	50				91/322/EEC
GB	dust		WEL	10			i	EH40/2005
GB	dust		WEL	4			r	EH40/2005
GB	aromatics	91-20-3	WEL	500				EH40/2005

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

United Kingdom (en) Page 5 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Naphthalene ≥99 %, for synthesis

article number: 6714



Notation

i Inhalable fraction r Respirable fraction

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

hours time-weighted average (unless otherwise specified)

Human health values

Relevant DNELs and other threshold levels

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	25 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	25 mg/m³	human, inhalatory	worker (industry)	chronic - local effects
DNEL	3,57 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

material thickness

0,4 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

United Kingdom (en) Page 6 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Naphthalene ≥99 %, for synthesis

article number: 6714

Respiratory protection





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state solid

Form crystalline
Colour white

Odour characteristic Odour threshold 0,015 ppm

Melting point/freezing point 80,3 °C at 1.013 hPa (ECHA)

Boiling point or initial boiling point and boiling 218,1 °C at 1.013 hPa (ECHA)

range

Flammability flammable solid in accordance with GHS criteria

Lower and upper explosion limit 0,9 vol% (LEL) - 5,9 vol% (UEL) Flash point 78,5 °C at 990 hPa (ECHA)

Auto-ignition temperature 526 – 587 °C at 1.013 hPa (ECHA) (relative self-ig-

nition temperature for solids)

Decomposition temperature not relevant pH (value) not applicable Kinematic viscosity not relevant

Solubility(ies)

Water solubility $0,034 \, {}^{9}/_{1}$ at 25 ${}^{\circ}$ C

Partition coefficient

Partition coefficient n-octanol/water (log value): 3,4 (25 °C) (ECHA)

Vapour pressure 0,003 hPa

Density and/or relative density

Density $1,069 \, {}^{9}/{}_{\text{cm}^3}$ at 24,7 °C (ECHA)

Relative vapour density 4,42 at 20 °C (air = 1)

United Kingdom (en) Page 7 / 18



acc. to Regulation (EC) No. 1907/2006 (REACH)

Naphthalene ≥99 %, for synthesis

article number: 6714

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

There is no additional information.

Other safety characteristics: There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

If heated

Risk of ignition.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Chromium(VI) oxide, Nitrogen oxides (NOx)

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Harmful if swallowed.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	710 ^{mg} / _{kg}	mouse		ECHA
inhalation: vapour	LC50	>0,4 ^{mg} / _l /4h	rat		ECHA

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

United Kingdom (en) Page 8 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Naphthalene ≥99 %, for synthesis

article number: 6714



Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

vomiting, nausea, gastrointestinal complaints

• If in eyes

corneal opacity, causes slight to moderate irritation

• If inhaled

cough, irritant effects

• If on skin

Frequently or prolonged contact with skin may cause dermal irritation, risk of absorption via the skin

Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

United Kingdom (en) Page 9 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Naphthalene ≥99 %, for synthesis

article number: 6714



Aquatic toxicity (acute)

Endpoint	Value	Species	Source	Exposure
LC50	1,6 ^{mg} / _l	fish	ECHA	time 96 h
EC50	2,16 ^{mg} / _l	aquatic invertebrates	ECHA	48 h

Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
LC50	7,76 ^{mg} / _l	fish	ECHA	24 h
EC50	2,96 ^{mg} / _l	algae	ECHA	4 h

12.2 Persistence and degradability

Theoretical Oxygen Demand: $2.990 \, ^{mg}/_{g}$ Theoretical Carbon Dioxide: $3,434 \, ^{mg}/_{mg}$

Process of degradability

Process	Degradation rate	Time
oxygen depletion	>74 %	28 d

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	3,4 (25 °C) (ECHA)
BCF	36,5 – 168 (ECHA)

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

United Kingdom (en) Page 10 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Naphthalene ≥99 %, for synthesis

article number: 6714



Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

HP3 flammable

HP 6 acute toxicity

HP7 carcinogenić

HP 14 ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

ADRRID UN 1334
IMDG-Code UN 1334
ICAO-TI UN 1334

14.2 UN proper shipping name

ADRRID NAPHTHALENE, REFINED IMDG-Code NAPHTHALENE, REFINED ICAO-TI Naphthalene, refined

14.3 Transport hazard class(es)

ADRRID 4.1 IMDG-Code 4.1 ICAO-TI 4.1

14.4 Packing group

ADRRID III
IMDG-Code III
ICAO-TI III

14.5 Environmental hazards hazardous to the aquatic environment

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

United Kingdom (en) Page 11 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Naphthalene ≥99 %, for synthesis

article number: 6714



14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name NAPHTHALENE, REFINED

Particulars in the transport document UN1334, NAPHTHALENE, REFINED, 4.1, III, (E), en-

vironmentally hazardous

Classification code F1

Danger label(s) 4.1, "Fish and tree"





Environmental hazards yes (hazardous to the aquatic environment)

Special provisions (SP) 501

Excepted quantities (EQ) E1

Limited quantities (LQ) 5 kg

Transport category (TC) 3

Tunnel restriction code (TRC) E

Hazard identification No 40

Emergency Action Code 12

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code F1

Danger label(s) 4.1, "Fish and tree"





Environmental hazards Yes

Hazardous to water

Special provisions (SP) 501

Excepted quantities (EQ) E1

Limited quantities (LQ) 5 kg

Transport category (TC) 3

Hazard identification No 40

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name NAPHTHALENE, REFINED

Particulars in the shipper's declaration UN1334, NAPHTHALENE, REFINED, 4.1, III, MAR-

INE POLLUTANT

Marine pollutant yes (P) (hazardous to the aquatic environment)

Danger label(s) 4.1, "Fish and tree"

United Kingdom (en) Page 12 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Naphthalene ≥99 %, for synthesis

article number: 6714



Special provisions (SP) 948, 967

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 kg
EmS F-A, S-G

Stowage category A

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Naphthalene, refined

Particulars in the shipper's declaration UN1334, Naphthalene, refined, 4.1, III

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 4.1



Excepted quantities (EQ) E1

Limited quantities (LQ) 10 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/	2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes	
E1	environmental hazards (hazardous to the aquatic environment, cat. 1)		56)		

Notation

56) Hazardous to the Aquatic Environment in category Acute 1 or Chronic 1

Deco-Paint Directive

VOC content	100 %
VOC content	1.069 ^g / _I

Industrial Emissions Directive (IED)

United Kingdom (en) Page 13 / 18



acc. to Regulation (EC) No. 1907/2006 (REACH)

Naphthalene ≥99 %, for synthesis

article number: 6714



VOC content	0 %
VOC content	0 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

Pollutant release and transfer registers (PRTR)				
Name of substance	CAS No	Remarks	Threshold for releases to air (kg/year)	
Naphthalene	91-20-3		100	

Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Naphthalene	naphthalene	91-20-3	b)	
Naphthalene	naphthalene	91-20-3	c)	
Naphthalene	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Naphthalene	Persistent hydrocarbons and per- sistent and bioaccumulable or- ganic toxic substances		a)	

Legend

a) b) c)

Indicative list of the main pollutants List of priority substances in the field of water policy Environmental Quality Standards for Priority Substances and certain other pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

United Kingdom (en) Page 14 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Naphthalene ≥99 %, for synthesis

article number: 6714



Regulation on persistent organic pollutants (POP)

Name of substance	CAS No	Wt%	Type of registra- tion	Re- marks	Exemp- tions	Concentration limit
Naphthalene	130498-29-2	100	Annex III - B	A3B-ad- 01		

Legend

A3B-ad-01 For the purpose of emission inventories, the following four compound indicators shall be used: benzo(a)pyrene, benzo(b) fluoranthene, benzo(k)fluoranthene and indeno(1,2,3-cd)pyrene.

Annex III - B List of substances subject to release reduction provisions

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance Name acc. to inventory CAS No No			
Naphthalene	flammable / pyrophoric		40

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS) AIIC CICR CSCL-ENCS

DSL ECSI

Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances **IECSC**

INSQ

United Kingdom (en) Page 15 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Naphthalene ≥99 %, for synthesis

article number: 6714

Legend

KECI

Korea Existing Chemicals Inventory National Chemical Inventory Philippine Inventory of Chemicals and Chemical Substances (PICCS) PICCS

REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory
TSCA Toxic Substance Control Act

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
91/322/EEC	Commission Directive on establishing indicative limit values by implementing Council Directive 80/1107/ EEC
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)

United Kingdom (en) Page 16 / 18



acc. to Regulation (EC) No. 1907/2006 (REACH)

Naphthalene ≥99 %, for synthesis

article number: 6714



Abbr.	Descriptions of used abbreviations
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H228	Flammable solid.
H302	Harmful if swallowed.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

United Kingdom (en) Page 17 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Naphthalene ≥99 %, for synthesis

article number: 6714



Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 18 / 18