

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of lime , natural

article number: **6721**
Version: **GHS 4.0 en**
Replaces version of: 2023-03-09
Version: (GHS 3)

date of compilation: 2019-10-29
Revision: 2024-03-04

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance	Oil of lime , natural
Article number	6721
CAS number	8008-26-2
Alternative name(s)	Oleum Limettae

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:	Laboratory chemical Laboratory and analytical use
Uses advised against:	Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-stuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone: +49 (0) 721 - 56 06 0
Telefax: +49 (0) 721 - 56 06 149
e-mail: sicherheit@carlroth.de
Website: www.carlroth.de

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

e-mail (competent person): sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 Westmead, NSW	131126	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	3	Flam. Liq. 3	H226
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.4S	Skin sensitisation	1	Skin Sens. 1	H317

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of lime , natural

article number: 6721

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
3.10	Aspiration hazard	1	Asp. Tox. 1	H304

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling

Signal word

Danger

Pictograms

GHS02, GHS07,
GHS08



Hazard statements

H226 Flammable liquid and vapour
H304 May be fatal if swallowed and enters airways
H315 Causes skin irritation
H317 May cause an allergic skin reaction

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking
P280 Wear protective gloves

Precautionary statements - response

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
P302+P352 IF ON SKIN: Wash with plenty of soap and water
P331 Do NOT induce vomiting
P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher for extinction

Precautionary statements - storage

P403+P235 Store in a well-ventilated place. Keep cool

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of lime , natural

article number: 6721

SECTION 3: Composition/information on ingredients

3.1 Substances

"UVCB substance" (substance of unknown or variable composition).

Name of substance Oil of lime

CAS No 8008-26-2

Impurities/additives/constituents:

Name of substance	Identifier	Wt%
D-(+)-Limonene	CAS No 5989-27-5	> 25
γ -Terpinene	CAS No 99-85-4	< 15
Terpinolene	CAS No 586-62-9	< 11
α -Terpineol	CAS No 98-55-5	< 8
β -Pinene	CAS No 127-91-3	< 5
DL- α -Pinene	CAS No 80-56-8	< 5
α -Terpinene	CAS No 99-86-5	< 4
1,4-Cineole	CAS No 470-67-7	< 3
Eucalyptol	CAS No 470-82-6	< 3
p-Cymene	CAS No 99-87-6	< 3
Myrcene	CAS No 123-35-3	< 2

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of lime , natural

article number: 6721

Following skin contact

Rinse skin with water/shower. After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician. In case of skin irritation, consult a physician.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Call a physician immediately. Observe aspiration hazard if vomiting occurs.

4.2 Most important symptoms and effects, both acute and delayed

Aspiration hazard, Irritation, Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings!
water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂), May produce toxic fumes of carbon monoxide if burning.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of lime , natural

article number: 6721

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ground/bond container and receiving equipment.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

Oil of lime , natural

article number: **6721**

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

Human health values

Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	18.7 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	5.34 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
DNEL	185.8 µg/cm ²	human, dermal	worker (industry)	acute - local effects

Relevant DNELs of components						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
D-(+)-Limonene	5989-27-5	DNEL	66.7 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
D-(+)-Limonene	5989-27-5	DNEL	9.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
γ-Terpinene	99-85-4	DNEL	2.939 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
γ-Terpinene	99-85-4	DNEL	0.833 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
β-Pinene	127-91-3	DNEL	5.69 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
β-Pinene	127-91-3	DNEL	0.8 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
β-Pinene	127-91-3	DNEL	54 µg/cm ²	human, dermal	worker (industry)	chronic - local effects
DL-α-Pinene	80-56-8	DNEL	3.8 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
DL-α-Pinene	80-56-8	DNEL	0.542 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
α-Terpinene	99-86-5	DNEL	2.939 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
α-Terpinene	99-86-5	DNEL	0.833 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Eucalyptol	470-82-6	DNEL	7.05 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Eucalyptol	470-82-6	DNEL	2 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of lime , natural

article number: 6721

Environmental values

Relevant PNECs and other threshold levels

End-point	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	5.4 µg/l	aquatic organisms	freshwater	short-term (single instance)
PNEC	0.54 µg/l	aquatic organisms	marine water	short-term (single instance)
PNEC	2.1 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	1.3 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	0.13 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
PNEC	0.29 mg/kg	terrestrial organisms	soil	short-term (single instance)

Relevant PNECs of components

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
D-(+)-Limonene	5989-27-5	PNEC	14 µg/l	aquatic organisms	freshwater	short-term (single instance)
D-(+)-Limonene	5989-27-5	PNEC	1.4 µg/l	aquatic organisms	marine water	short-term (single instance)
D-(+)-Limonene	5989-27-5	PNEC	1.8 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
D-(+)-Limonene	5989-27-5	PNEC	3.85 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
D-(+)-Limonene	5989-27-5	PNEC	0.385 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
D-(+)-Limonene	5989-27-5	PNEC	0.763 mg/kg	terrestrial organisms	soil	short-term (single instance)
γ-Terpinene	99-85-4	PNEC	0.003 mg/l	aquatic organisms	freshwater	short-term (single instance)
γ-Terpinene	99-85-4	PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
γ-Terpinene	99-85-4	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
γ-Terpinene	99-85-4	PNEC	0.49 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
γ-Terpinene	99-85-4	PNEC	0.049 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
γ-Terpinene	99-85-4	PNEC	0.423 mg/kg	terrestrial organisms	soil	short-term (single instance)
α-Terpineol	98-55-5	PNEC	68 µg/l	aquatic organisms	freshwater	short-term (single instance)
α-Terpineol	98-55-5	PNEC	6.8 µg/l	aquatic organisms	marine water	short-term (single instance)
α-Terpineol	98-55-5	PNEC	2.6 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of lime , natural

article number: 6721

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
α -Terpineol	98-55-5	PNEC	1.85 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
α -Terpineol	98-55-5	PNEC	0.185 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
α -Terpineol	98-55-5	PNEC	0.329 mg/kg	terrestrial organisms	soil	short-term (single instance)
β -Pinene	127-91-3	PNEC	1.004 μ g/l	aquatic organisms	freshwater	short-term (single instance)
β -Pinene	127-91-3	PNEC	0.1 μ g/l	aquatic organisms	marine water	short-term (single instance)
β -Pinene	127-91-3	PNEC	3.26 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
β -Pinene	127-91-3	PNEC	0.337 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
β -Pinene	127-91-3	PNEC	0.034 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
β -Pinene	127-91-3	PNEC	0.067 mg/kg	terrestrial organisms	soil	short-term (single instance)
DL- α -Pinene	80-56-8	PNEC	0.606 μ g/l	aquatic organisms	freshwater	short-term (single instance)
DL- α -Pinene	80-56-8	PNEC	0.061 μ g/l	aquatic organisms	marine water	short-term (single instance)
DL- α -Pinene	80-56-8	PNEC	0.2 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
DL- α -Pinene	80-56-8	PNEC	157 μ g/kg	aquatic organisms	freshwater sediment	short-term (single instance)
DL- α -Pinene	80-56-8	PNEC	15.7 μ g/kg	aquatic organisms	marine sediment	short-term (single instance)
DL- α -Pinene	80-56-8	PNEC	31.7 μ g/kg	terrestrial organisms	soil	short-term (single instance)
Eucalyptol	470-82-6	PNEC	57 μ g/l	aquatic organisms	freshwater	short-term (single instance)
Eucalyptol	470-82-6	PNEC	5.7 μ g/l	aquatic organisms	marine water	short-term (single instance)
Eucalyptol	470-82-6	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Eucalyptol	470-82-6	PNEC	1.425 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Eucalyptol	470-82-6	PNEC	0.142 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Eucalyptol	470-82-6	PNEC	0.25 mg/kg	terrestrial organisms	soil	short-term (single instance)

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of lime , natural

article number: 6721

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

• material thickness

>0,3 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of lime , natural

article number: 6721

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	amber - green
Odour	characteristic
Melting point/freezing point	-25 °C (ECHA)
Boiling point or initial boiling point and boiling range	130 °C at 1,030 hPa (ECHA)
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	not determined
Flash point	53.4 °C (ECHA)
Auto-ignition temperature	240 °C at 1,020 hPa (ECHA)
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	1.54 mm ² /s at 20 °C
Dynamic viscosity	1.33 mPa s at 20 °C

Solubility(ies)

Water solubility (practically insoluble)

Partition coefficient

Partition coefficient n-octanol/water (log value): 3.33 – 7.12 (ECHA)

Vapour pressure 1.709 hPa at 25 °C

Density and/or relative density

Density 0.862 g/cm³ at 20 °C (ECHA)

Relative vapour density Information on this property is not available.

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard classes: There is no additional information.

Other safety characteristics:

Refractive index 1.47 – 1.482 (20 °C)

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of lime , natural

article number: 6721

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition.

If heated

Risk of ignition. Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

Rubber articles, different plastics

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful if swallowed or in contact with skin.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>4,367 mg/kg	rat		ECHA
dermal	LD50	>4,367 mg/kg	rabbit		ECHA

Acute toxicity of components					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
D-(+)-Limonene	5989-27-5	oral	LD50	>2,000 mg/kg	rat
γ-Terpinene	99-85-4	oral	LD50	>2,000 mg/kg	rat
γ-Terpinene	99-85-4	dermal	LD50	>2,000 mg/kg	rat
Terpinolene	586-62-9	oral	LD50	>2,000 mg/kg	rat
Terpinolene	586-62-9	dermal	LD50	>2,000 mg/kg	rat
α-Terpineol	98-55-5	oral	LD50	4,300 mg/kg	rat

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of lime , natural

article number: 6721

Acute toxicity of components					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
α -Terpineol	98-55-5	dermal	LD50	>2,000 mg/kg	rat
β -Pinene	127-91-3	oral	LD50	4,700 mg/kg	rat
DL- α -Pinene	80-56-8	dermal	LD50	>2,000 mg/kg	rat
DL- α -Pinene	80-56-8	oral	LD50	3,700 mg/kg	rat
α -Terpinene	99-86-5	oral	LD50	1,680 mg/kg	rat
α -Terpinene	99-86-5	dermal	LD50	>2,000 mg/kg	rat
1,4-Cineole	470-67-7	oral	LD50	3,100 mg/kg	rat
1,4-Cineole	470-67-7	dermal	LD50	>5,000 mg/kg	rabbit
Eucalyptol	470-82-6	oral	LD50	2,480 mg/kg	rat
p-Cymene	99-87-6	oral	LD50	4,750 mg/kg	rat
p-Cymene	99-87-6	dermal	LD50	>5,000 mg/kg	rabbit
Myrcene	123-35-3	oral	LD50	>3,380 mg/kg	mouse
Myrcene	123-35-3	dermal	LD50	>5,000 mg/kg	rabbit

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

- If swallowed

Oil of lime , natural

article number: **6721**

aspiration hazard

- **If in eyes**

Data are not available.

- **If inhaled**

Data are not available.

- **If on skin**

causes skin irritation, May produce an allergic reaction, pruritis, localised redness

- **Other information**

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
LL50	$>18 \text{ mg/l}$	fish	ECHA	96 h
EL50	5 mg/l	aquatic invertebrates	ECHA	48 h

Aquatic toxicity (acute) of components					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
D-(+)-Limonene	5989-27-5	LC50	0.46 mg/l	fish	96 h
D-(+)-Limonene	5989-27-5	EC50	0.307 mg/l	aquatic invertebrates	48 h
D-(+)-Limonene	5989-27-5	ErC50	0.32 mg/l	algae	72 h
γ -Terpinene	99-85-4	EC50	2.792 mg/l	fish	96 h
Terpinolene	586-62-9	LC50	0.805 mg/l	fish	96 h
Terpinolene	586-62-9	EC50	0.634 mg/l	aquatic invertebrates	48 h
Terpinolene	586-62-9	ErC50	0.692 mg/l	algae	72 h
α -Terpineol	98-55-5	LC50	70 mg/l	fish	96 h
α -Terpineol	98-55-5	EC50	73 mg/l	aquatic invertebrates	48 h
α -Terpineol	98-55-5	ErC50	68 mg/l	algae	72 h
β -Pinene	127-91-3	LC50	0.68 mg/l	rainbow trout (Oncorhynchus mykiss)	96 h
β -Pinene	127-91-3	EC50	1.09 mg/l	daphnia magna	48 h

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of lime , natural

article number: 6721

Aquatic toxicity (acute) of components					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
β -Pinene	127-91-3	ErC50	0.7 mg/l	Pseudokirchneriella subcapitata	72 h
DL- α -Pinene	80-56-8	LC50	0.303 mg/l	fish	96 h
DL- α -Pinene	80-56-8	EC50	0.475 mg/l	aquatic invertebrates	48 h
α -Terpinene	99-86-5	LC50	3,150 μ g/l	fish	96 h
α -Terpinene	99-86-5	EC50	1.7 mg/l	aquatic invertebrates	48 h
Eucalyptol	470-82-6	LC50	57 mg/l	fish	96 h
Eucalyptol	470-82-6	EC50	>100 mg/l	aquatic invertebrates	48 h
Eucalyptol	470-82-6	ErC50	>74 mg/l	algae	72 h
p-Cymene	99-87-6	LC50	48 mg/l	fish	96 h
p-Cymene	99-87-6	EC50	3.7 mg/l	aquatic invertebrates	48 h
p-Cymene	99-87-6	ErC50	4.03 mg/l	algae	72 h
Myrcene	123-35-3	EC50	1.47 mg/l	aquatic invertebrates	48 h
Myrcene	123-35-3	EC50	0.31 mg/l	algae	72 h
Myrcene	123-35-3	ErC50	0.342 mg/l	algae	72 h

Aquatic toxicity (chronic) of components					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
D-(+)-Limonene	5989-27-5	EC50	<0.67 mg/l	fish	8 d
D-(+)-Limonene	5989-27-5	EC50	188 μ g/l	aquatic invertebrates	21 d
γ -Terpinene	99-85-4	EC50	>1,000 mg/l	microorganisms	3 h
Terpinolene	586-62-9	EC50	69 mg/l	microorganisms	3 h
β -Pinene	127-91-3	EC50	326 mg/l	microorganisms	3 h
α -Terpinene	99-86-5	EC50	>10 mg/l	microorganisms	3 h
Eucalyptol	470-82-6	EC50	>100 mg/l	microorganisms	3 h

12.2 Persistence and degradability

Biodegradation

The substance is readily biodegradable.

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of lime , natural

article number: 6721

Degradability of components						
Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
D-(+)-Limonene	5989-27-5	carbon dioxide generation	58.8 %	14 d		ECHA
D-(+)-Limonene	5989-27-5	oxygen depletion	80 %	28 d		ECHA
γ-Terpinene	99-85-4	oxygen depletion	27 %	28 d		ECHA
Terpinolene	586-62-9	oxygen depletion	81 %	28 d		ECHA
α-Terpineol	98-55-5	carbon dioxide generation	80 %	28 d	OECD Guideline 310	
β-Pinene	127-91-3	oxygen depletion	76 %	28 d		ECHA
DL-α-Pinene	80-56-8	oxygen depletion	68 %	28 d		ECHA
α-Terpinene	99-86-5	oxygen depletion	30 %	14 d		ECHA
Eucalyptol	470-82-6	carbon dioxide generation	82 %	28 d		ECHA
p-Cymene	99-87-6	oxygen depletion	88 %	14 d		ECHA
Myrcene	123-35-3	oxygen depletion	76 %	28 d		ECHA

12.3 Bioaccumulative potential

The substance fulfils the very bioaccumulative criterion.

n-octanol/water (log KOW)	3.33 – 7.12 (ECHA)
---------------------------	--------------------

Bioaccumulative potential of components				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
D-(+)-Limonene	5989-27-5		4.38 (pH value: 7.2, 37 °C)	
γ-Terpinene	99-85-4		5.4 (25 °C)	
Terpinolene	586-62-9		4.47	
α-Terpineol	98-55-5		2.98	
DL-α-Pinene	80-56-8		4.83	
α-Terpinene	99-86-5		5.3 (35 °C)	
Eucalyptol	470-82-6		3.4	
p-Cymene	99-87-6		4.8 (pH value: ~7, 20 °C)	
Myrcene	123-35-3		4.82 (pH value: ~6.5, 30 °C)	

12.4 Mobility in soil

Data are not available.

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of lime , natural

article number: 6721

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H3 Flammable liquids
H11 Toxic (Delayed or chronic)

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number

UN RTDG	UN 1197
IMDG-Code	UN 1197
ICAO-TI	UN 1197

14.2 UN proper shipping name

UN RTDG	EXTRACTS, LIQUID
IMDG-Code	EXTRACTS, LIQUID
ICAO-TI	Extracts, liquid

14.3 Transport hazard class(es)

UN RTDG	3
IMDG-Code	3

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of lime , natural

article number: 6721

ICAO-TI	3
14.4 Packing group	
UN RTDG	III
IMDG-Code	III
ICAO-TI	III
14.5 Environmental hazards	hazardous to the aquatic environment
14.6 Special precautions for user	
There is no additional information.	
14.7 Transport in bulk according to IMO instruments	
The cargo is not intended to be carried in bulk.	
14.8 Information for each of the UN Model Regulations	
Transport informationNational regulationsAdditional information(UN RTDG)	
UN number	1197
Class	3
Environmental hazards	Yes Hazardous to the aquatic environment
Packing group	III
Danger label(s)	3 Fish and tree
Special provisions (SP)	223 UN RTDG
Excepted quantities (EQ)	E1 UN RTDG
Limited quantities (LQ)	5 L UN RTDG
Emergency Action Code	3Y
International Maritime Dangerous Goods Code (IMDG) - Additional information	
Proper shipping name	EXTRACTS, LIQUID
Particulars in the shipper's declaration	UN1197, EXTRACTS, LIQUID, (Oil of lime), 3, III, 53.4°C c.c., MARINE POLLUTANT
Marine pollutant	yes (hazardous to the aquatic environment)
Danger label(s)	3, "Fish and tree"
Special provisions (SP)	223, 955
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L


Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of lime , natural

article number: **6721**

EmS	F-E, S-D
Stowage category	A
International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information	
Proper shipping name	Extracts, liquid
Particulars in the shipper's declaration	UN1197, Extracts, liquid, 3, III
Environmental hazards	yes (hazardous to the aquatic environment)
Danger label(s)	3
	
Special provisions (SP)	A3
Excepted quantities (EQ)	E1
Limited quantities (LQ)	10 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
KR	KECI	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

AIIC	Australian Inventory of Industrial Chemicals
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of lime , natural

article number: 6721

Legend

NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.3	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0,1\%$.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	\equiv EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of lime , natural

article number: **6721**

Abbr.	Descriptions of used abbreviations
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.