

Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Mint oil double rectified

article number: **6732**
Version: **2.0 en**
Replaces version of: 2022-07-20
Version: (1)

date of compilation: 2022-07-20
Revision: 2024-03-04

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance	Mint oil double rectified
Article number	6732
EC number	290-058-5
CAS number	90063-97-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:	Laboratory chemical Laboratory and analytical use
Uses advised against:	Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone: +49 (0) 721 - 56 06 0
Telefax: +49 (0) 721 - 56 06 149
e-mail: sicherheit@carlroth.de
Website: www.carlroth.de

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

e-mail (competent person): sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.4S	Skin sensitisation	1	Skin Sens. 1	H317

Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Mint oil double rectified

article number: **6732**

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
4.1C	Hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

Signal word

Warning

Pictograms

GHS07, GHS09



Hazard statements

H302 Harmful if swallowed
H315 Causes skin irritation
H317 May cause an allergic skin reaction
H319 Causes serious eye irritation
H411 Toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P273 Avoid release to the environment
P280 Wear protective gloves/eye protection

Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of soap and water
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P333+P313 If skin irritation or rash occurs: Get medical advice/attention
P337+P313 If eye irritation persists: Get medical advice/attention

2.3 Other hazards

This material is combustible, but will not ignite readily.

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Mint oil double rectified

article number: 6732

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Mint oil
CAS No	90063-97-1
EC No	290-058-5

Impurities/additives/constituents:

Name of substance	Identifier	Wt%
(±) - Menthol	CAS No 89-78-1 EC No 201-939-0	50 - < 75
Menthone	CAS No 10458-14-7 EC No 233-944-9	5 - < 10
L(-)-Limonene	CAS No 5989-54-8 EC No 227-815-6 Index No 601-029-00-7	1 - < 5
(-)-Carvone	CAS No 6485-40-1 EC No 229-352-5 Index No 606-148-00-8	1 - < 5
Acetic acid methyl ester	CAS No 79-20-9 EC No 201-185-2 Index No 607-021-00-X	1 - < 5
Isopulegol	CAS No 89-79-2 EC No 201-940-6	1 - < 5
DL- α -Pinene	CAS No 80-56-8 EC No 201-291-9	< 1

Substance, Specific Conc. Limits, M-factors, ATE

Specific Conc. Limits	M-Factors	ATE	Exposure route
-	-	500 mg/kg	oral

Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Mint oil double rectified

article number: **6732**

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin reactions, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Vomiting, Irritation, Allergic reactions, Aspiration hazard

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings!
water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂), May produce toxic fumes of carbon monoxide if burning.

Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Mint oil double rectified

article number: 6732

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Mint oil double rectified

article number: 6732

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

Relevant DNELs of components						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
(±) - Menthol	89-78-1	DNEL	66,28 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
(±) - Menthol	89-78-1	DNEL	1 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
(±) - Menthol	89-78-1	DNEL	1 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
(±) - Menthol	89-78-1	DNEL	9,4 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
(±) - Menthol	89-78-1	DNEL	46,4 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
(±) - Menthol	89-78-1	DNEL	13,15 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Acetic acid methyl ester	79-20-9	DNEL	300 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Acetic acid methyl ester	79-20-9	DNEL	3.777 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
Acetic acid methyl ester	79-20-9	DNEL	620 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
Acetic acid methyl ester	79-20-9	DNEL	43 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
L(-)-Limonene	5989-54-8	DNEL	33,3 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
L(-)-Limonene	5989-54-8	DNEL	222 µg/cm ²	human, dermal	worker (industry)	acute - local effects
DL-α-Pinene	80-56-8	DNEL	3,8 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
DL-α-Pinene	80-56-8	DNEL	0,542 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Mint oil double rectified

article number: 6732

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
(±) - Menthol	89-78-1	PNEC	0,016 mg/l	aquatic organisms	freshwater	short-term (single instance)
(±) - Menthol	89-78-1	PNEC	0,002 mg/l	aquatic organisms	marine water	short-term (single instance)
(±) - Menthol	89-78-1	PNEC	3,06 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
(±) - Menthol	89-78-1	PNEC	0,201 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
(±) - Menthol	89-78-1	PNEC	0,02 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
(±) - Menthol	89-78-1	PNEC	0,031 mg/kg	terrestrial organisms	soil	short-term (single instance)
Acetic acid methyl ester	79-20-9	PNEC	0,12 mg/l	aquatic organisms	freshwater	short-term (single instance)
Acetic acid methyl ester	79-20-9	PNEC	0,012 mg/l	aquatic organisms	marine water	short-term (single instance)
Acetic acid methyl ester	79-20-9	PNEC	600 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Acetic acid methyl ester	79-20-9	PNEC	0,128 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Acetic acid methyl ester	79-20-9	PNEC	0,013 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Acetic acid methyl ester	79-20-9	PNEC	0,042 mg/kg	terrestrial organisms	soil	short-term (single instance)
L-(-)-Limonene	5989-54-8	PNEC	5,4 µg/l	aquatic organisms	freshwater	short-term (single instance)
L-(-)-Limonene	5989-54-8	PNEC	0,54 µg/l	aquatic organisms	marine water	short-term (single instance)
L-(-)-Limonene	5989-54-8	PNEC	0,2 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
L-(-)-Limonene	5989-54-8	PNEC	1,322 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
L-(-)-Limonene	5989-54-8	PNEC	0,132 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
L-(-)-Limonene	5989-54-8	PNEC	0,262 mg/kg	terrestrial organisms	soil	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	0,606 µg/l	aquatic organisms	freshwater	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	0,061 µg/l	aquatic organisms	marine water	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	0,2 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	157 µg/kg	aquatic organisms	freshwater sediment	short-term (single instance)

Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Mint oil double rectified

article number: 6732

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
DL- α -Pinene	80-56-8	PNEC	15,7 $\mu\text{g}/\text{kg}$	aquatic organisms	marine sediment	short-term (single instance)
DL- α -Pinene	80-56-8	PNEC	31,7 $\mu\text{g}/\text{kg}$	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

• material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 ° C , colour code: Brown).

Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Mint oil double rectified

article number: **6732**

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	clear - colourless - light yellow
Odour	characteristic
Melting point/freezing point	<-25 °C at 1.013 hPa (ECHA)
Boiling point or initial boiling point and boiling range	102 °C at 1 bar (ECHA)
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	68,7 °C at 1 bar (ECHA)
Auto-ignition temperature	285 °C at 1.014 hPa (ECHA)
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	5,54 mm ² /s at 20 °C
Dynamic viscosity	4,994 cP at 20 °C
<u>Solubility(ies)</u>	
Water solubility	~ 0,9432 g/l at 20 °C (ECHA)
<u>Partition coefficient</u>	
Partition coefficient n-octanol/water (log value):	2,73 – 6,99 (pH value: ~7, 25 °C) (ECHA)
Vapour pressure	50,8 Pa at 25 °C
<u>Density and/or relative density</u>	
Density	~ 0,9015 g/cm ³ at 20 °C (ECHA)
Relative vapour density	Information on this property is not available.
Particle characteristics	not relevant (liquid)
<u>Other safety parameters</u>	
Oxidising properties	none

9.2 Other information

Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
---	---

Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Mint oil double rectified

article number: 6732

Other safety characteristics:

Refractive index 1,46

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

If heated

Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Harmful if swallowed.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
dermal	LD50	>5.000 mg/kg	rabbit		
oral	LD50	4.450 mg/kg	rat		

Acute toxicity of components					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
(±) - Menthol	89-78-1	oral	LD50	3.180 mg/kg	rat
(±) - Menthol	89-78-1	inhalation: dust/mist	LC50	5.289 mg/m ³ / 4h	rat
Acetic acid methyl ester	79-20-9	oral	LD50	6.482 mg/kg	rat
Acetic acid methyl ester	79-20-9	dermal	LD50	>2.000 mg/kg	rat
Isopulegol	89-79-2	oral	LD50	936 mg/kg	rat

Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Mint oil double rectified

article number: 6732

Acute toxicity of components					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
(-)-Carvone	6485-40-1	oral	LD50	5.400 mg/kg	rat
(-)-Carvone	6485-40-1	dermal	LD50	>2.000 mg/kg	rat
DL- α -Pinene	80-56-8	dermal	LD50	>2.000 mg/kg	rat
DL- α -Pinene	80-56-8	oral	LD50	3.700 mg/kg	rat

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

abdominal pain, aspiration hazard

• If in eyes

Causes serious eye irritation

• If inhaled

cough, pain, choking, and breathing difficulties

• If on skin

causes skin irritation, May produce an allergic reaction, pruritis, localised redness

• Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Mint oil double rectified

article number: 6732

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
LC50	3,01 mg/l	fish	ECHA	96 h
EC50	2,43 mg/l	aquatic invertebrates	ECHA	48 h

Aquatic toxicity (acute) of components					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
(±) - Menthol	89-78-1	LC50	22,3 mg/l	fish	96 h
(±) - Menthol	89-78-1	EC50	26,6 mg/l	aquatic invertebrates	48 h
(±) - Menthol	89-78-1	ErC50	16,2 mg/l	algae	72 h
Acetic acid methyl ester	79-20-9	LC50	≤350 mg/l	fish	96 h
Acetic acid methyl ester	79-20-9	EC50	1.027 mg/l	aquatic invertebrates	48 h
Acetic acid methyl ester	79-20-9	ErC50	>120 mg/l	algae	72 h
Isopulegol	89-79-2	EC50	53,2 mg/l	aquatic invertebrates	48 h
Isopulegol	89-79-2	ErC50	50,6 mg/l	algae	72 h
(-)-Carvone	6485-40-1	LC50	6,1 mg/l	fish	96 h
(-)-Carvone	6485-40-1	EC50	38 mg/l	aquatic invertebrates	48 h
(-)-Carvone	6485-40-1	ErC50	19 mg/l	algae	72 h
DL-α-Pinene	80-56-8	LC50	0,303 mg/l	fish	96 h
DL-α-Pinene	80-56-8	EC50	0,475 mg/l	aquatic invertebrates	48 h

Aquatic toxicity (chronic) of components					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
(±) - Menthol	89-78-1	EC50	306 mg/l	microorganisms	3 h
Acetic acid methyl ester	79-20-9	EC50	6.000 mg/l	microorganisms	16 h
Isopulegol	89-79-2	EC50	>1.000 mg/l	microorganisms	180 min

Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Mint oil double rectified

article number: 6732

12.2 Persistence and degradability

Biodegradation

The substance is readily biodegradable.

Degradability of components						
Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
Acetic acid methyl ester	79-20-9	biotic/abiotic	>70 %	19 d	geschlossene Flasche	
Acetic acid methyl ester	79-20-9	oxygen depletion	1 %	0 d		ECHA
Isopulegol	89-79-2	carbon dioxide generation	<10 %	7 d		ECHA
L-(-)-Limonene	5989-54-8	oxygen depletion	85 %	28 d		ECHA
(-)-Carvone	6485-40-1	oxygen depletion	90 %	28 d		ECHA
DL- α -Pinene	80-56-8	oxygen depletion	68 %	28 d		ECHA

12.3 Bioaccumulative potential

The substance fulfils the very bioaccumulative criterion.

n-octanol/water (log KOW)	2,73 – 6,99 (pH value: ~7, 25 °C) (ECHA)
---------------------------	--

Bioaccumulative potential of components				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
(±) - Menthol	89-78-1	$\geq 0,5 - \leq 15$	3,4 (pH value: 7,2, 37 °C)	
Menthone	10458-14-7		3,05	
Acetic acid methyl ester	79-20-9		0,18	
Isopulegol	89-79-2		2,4 (pH value: 6,2, 23 °C)	
L-(-)-Limonene	5989-54-8	864,8	4,38 (pH value: 7,2, 37 °C)	
(-)-Carvone	6485-40-1		2,74	
DL- α -Pinene	80-56-8		4,83	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

12.7 Other adverse effects

Data are not available.

Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Mint oil double rectified

article number: 6732

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- HP 4 irritant - skin irritation and eye damage
- HP 6 acute toxicity
- HP 13 sensitising
- HP 14 ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

ADRRID	UN 3082
IMDG-Code	UN 3082
ICAO-TI	UN 3082

14.2 UN proper shipping name

ADRRID	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
IMDG-Code	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
ICAO-TI	Environmentally hazardous substance, liquid, n.o.s.
Technical name	Mint oil

14.3 Transport hazard class(es)

ADRRID	9
IMDG-Code	9





Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Mint oil double rectified

article number: **6732**

ICAO-TI	9
14.4 Packing group	
ADRRID	III
IMDG-Code	III
ICAO-TI	III
14.5 Environmental hazards	hazardous to the aquatic environment
14.6 Special precautions for user	
Provisions for dangerous goods (ADR) should be complied within the premises.	
14.7 Maritime transport in bulk according to IMO instruments	
The cargo is not intended to be carried in bulk.	
14.8 Information for each of the UN Model Regulations	
Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information	
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Particulars in the transport document	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (Mint oil), 9, III, (-)
Classification code	M6
Danger label(s)	9, "Fish and tree"
 	
Environmental hazards	yes (hazardous to the aquatic environment)
Special provisions (SP)	274, 335, 375, 601
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Tunnel restriction code (TRC)	-
Hazard identification No	90
Emergency Action Code	3Z
Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information	
Classification code	M6
Danger label(s)	9, "Fish and tree"
 	
Environmental hazards	Yes Hazardous to water
Special provisions (SP)	274, 335, 375, 601





Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Mint oil double rectified

article number: 6732

Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Hazard identification No	90
International Maritime Dangerous Goods Code (IMDG) - Additional information	
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Particulars in the shipper's declaration	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (Mint oil), 9, III
Marine pollutant	yes (hazardous to the aquatic environment), (Mint oil)
Danger label(s)	9, "Fish and tree"
 	
Special provisions (SP)	274, 335, 969
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-F
Stowage category	A
International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information	
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
Particulars in the shipper's declaration	UN3082, Environmentally hazardous substance, liquid, n.o.s., (Mint oil), 9, III
Environmental hazards	yes (hazardous to the aquatic environment)
Danger label(s)	9, "Fish and tree"
 	
Special provisions (SP)	A97, A158, A197, A215
Excepted quantities (EQ)	E1
Limited quantities (LQ)	30 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Mint oil double rectified

article number: 6732

Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
E2	environmental hazards (hazardous to the aquatic environment, cat. 2)	200 500	57)

Notation

57) Hazardous to the Aquatic Environment in category Chronic 2

Deco-Paint Directive

VOC content	100 %
VOC content	901,5 g/l

Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	901,5 g/l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

not listed

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

not listed

Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Mint oil double rectified

article number: 6732

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
Mint oil	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		3

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
VN	NCI	substance is listed

Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.	yes
15.1	VOC content: 100 % 901,5 g/l	VOC content: 100 %	yes

Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Mint oil double rectified

article number: **6732**

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
15.1		VOC content: 901,5 g/l	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval

Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Mint oil double rectified

article number: **6732**

Abbr.	Descriptions of used abbreviations
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.