according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Seneciphylline N-oxide ROTICHROM® HPLC

article number: **6735** Version: **2.0 en** Replaces version of: 2021-07-06 Version: (1)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

Registration number (REACH)

Seneciphylline N-oxide ROTICHROM® HPLC

6735

It is not required to list the identified uses because the substance is not subject to registration according to REACH (< 1 t/a).

38710-26-8

Laboratory chemical

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory and analytical use Do not use for products which come into contact

with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-stuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	+353 1 809 2166	https:// www.poisons.ie/

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)



date of compilation: 2021-07-06

Revision: 2024-03-01

sicherheit@carlroth.de

CAS number

20710 2

.....

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Seneciphylline N-oxide ROTICHROM® HPLC

article number: 6735

Section	Section Hazard class		Hazard class and category	Hazard statement
3.10	O Acute toxicity (oral)		Acute Tox. 3	H301
3.9	3.9 Specific target organ toxicity - repeated exposure		STOT RE 2	H373

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure.

2.2 Label elements

Signal word

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Danger

Pictograms

GHS06, GHS08

Hazard statements

H301

Toxic if swallowed

H373 May cause damage to organs through prolonged or repeated exposure

Precautionary statements

Precautionary statements - prevention

P260	Do not breathe dust
P270	Do not eat, drink or smoke when using this product

Precautionary statements - response

P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor
P330	Rinse mouth

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)

H301Toxic if swallowed.P270Do not eat, drink or smoke when using this product.P301+P310IF SWALLOWED: Immediately call a POISON CENTER/doctor.P330Rinse mouth.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Seneciphylline N-oxide ROTICHROM® HPLC

article number: 6735

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Seneciphylline N-oxide
Molecular formula	C ₁₈ H ₂₃ NO ₆
Molar mass	349,4 ^g / _{mol}
CAS No	38710-26-8

Substance, Specific Conc. Limits, M-factors, ATE					
Specific Conc. Limits	M-Factors	ATE	Exposure route		
-	-	77 ^{mg} / _{kg}	oral		

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed Gastrointestinal complaints, Nausea, Spasms, Vomiting

4.3 Indication of any immediate medical attention and special treatment needed

none

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Seneciphylline N-oxide ROTICHROM® HPLC

article number: 6735

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Seneciphylline N-oxide ROTICHROM® HPLC

article number: 6735

SECTION 7: Handling and storage

Precautions for safe handling 7.1

Avoid dust formation. Avoid exposure. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

Conditions for safe storage, including any incompatibilities 7.2

Keep container tightly closed. Keep in a cool place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Store locked up.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 4 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

Control parameters 8.1

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
IE	dusts, non-specific		OELV	10			i	S.I. No. 619 of 2001
IE	dusts, non-specific		OELV	4			r	S.I. No. 619 of 2001

Notation

Ceiling value is a limit value above which exposure should not occur Inhalable fraction Ceiling-C

Respirable fraction

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) STEL

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) TWA

8.2 **Exposure controls**



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Seneciphylline N-oxide ROTICHROM® HPLC

article number: 6735

Individual protection measures (personal protective equipment)

Eye/face protection

Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Seneciphylline N-oxide ROTICHROM® HPLC

article number: 6735

SECTION 9: Physical and chemical properties

9.1	Information on basic physical and chemical pro	perties
	Physical state	solid
	Form	powder, crystalline
	Colour	colourless
	Odour	odourless
	Melting point/freezing point	not determined
	Boiling point or initial boiling point and boiling range	not determined
	Flammability	this material is combustible, but will not ignite readily
	Lower and upper explosion limit	not determined
	Flash point	not applicable
	Auto-ignition temperature	not determined
	Decomposition temperature	not relevant
	pH (value)	not applicable
	Kinematic viscosity	not relevant
	Solubility(ies)	
	Water solubility	partially soluble
	Partition coefficient	
	Partition coefficient n-octanol/water (log value):	this information is not available
	Vapour pressure	not determined
	Density and/or relative density	
	Density	not determined
	Relative vapour density	Information on this property is not available.
	Particle characteristics	No data available.
	Other safety parameters	
	Oxidising properties	none
9.2	Other information	
	Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
	Other safety characteristics:	There is no additional information.



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Seneciphylline N-oxide ROTICHROM® HPLC

article number: 6735

SECTION 10: Stability and reactivity

10.1 Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

Keep away from heat.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Toxic if swallowed.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	77 ^{mg} / _{kg}	rat		

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Seneciphylline N-oxide ROTICHROM® HPLC

article number: 6735

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Hazard category	Target organ	Exposure route
2	several organs	if exposed

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

vomiting, nausea, Spasms, gastrointestinal complaints

• If in eyes

Data are not available.

• If inhaled

Data are not available.

• If on skin

Data are not available.

Other information

Substance not yet fully tested.

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Theoretical Oxygen Demand (without nitrification): 1,832 $^{mg}/_{mg}$ Theoretical Oxygen Demand (with nitrification): 2,015 $^{mg}/_{mg}$ Theoretical Carbon Dioxide: 2,267 $^{mg}/_{mg}$

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Seneciphylline N-oxide ROTICHROM® HPLC



article number: 6735

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- HP 5 specific target organ toxicity (STOT)/aspiration toxicity
- HP 6 acute toxicity

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

	ADRRID	UN 1544
	IMDG-Code	UN 1544
	ICAO-TI	UN 1544
14.2	UN proper shipping name	
	ADRRID	ALKALOIDS, SOLID, N.O.S.
	IMDG-Code	ALKALOIDS, SOLID, N.O.S.
	ICAO-TI	Alkaloids, solid, n.o.s.
	Technical name	Seneciphylline N-oxide
14.3	Transport hazard class(es)	
	ADRRID	6.1
	IMDG-Code	6.1
	ICAO-TI	6.1
14.4	Packing group	
	ADRRID	III
	IMDG-Code	III

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Seneciphylline N-oxide ROTICHROM® HPLC

article number: 6735

article	e number: 6735					
	ICAO-TI	III				
4.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations				
4.6	Special precautions for user					
	Provisions for dangerous goods (ADR) should be complied within the premises.					
4.7	Maritime transport in bulk according to IMO instruments					
	The cargo is not intended to be carried in bulk.					
4.8	Information for each of the UN Model Reg	julations				
	Agreement concerning the International (information	Carriage of Dangerous Goods by Road (ADR)Additiona				
	Proper shipping name	ALKALOIDS, SOLID, N.O.S.				
	Particulars in the transport document	UN1544, ALKALOIDS, SOLID, N.O.S., (Seneciphyl- line N-oxide), 6.1, III, (E)				
	Classification code	T2				
	Danger label(s)	6.1				
	\Diamond					
	Special provisions (SP)	43, 274, 802(ADN)				
	Excepted quantities (EQ)	E1				
	Limited quantities (LQ)	5 kg				
	Transport category (TC)	2				
	Tunnel restriction code (TRC)	E				
	Hazard identification No	60				
	Regulations concerning the International information	Carriage of Dangerous Goods by Rail (RID)Additional				
	Classification code	T2				
	Danger label(s)	6.1				
	$\langle $					
	Special provisions (SP)	43, 274, 802(ADN)				
	Excepted quantities (EQ)	E1				
	Limited quantities (LQ)	5 kg				
	Transport category (TC)	2				
	Hazard identification No	60				

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Seneciphylline N-oxide ROTICHROM® HPLC

article number: 6735

International Maritime Dangerous Goods Code (IMDG) - Additional information			
Proper shipping name	ALKALOIDS, SOLID, N.O.S.		
Particulars in the shipper's declaration	UN1544, ALKALOIDS, SOLID, N.O.S., (Seneciphyl- line N-oxide), 6.1, III		
Marine pollutant	-		
Danger label(s)	6.1		
Special provisions (SP)	43, 223, 274		
Excepted quantities (EQ)	E1		
Limited quantities (LQ)	5 kg		
EmS	F-A, S-A		
Stowage category	A		
International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information			
Proper shipping name	Alkaloids, solid, n.o.s.		
Particulars in the shipper's declaration	UN1544, Alkaloids, solid, n.o.s., (Seneciphylline N- oxide), 6.1, III		
Danger label(s)	6.1		
Special provisions (SP)	A3, A5, A6		
Excepted quantities (EQ)	E1		
Limited quantities (LQ)	10 kg		

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

not listed

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list Not listed.

Seveso Directive

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements		Notes
H2	acute toxic (cat. 2 + cat. 3, inhal.)	50	200	41)

Notation

41)

- Category 2, all exposure routes - category 3, inhalation exposure route

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Seneciphylline N-oxide ROTICHROM® HPLC

article number: 6735

Deco-Paint Directive	
VOC content	0 %
Industrial Emissions Directive (IED)	
VOC content	0 %
Directive on the restriction of the use o electronic equipment (RoHS)	f certain hazardous substances in electrical and
not listed	
Regulation concerning the establishme Register (PRTR)	nt of a European Pollutant Release and Transfer
not listed	
Water Framework Directive (WFD)	
not listed	
Regulation on the marketing and use o not listed	f explosives precursors
Regulation on drug precursors	
not listed	
Regulation on substances that deplete not listed	the ozone layer (ODS)
Regulation concerning the export and i not listed	mport of hazardous chemicals (PIC)
Regulation on persistent organic pollut	ants (POP)

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
VN	NCI	substance is listed

Legend

NCI National Chemical Inventory

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Seneciphylline N-oxide ROTICHROM® HPLC

article number: 6735

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.2	ICAO-TI: Alkaloid salts, solid, n.o.s.	ICAO-TI: Alkaloids, solid, n.o.s.	yes
14.8		Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID)Addition- al information	yes
14.8		Classification code: T2	yes
14.8		Danger label(s): 6.1	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Special provisions (SP): 43, 274, 802(ADN)	yes
14.8		Excepted quantities (EQ): E1	yes
14.8		Limited quantities (LQ): 5 kg	yes
14.8		Transport category (TC): 2	yes
14.8		Hazard identification No: 60	yes
14.8	Proper shipping name: Alkaloid salts, solid, n.o.s.	Proper shipping name: Alkaloids, solid, n.o.s.	yes
14.8	Particulars in the shipper's declaration: UN1544, Alkaloid salts, solid, n.o.s., (Seneciphyl- line N-oxide), 6.1, III	Particulars in the shipper's declaration: UN1544, Alkaloids, solid, n.o.s., (Seneciphylline N-oxide), 6.1, III	yes
15.1		Other information: Directive 94/33/EC on the protection of young people at work. Observe employment restric- tions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	yes
15.1		National inventories	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Seneciphylline N-oxide ROTICHROM® HPLC

® Roth

article number: 6735

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
ED	Endocrine disruptor
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
PBT	Persistent, Bioaccumulative and Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
S.I. No. 619 of 2001	Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Seneciphylline N-oxide ROTICHROM® HPLC

article number: 6735

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H301	Toxic if swallowed.
H373	May cause damage to organs through prolonged or repeated exposure.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.