according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



date of compilation: 2017-03-20

Revision: 2024-03-04

### tert-Butyl methyl ether ≥99,5 %, for synthesis

article number: **6746** Version: **4.0 en** Replaces version of: 2022-12-15 Version: (3)

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

Identification of the substance

Article number Registration number (REACH)

Index number in CLP Annex VI

EC number

CAS number

Alternative name(s)

# tert-Butyl methyl ether ≥99,5 %, for synthesis

6746

01-2119452786-27-xxxx

603-181-00-X

216-653-1

1634-04-4

Methyl tert-butyl ether

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Laboratory chemical Laboratory and analytical use

Uses advised against:

Do not use for private purposes (household). Food, drink and animal feedingstuffs.

### **1.3** Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

### e-mail (competent person):

### sicherheit@carlroth.de

### 1.4 Emergency telephone number

| Name  | Street        | Postal<br>code/city | Telephone       | Website                     |
|---|---------------|---------------------|-----------------|-----------------------------|
| National Poisons Information<br>Centre<br>Beaumont Hospital | Beaumont Road | Dublin 9            | +353 1 809 2166 | https://<br>www.poisons.ie/ |

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### tert-Butyl methyl ether ≥99,5 %, for synthesis

article number: 6746

# **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 (CLP)

| Section | Hazard class              | Cat-<br>egory | Hazard class and category | Hazard<br>statement |
|---------|---------------------------|---------------|---------------------------|---------------------|
| 2.6     | Flammable liquid          | 2             | Flam. Liq. 2              | H225                |
| 3.2     | Skin corrosion/irritation | 2             | Skin Irrit. 2             | H315                |

For full text of abbreviations: see SECTION 16

## The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

### 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms

GHS02, GHS07



### Hazard statements

| H225 | Highly flammable liquid and vapour |
|------|------------------------------------|
| H315 | Causes skin irritation             |

### **Precautionary statements**

#### **Precautionary statements - prevention**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
 P280 Wear protective gloves/protective clothing/eye protection/face protection

## Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of soap and water

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### tert-Butyl methyl ether ≥99,5 %, for synthesis

article number: 6746

# 2.3 Other hazards

### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### **Endocrine disrupting properties**

The substance has an endocrine disrupting potential.

# **SECTION 3: Composition/information on ingredients**

| 3.1 Substances |
|----------------|
|----------------|

| Name of substance | tert-Butyl methyl ether             |
|-------------------|-------------------------------------|
| Molecular formula | $C_5H_{12}O$                        |
| Molar mass        | 88,15 <sup>g</sup> / <sub>mol</sub> |
| REACH Reg. No     | 01-2119452786-27-xxxx               |
| CAS No            | 1634-04-4                           |
| EC No             | 216-653-1                           |
| Index No          | 603-181-00-X                        |

### Impurities/additives/constituents:

| Name of substance | Identifier               | Wt% |
|-------------------|--------------------------|-----|
| Methanol          | CAS No<br>67-56-1        | <1  |
|                   | EC No<br>200-659-6       |     |
|                   | Index No<br>603-001-00-X |     |

### Remarks

For full text of abbreviations: see SECTION 16

# **SECTION 4: First aid measures**

### 4.1 Description of first aid measures



General notes

Take off contaminated clothing.

### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

### Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### tert-Butyl methyl ether ≥99,5 %, for synthesis

article number: 6746

### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

### **Following ingestion**

Rinse mouth. Call a doctor if you feel unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

Irritation, Unconsciousness, Vertigo, Nausea, Spasms, Has degreasing effect on the skin

# 4.3 Indication of any immediate medical attention and special treatment needed

none

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media



### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

#### Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

# **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures



### For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### tert-Butyl methyl ether ≥99,5 %, for synthesis

article number: 6746

### 6.3 Methods and material for containment and cleaning up

### Advice on how to contain a spill

Covering of drains.

### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Provision of sufficient ventilation.

### Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a cool place.

### Incompatible substances or mixtures

Observe hints for combined storage.

#### **Consideration of other advice:**

Ground/bond container and receiving equipment.

#### Ventilation requirements

Use local and general ventilation.

### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

### 7.3 Specific end use(s)

No information available.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### tert-Butyl methyl ether ≥99,5 %, for synthesis

### article number: 6746

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 **Control parameters**

### National limit values

## **Occupational exposure limit values (Workplace Exposure Limits)**

| Cou<br>ntr<br>y | Name of agent              | CAS No        | Identi-<br>fier | TW<br>A<br>[pp<br>m] | TWA<br>[mg/<br>m³] | STE<br>L<br>[pp<br>m] | STEL<br>[mg/<br>m³] | Ceil<br>ing-<br>C<br>[pp<br>m] | Ceil-<br>ing-C<br>[mg/<br>m³] | Nota-<br>tion | Source                     |
|-----------------|----------------------------|---------------|-----------------|----------------------|--------------------|-----------------------|---------------------|--------------------------------|-------------------------------|---------------|----------------------------|
| EU              | tert-butyl methyl<br>ether | 1634-04-<br>4 | IOELV           | 50                   | 183,5              | 100                   | 367                 |                                |                               |               | 2009/<br>161/EU            |
| IE              | tert-butyl methyl<br>ether | 1634-04-<br>4 | OELV            | 50                   | 183,5              | 100                   | 367                 |                                |                               |               | S.I. No.<br>619 of<br>2001 |

#### Notation

ſ

Ceiling-C STEL

Ceiling value is a limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 house time weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

TWA hours time-weighted average (unless otherwise specified)

### Human health values

| Relevant DN | ELs and other t         | hreshold levels                    |                   |                            |
|-------------|-------------------------|------------------------------------|-------------------|----------------------------|
| Endpoint    | Threshold<br>level      | Protection goal, route of exposure | Used in           | Exposure time              |
| DNEL        | 178,5 mg/m <sup>3</sup> | human, inhalatory                  | worker (industry) | chronic - systemic effects |
| DNEL        | 357 mg/m <sup>3</sup>   | human, inhalatory                  | worker (industry) | acute - local effects      |
| DNEL        | 5.100 mg/kg<br>bw/day   | human, dermal                      | worker (industry) | chronic - systemic effects |

# **Relevant DNELs of components**

|                        | •       |               |                       |  |                   |                               |
|------------------------|---------|---------------|-----------------------|--|-------------------|-------------------------------|
| Name of sub-<br>stance | CAS No  | End-<br>point | Threshol<br>d level   | Protection<br>goal, route of<br>exposure | Used in           | Exposure time                 |
| Methanol               | 67-56-1 | DNEL          | 130 mg/m <sup>3</sup> | human, inhalat-<br>ory                   | worker (industry) | chronic - systemic<br>effects |
| Methanol               | 67-56-1 | DNEL          | 130 mg/m <sup>3</sup> | human, inhalat-<br>ory                   | worker (industry) | acute - systemic<br>effects   |
| Methanol               | 67-56-1 | DNEL          | 130 mg/m <sup>3</sup> | human, inhalat-<br>ory                   | worker (industry) | chronic - local ef-<br>fects  |
| Methanol               | 67-56-1 | DNEL          | 130 mg/m <sup>3</sup> | human, inhalat-<br>ory                   | worker (industry) | acute - local ef-<br>fects    |
| Methanol               | 67-56-1 | DNEL          | 20 mg/kg<br>bw/day    | human, dermal                            | worker (industry) | chronic - systemic<br>effects |
| Methanol               | 67-56-1 | DNEL          | 20 mg/kg<br>bw/day    | human, dermal                            | worker (industry) | acute - systemic<br>effects   |

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## tert-Butyl methyl ether ≥99,5 %, for synthesis

article number: 6746

| Environmental values                      |                                    |                       |                                 |                              |  |  |  |  |  |
|---|------------------------------------|-----------------------|---------------------------------|------------------------------|--|--|--|--|--|
| Relevant PNECs and other threshold levels |                                    |                       |                                 |                              |  |  |  |  |  |
| End-<br>point                             | Threshold<br>level                 | Organism              | Environmental com-<br>partment  | Exposure time                |  |  |  |  |  |
| PNEC                                      | 5,1 <sup>mg</sup> / <sub>l</sub>   | aquatic organisms     | freshwater                      | short-term (single instance) |  |  |  |  |  |
| PNEC                                      | 0,26 <sup>mg</sup> / <sub>l</sub>  | aquatic organisms     | marine water                    | short-term (single instance) |  |  |  |  |  |
| PNEC                                      | 71 <sup>mg</sup> / <sub>l</sub>    | aquatic organisms     | sewage treatment plant<br>(STP) | short-term (single instance) |  |  |  |  |  |
| PNEC                                      | 23 <sup>mg</sup> / <sub>kg</sub>   | aquatic organisms     | freshwater sediment             | short-term (single instance) |  |  |  |  |  |
| PNEC                                      | 1,17 <sup>mg</sup> / <sub>kg</sub> | aquatic organisms     | marine sediment                 | short-term (single instance) |  |  |  |  |  |
| PNEC                                      | 1,56 <sup>mg</sup> / <sub>kg</sub> | terrestrial organisms | soil                            | short-term (single instance) |  |  |  |  |  |

### **Relevant PNECs of components**

|                        | =       |               |                                   | -                          |                                 |                                 |
|------------------------|---------|---------------|-----------------------------------|----------------------------|---------------------------------|---------------------------------|
| Name of sub-<br>stance | CAS No  | End-<br>point | Threshol<br>d level               | Organism                   | Environmental compartment       | Exposure time                   |
| Methanol               | 67-56-1 | PNEC          | 20,8 <sup>mg</sup> / <sub>l</sub> | aquatic organ-<br>isms     | freshwater                      | short-term (single<br>instance) |
| Methanol               | 67-56-1 | PNEC          | 2,08 <sup>mg</sup> / <sub>l</sub> | aquatic organ-<br>isms     | marine water                    | short-term (single<br>instance) |
| Methanol               | 67-56-1 | PNEC          | 100 <sup>mg</sup> / <sub>l</sub>  | aquatic organ-<br>isms     | sewage treatment<br>plant (STP) | short-term (single<br>instance) |
| Methanol               | 67-56-1 | PNEC          | 77 <sup>mg</sup> / <sub>kg</sub>  | aquatic organ-<br>isms     | freshwater sedi-<br>ment        | short-term (single<br>instance) |
| Methanol               | 67-56-1 | PNEC          | 7,7 <sup>mg</sup> / <sub>kg</sub> | aquatic organ-<br>isms     | marine sediment                 | short-term (single<br>instance) |
| Methanol               | 67-56-1 | PNEC          | 100 <sup>mg</sup> / <sub>kg</sub> | terrestrial organ-<br>isms | soil                            | short-term (single<br>instance) |

### 8.2 Exposure controls

### Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### tert-Butyl methyl ether ≥99,5 %, for synthesis

article number: 6746

### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

PE: polyethylene

material thickness

0,5 mm

### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

### **Respiratory protection**



Respiratory protection necessary at: Aerosol or mist formation. Type: AX (gas filters and combined filters against low-boiling point organic compounds, colour code: Brown).

### **Environmental exposure controls**

Keep away from drains, surface and ground water.

# **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

| liquid  |
|---|
| colourless  |
| characteristic  |
| 0,053 ppm   |
| -108,6 °C at 101,3 kPa (ECHA)   |
| 55,3 °C at 101,3 kPa (ECHA)   |
| flammable liquid in accordance with GHS criteria                                |
| 60 g/m³ (LEL) - 308 g/m³ (UEL) /<br>1,5 vol% (LEL) - 8,5 vol% (UEL)             |
| -28 °C at 101,3 kPa (ECHA)  |
| 460 °C at 101,3 kPa (ECHA) (auto-ignition temper-<br>ature (liquids and gases)) |
|   |

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

### tert-Butyl methyl ether ≥99,5 %, for synthesis

| article number: 6746 |
|----------------------|
|----------------------|



|     | Decomposition temperature                           | not relevant   |
|-----|---|--|
|     | pH (value)  | not determined   |
|     | Kinematic viscosity                                 | 0,464 <sup>mm²</sup> / <sub>s</sub> at 20 °C                             |
|     | Dynamic viscosity                                   | 0,36 mPa s at 20 °C  |
|     | Solubility(ies)                                     |  |
|     | Water solubility                                    | 41,85 <sup>g</sup> / <sub>l</sub> at 20 °C (ECHA)                        |
|     | Partition coefficient                               |  |
|     | Partition coefficient n-octanol/water (log value):  | 1,06 (pH value: 7, 20 °C) (ECHA)   |
|     | Vapour pressure                                     | 33.000 Pa at 25 °C   |
|     | Density and/or relative density                     |  |
|     | Density   | 0,74 <sup>g</sup> / <sub>cm³</sub> at 20 °C                              |
|     | Relative vapour density                             | 3 (air = 1)  |
|     | Particle characteristics                            | not relevant (liquid)  |
|     | Other safety parameters                             |  |
|     | Oxidising properties                                | none   |
| 9.2 | Other information                                   |  |
|     | Information with regard to physical hazard classes: | There is no additional information.                                      |
|     | Other safety characteristics:                       |  |
|     | Surface tension                                     | 72,5 <sup>mN</sup> / <sub>m</sub> (21,5 °C) (ECHA)                       |
|     | Temperature class (EU, acc. to ATEX)                | T1<br>Maximum permissible surface temperature on<br>the equipment: 450°C |

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

It's a reactive substance. Risk of ignition. Vapours may form explosive mixtures with air.

### If heated

Risk of ignition.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Strong acid, Strong alkali

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### tert-Butyl methyl ether ≥99,5 %, for synthesis

article number: 6746

# 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

- **10.5 Incompatible materials** Rubber articles, different plastics
- **10.6 Hazardous decomposition products** Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

### Acute toxicity

Shall not be classified as acutely toxic.

# Acute toxicity

| Exposure route     | Endpoint | Value                                | Species | Method | Source |
|--------------------|----------|--------------------------------------|---------|--------|--------|
| oral               | LD50     | >2.000 <sup>mg</sup> / <sub>kg</sub> | rat     |        | ECHA   |
| inhalation: vapour | LC50     | 85 <sup>mg</sup> / <sub>l</sub> /4h  | rat     |        | ECHA   |
| dermal             | LD50     | >2.000 <sup>mg</sup> / <sub>kg</sub> | rat     |        | ECHA   |

### Acute toxicity of components

| Name of substance | CAS No  | Exposure<br>route       | Endpoint | Value                                | Species |
|-------------------|---------|-------------------------|----------|--------------------------------------|---------|
| Methanol          | 67-56-1 | inhalation: va-<br>pour | LC50     | 131 <sup>mg</sup> / <sub>l</sub> /4h | rat     |
| Methanol          | 67-56-1 | oral                    | LD50     | 5.628 <sup>mg</sup> / <sub>kg</sub>  | rat     |
| Methanol          | 67-56-1 | oral                    | LDLo     | 143 <sup>mg</sup> / <sub>kg</sub>    | human   |
| Methanol          | 67-56-1 | dermal                  | LD50     | 15.800 <sup>mg</sup> / <sub>kg</sub> | rabbit  |

### Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### tert-Butyl methyl ether ≥99,5 %, for synthesis

### article number: 6746

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

### • If swallowed

Data are not available.

• If in eyes

Data are not available.

### • If inhaled

Data are not available.

### • If on skin

causes skin irritation

### Other information

none

### 11.2 Endocrine disrupting properties

This substance is known as an "endocrine disruptor".

# Endocrine disrupting chemicals (EDC)

| Name of substance       | CAS No    | Combined cat-<br>egory | Human health<br>category | Wildlife cat-<br>egory |  |  |  |  |
|-------------------------|-----------|------------------------|--------------------------|------------------------|--|--|--|--|
| tert-Butyl methyl ether | 1634-04-4 | CAT1                   | CAT1                     | CAT2                   |  |  |  |  |

Legend

CAT1 CAT2 Category 1 - evidence of endocrine disruption in at least one species using intact animals

Category 2 - at least some in vitro evidence of biological activity related to endocrine disruption

### 11.3 Information on other hazards

There is no additional information.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

| Aquatic toxicity (acute) |                                  |                       |        |                  |  |  |  |  |
|--------------------------|----------------------------------|-----------------------|--------|------------------|--|--|--|--|
| Endpoint                 | Value                            | Species               | Source | Exposure<br>time |  |  |  |  |
| LC50                     | 672 <sup>mg</sup> / <sub>l</sub> | fish                  | ECHA   | 96 h             |  |  |  |  |
| EC50                     | 472 <sup>mg</sup> / <sub>l</sub> | aquatic invertebrates | ECHA   | 48 h             |  |  |  |  |

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

# tert-Butyl methyl ether ≥99,5 %, for synthesis



#### article number: 6746

| Aquatic toxicity (acute) of components |         |          |                                     |         |                  |  |  |  |
|--|---------|----------|-------------------------------------|---------|------------------|--|--|--|
| Name of sub-<br>stance                 | CAS No  | Endpoint | Value                               | Species | Exposure<br>time |  |  |  |
| Methanol                               | 67-56-1 | LC50     | 15.400 <sup>mg</sup> / <sub>l</sub> | fish    | 96 h             |  |  |  |
| Methanol                               | 67-56-1 | ErC50    | 22.000 <sup>mg</sup> / <sub>l</sub> | algae   | 96 h             |  |  |  |

### 12.2 Persistence and degradability

Theoretical Oxygen Demand: 2,722 <sup>mg</sup>/<sub>mg</sub> Theoretical Carbon Dioxide: 2,496 <sup>mg</sup>/<sub>mg</sub>

### **Biodegradation**

Not readily biodegradable.

| Process of degradability |                  |      |  |  |  |  |  |
|--------------------------|------------------|------|--|--|--|--|--|
| Process                  | Degradation rate | Time |  |  |  |  |  |
| biotic/abiotic           | 0 %              | 28 d |  |  |  |  |  |
| oxygen depletion         | 0 %              | 28 d |  |  |  |  |  |

### Degradability of components

| Name of<br>substance | CAS No  | Process               | Degrada-<br>tion rate | Time | Method | Source |
|----------------------|---------|-----------------------|-----------------------|------|--------|--------|
| Methanol             | 67-56-1 | biotic/abiotic        | 99 %                  | 30 d |        |        |
| Methanol             | 67-56-1 | oxygen deple-<br>tion | 69 %                  | 5 d  |        | ECHA   |

### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

| Bioaccumulative potential of components |                                  |  |  |  |  |
|---|----------------------------------|--|--|--|--|
| BCF                                     | 1,5 (ECHA)                       |  |  |  |  |
| n-octanol/water (log KOW)               | 1,06 (pH value: 7, 20 °C) (ECHA) |  |  |  |  |

| Name of substance | CAS No  | BCF | Log KOW | BOD5/COD |
|-------------------|---------|-----|---------|----------|
| Methanol          | 67-56-1 |     | -0,77   |          |

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### 12.6 Endocrine disrupting properties

This substance is known as an "endocrine disruptor".

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### tert-Butyl methyl ether ≥99,5 %, for synthesis

article number: 6746

| Endocrine disrupting chemicals (EDC) |           |                        |                          |                        |  |  |  |  |
|--------------------------------------|-----------|------------------------|--------------------------|------------------------|--|--|--|--|
| Name of substance                    | CAS No    | Combined cat-<br>egory | Human health<br>category | Wildlife cat-<br>egory |  |  |  |  |
| tert-Butyl methyl ether              | 1634-04-4 | CAT1                   | CAT1                     | CAT2                   |  |  |  |  |
| Lonand                               | •         | •                      | •                        |                        |  |  |  |  |

Legend

CAT1 Category 1 - evidence of endocrine disruption in at least one species using intact animals CAT2 Category 2 - at least some in vitro evidence of biological activity related to endocrine disruption

### 12.7 Other adverse effects

Data are not available.

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous

HP 3 flammable

HP 4 irritant - skin irritation and eye damage

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

# **SECTION 14: Transport information**

#### 14.1 UN number or ID number

|   | ADRRID                  | UN 2398  |
|---|-------------------------|--|
|   | IMDG-Code               | UN 2398  |
|   | ΙCAO-ΤΙ                 | UN 2398  |
|   | UN proper shipping name |  |
|   | en proper simpping name |  |
| • | ADRRID                  | METHYL tert-BUTYL ETHER                            |
|   |                         | METHYL tert-BUTYL ETHER<br>METHYL tert-BUTYL ETHER |

14.2

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### tert-Butyl methyl ether ≥99,5 %, for synthesis

article number: 6746

|      | ICAO-TI                    | Methyl tert-butyl ether  |
|------|----------------------------|--|
| 14.3 | Transport hazard class(es) |  |
|      | ADRRID                     | 3  |
|      | IMDG-Code                  | 3  |
|      | ICAO-TI                    | 3  |
| 14.4 | Packing group              |  |
|      | ADRRID                     | II   |
|      | IMDG-Code                  | II   |
|      | ICAO-TI                    | II   |
| 14.5 | Environmental hazards      | non-environmentally hazardous acc. to the dan-<br>gerous goods regulations |

### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

# 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

# 14.8 <u>Information for each of the UN Model Regulations</u>

# Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

| Proper shipping name   | METHYL tert-BUTYL ETHER                        |
|--|--|
| Particulars in the transport document                          | UN2398, METHYL tert-BUTYL ETHER, 3, II, (D/E)  |
| Classification code  | F1   |
| Danger label(s)  | 3  |
|  |  |
| Excepted quantities (EQ)                                       | E2   |
| Limited quantities (LQ)  | 1 L  |
| Transport category (TC)  | 2  |
| Tunnel restriction code (TRC)                                  | D/E  |
| Hazard identification No                                       | 33   |
| Regulations concerning the International Carrie<br>information | age of Dangerous Goods by Rail (RID)Additional |
| Classification code  | F1   |
| Danger label(s)  | 3  |
|  |  |
| Excepted quantities (EQ)                                       | E2   |
| Limited quantities (LQ)  | 1 L  |

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### tert-Butyl methyl ether ≥99,5 %, for synthesis

article number: 6746

| Transport category (TC)                         | 2  |
|---|--|
| Hazard identification No                        | - 33   |
| International Maritime Dangerous Goods Code     |  |
| Proper shipping name                            | METHYL tert-BUTYL ETHER                            |
| Particulars in the shipper's declaration        | UN2398, METHYL tert-BUTYL ETHER, 3, II, -28°C c.c. |
| Marine pollutant                                | -  |
| Danger label(s)                                 | 3  |
|   |  |
| Special provisions (SP)                         | -  |
| Excepted quantities (EQ)                        | E2   |
| Limited quantities (LQ)                         | 1 L  |
| EmS   | F-E, S-D   |
| Stowage category                                | E  |
| International Civil Aviation Organization (ICAC | D-IATA/DGR) - Additional information               |
| Proper shipping name                            | Methyl tert-butyl ether                            |
| Particulars in the shipper's declaration        | UN2398, Methyl tert-butyl ether, 3, II             |
| Danger label(s)                                 | 3  |
|   |  |
| Excepted quantities (EQ)                        | E2   |
| Limited quantities (LQ)                         | 1 L  |

# **SECTION 15: Regulatory information**

### Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1

# Relevant provisions of the European Union (EU)

# **Restrictions according to REACH, Annex XVII**

| angerous substances with restrictions (REACH, Annex XVII) |  |        |             |    |
|---|--|--------|-------------|----|
| Name of substance   | Name acc. to inventory   | CAS No | Restriction | No |
| tert-Butyl methyl ether                                   | this product meets the criteria for<br>classification in accordance with Reg-<br>ulation No 1272/2008/EC |        | R3          | 3  |
| tert-Butyl methyl ether                                   | flammable / pyrophoric   |        | R40         | 40 |
| tert-Butyl methyl ether                                   | substances in tattoo inks and perman-<br>ent make-up   |        | R75         | 75 |

Legend R3

1. Shall not be used in: - ornamental articles intended to produce light or colour effects by means of different phases, for example in orna-mental lamps and ashtrays,

- tricks and jokes,

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

### tert-Butyl methyl ether ≥99,5 %, for synthesis



#### article number: 6746

#### Legend

R40

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
  Articles not complying with paragraph 1 shall not be placed on the market.
  Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they

a can be used as fuel in decorative oil lamps for supply to the general public, and
 present an aspiration hazard and are labelled with H304.
 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and pack-aging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met

(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black on a container not exceeding 1 litro by 1 December 2010;

- 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
   metallic glitter intended mainly for decoration,

  - artificial snow and frost,
  - 'whoopee' cushions,
  - silly string aerosols

- imitation excrement,
- horns for parties,
- decorative flakes and foams,


- artificial cobwebs,

stink bombs.
Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: 'For professional users only'.

3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).

The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU





#### article number: 6746



tattooing purposes.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## tert-Butyl methyl ether ≥99,5 %, for synthesis

### article number: 6746

#### Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

### **Seveso Directive**

| 2012/18/EU (Seveso III) |  |   |     |       |  |
|-------------------------|--|---|-----|-------|--|
| Νο                      | Dangerous substance/hazard categories      | rd categories Qualifying quantity (tonnes) for the application of lower and upper-tier requirements |     | Notes |  |
| P5c                     | flammable liquids (cat. 2, 3) 5.000 50.000 |   | 51) |       |  |

#### Notation

51) Flammable liquids, categories 2 or 3 not covered by P5a and P5b

### **Deco-Paint Directive**

| VOC content | 100 %               |
|-------------|---------------------|
| VOC content | 740 <sup>g</sup> /l |

#### Industrial Emissions Directive (IED)

| VOC content | 100 %                           |
|-------------|---------------------------------|
| VOC content | 740 <sup>g</sup> / <sub>l</sub> |

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

#### Water Framework Directive (WFD)

#### List of pollutants (WFD)

| Name of substance       | Name acc. to inventory   | CAS No | Listed in | Remarks |
|-------------------------|--|--------|-----------|---------|
| tert-Butyl methyl ether | Substances and preparations, or<br>the breakdown products of such,<br>which have been proved to pos-<br>sess carcinogenic or mutagenic<br>properties or properties which<br>may affect steroidogenic, thyroid,<br>reproduction or other endocrine-<br>related functions in or via the<br>aquatic environment |        | a)        |         |

Legend

Indicative list of the main pollutants

a)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

### tert-Butyl methyl ether ≥99,5 %, for synthesis

#### article number: 6746

### Regulation on the marketing and use of explosives precursors

not listed

### **Regulation on drug precursors**

not listed

### Regulation on substances that deplete the ozone layer (ODS)

not listed

### **Regulation concerning the export and import of hazardous chemicals (PIC)**

not listed

#### **Regulation on persistent organic pollutants (POP)**

not listed

### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### National inventories

| Country | Inventory  | Status                       |
|---------|------------|------------------------------|
| AU      | AIIC       | substance is listed          |
| CA      | DSL        | substance is listed          |
| CN      | IECSC      | substance is listed          |
| EU      | ECSI       | substance is listed          |
| EU      | REACH Reg. | substance is listed          |
| JP      | CSCL-ENCS  | substance is listed          |
| JP      | ISHA-ENCS  | substance is listed          |
| KR      | KECI       | substance is listed          |
| MX      | INSQ       | substance is listed          |
| NZ      | NZIoC      | substance is listed          |
| PH      | PICCS      | substance is listed          |
| TR      | CICR       | substance is listed          |
| TW      | TCSI       | substance is listed          |
| US      | TSCA       | substance is listed (ACTIVE) |
| VN      | NCI        | substance is listed          |
| Legend  |            |                              |

### Legend

| AIIC       | Australian Inventory of Industrial Chemicals                            |
|------------|---|
| CICR       | Chemical Inventory and Control Regulation                               |
| CSCL-ENCS  | List of Existing and New Chemical Substances (CSCL-ENCS)                |
| DSL        | Domestic Substances List (DSL)  |
| ECSI       | EC Substance Inventory (EINECS, ELINCS, NLP)                            |
| IECSC      | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ       | National Inventory of Chemical Substances                               |
| ISHA-ENCS  | Inventory of Existing and New Chemical Substances (ISHA-ENCS)           |
| KECI       | Korea Existing Chemicals Inventory                                      |
| NCI        | National Chemical Inventory   |
| NZIoC      | New Zealand Inventory of Chemicals                                      |
| PICCS      | Philippine Inventory of Chemicals and Chemical Substances (PICCS)       |
| REACH Reg. | REACH registered substances   |
| TCSI       | Taiwan Chemical Substance Inventory                                     |
| TSCA       | Toxic Substance Control Act   |



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### tert-Butyl methyl ether ≥99,5 %, for synthesis

article number: 6746

### 15.2 Chemical safety assessment

According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.

# **SECTION 16: Other information**

### Indication of changes (revised safety data sheet)

| Section | Former entry (text/value)  | Actual entry (text/value)   | Safety-<br>relev-<br>ant |
|---------|--|---|--------------------------|
| 15.1    | VOC content:<br>100 %<br>740 <sup>g</sup> / <sub>l</sub>   | VOC content:<br>100 %   | yes                      |
| 15.1    |  | VOC content:<br>740 <sup>g</sup> / <sub>l</sub>   | yes                      |
| 15.1    |  | National inventories:<br>change in the listing (table)  | yes                      |
| 15.2    | Chemical Safety Assessment:<br>No Chemical Safety Assessment has been car-<br>ried out for this substance. | Chemical safety assessment:<br>According to REACH, Article 14 (1) a chemical<br>safety assessment has been carried out for this<br>substance or components of this mixture when<br>the substance has been registered in quantities<br>of 10 tonnes or more per year per registrant. | yes                      |

### Abbreviations and acronyms

| Abbr.       | Descriptions of used abbreviations  |
|-------------|---|
| 2009/161/EU | Commission Directive establishing a third list of indicative occupational exposure limit values in imple-<br>mentation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC |
| ADR         | Accord relatif au transport international des marchandises dangereuses par route (Agreement concern-<br>ing the International Carriage of Dangerous Goods by Road)                                |
| BCF         | Bioconcentration factor   |
| BOD         | Biochemical Oxygen Demand   |
| CAS         | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)  |
| Ceiling-C   | Ceiling value   |
| CLP         | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures  |
| COD         | Chemical oxygen demand  |
| DGR         | Dangerous Goods Regulations (see IATA/DGR)  |
| DNEL        | Derived No-Effect Level   |
| EC50        | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval                  |
| EC No       | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi-<br>fier of substances commercially available within the EU (European Union)            |
| EINECS      | European Inventory of Existing Commercial Chemical Substances   |
| ELINCS      | European List of Notified Chemical Substances   |
| EmS         | Emergency Schedule  |

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

# ® Foth

# tert-Butyl methyl ether ≥99,5 %, for synthesis

### article number: 6746

| Abbr.                   | Descriptions of used abbreviations   |
|-------------------------|--|
| ErC50                   | = EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control       |
| GHS                     | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na-<br>tions   |
| IATA                    | International Air Transport Association  |
| IATA/DGR                | Dangerous Goods Regulations (DGR) for the air transport (IATA)   |
| ICAO                    | International Civil Aviation Organization  |
| ICAO-TI                 | Technical instructions for the safe transport of dangerous goods by air  |
| IMDG                    | International Maritime Dangerous Goods Code  |
| IMDG-Code               | International Maritime Dangerous Goods Code  |
| index No                | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008   |
| IOELV                   | Indicative occupational exposure limit value   |
| LC50                    | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval                            |
| LD50                    | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval   |
| LEL                     | Lower explosion limit (LEL)  |
| log KOW                 | n-Octanol/water  |
| NLP                     | No-Longer Polymer  |
| PBT                     | Persistent, Bioaccumulative and Toxic  |
| PNEC                    | Predicted No-Effect Concentration  |
| ppm                     | Parts per million  |
| REACH                   | Registration, Evaluation, Authorisation and Restriction of Chemicals   |
| RID                     | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula-<br>tions concerning the International carriage of Dangerous goods by Rail) |
| S.I. No. 619 of<br>2001 | Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001  |
| STEL                    | Short-term exposure limit  |
| SVHC                    | Substance of Very High Concern   |
| TWA                     | Time-weighted average  |
| UEL                     | Upper explosion limit (UEL)  |
| VOC                     | Volatile Organic Compounds   |
| vPvB                    | Very Persistent and very Bioaccumulative   |

## Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### tert-Butyl methyl ether ≥99,5 %, for synthesis

### article number: 6746

### List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text                                |
|------|-------------------------------------|
| H225 | Highly flammable liquid and vapour. |
| H315 | Causes skin irritation.             |

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.