acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % HNO₃ - 100 mg/l

article number: 6811 date of compilation: 2017-07-25 Version: 3.0 en

Revision: 2024-05-14

Replaces version of: 2022-05-17 Version: (2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Multi-Element ICP-MS - Standard Solution Identification of the substance

ROTI®Star 21 elements in 5 % HNO₃ - 100 mg/l

Article number 6811

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for squirting or spraying. Do not use

for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal

feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de Website: www.carlroth.de

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

United Kingdom (en) Page 1 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % HNO_3 - 100 mg/l

article number: 6811

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	Skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.45	Skin sensitisation	1	Skin Sens. 1	H317
3.6	Carcinogenicity	1B	Carc. 1B	H350i
4.1C	Hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

Supplemental hazard information

Code	Supplemental hazard information
EUH071	corrosive to the respiratory tract

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

Signal word	Danger
-------------	--------

Pictograms

GHS05, GHS07, GHS08



Hazard statements

May be corrosive to metals
Causes severe skin burns and eye damage
May cause an allergic skin reaction
May cause cancer by inhalation
Harmful to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection

For professional users only

Supplemental hazard information

EUH071 Corrosive to the respiratory tract.

Hazardous ingredients for labelling: Beryllium acetate basic, Nickel dinitrate, Nitric acid ...% [$C \le 70 \%$], Beryllium nitrate

United Kingdom (en) Page 2 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % $\rm HNO_3$ - 100 mg/l

article number: 6811

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of \geq 0,1%.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2 EC No 231-714-2 Index No 007-030-00-3	5	Ox. Liq. 3 / H272 Met. Corr. 1 / H290 Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318		B GHS-HC IOELV
Beryllium acetate ba- sic	CAS No 19049-40-2 EC No 242-785-4 Index No 004-002-00-2	<1	Acute Tox. 3 / H301 Acute Tox. 2 / H330 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317 Carc. 1B / H350i STOT SE 3 / H335 STOT RE 1 / H372 Aquatic Chronic 2 / H411	1 1 1 1 1 1 1 1 1 1	A GHS-HC
Beryllium nitrate	CAS No 13597-99-4 EC No 237-062-5 Index No 004-002-00-2	<1	Acute Tox. 3 / H301 Acute Tox. 2 / H330 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317 Carc. 1B / H350i STOT SE 3 / H335 STOT RE 1 / H372 Aquatic Chronic 2 / H411	\$	A GHS-HC IOELV
cobalt dinitrate	CAS No 10141-05-6 EC No 233-402-1 Index No 027-009-00-2	< 0,1	Resp. Sens. 1 / H334 Skin Sens. 1 / H317 Muta. 2 / H341 Carc. 1B / H350i Repr. 1B / H360F Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	\$	1 GHS-HC

United Kingdom (en) Page 3 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % HNO₃ - 100 mg/l

article number: 6811

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
nickel dinitrate	CAS No 13138-45-9 EC No 236-068-5 Index No 028-012-00-1	< 0,1	Ox. Sol. 2 / H272 Acute Tox. 4 / H302 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Resp. Sens. 1 / H334 Skin Sens. 1 / H317 Muta. 2 / H341 Carc. 1A / H350i Repr. 1B / H360D STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		GHS-HC IOELV
Cadmium nitrate	CAS No 10325-94-7 EC No 233-710-6 Index No 048-014-00-6	< 0,1	Acute Tox. 3 / H301 Acute Tox. 4 / H312 Acute Tox. 4 / H332 Muta. 1B / H340 Carc. 1B / H350 STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	\$	1 A GHS-HC
Lead(II) nitrate	CAS No 10099-74-8 EC No 233-245-9 Index No 082-001-00-6	< 0,1	Acute Tox. 4 / H302 Acute Tox. 4 / H332 Repr. 1A / H360Df STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	(!) (*)	1 A GHS-HC IOELV

Notes

The concentration stated or, in the absence of such concentrations, the generic concentrations set out in this Regulation are the percentages by weight of the metallic element calculated with reference to the total weight of the mix-1:

Without prejudice to Article 17(2), the name of the substance must appear on the label in the form of one of the designations given in Part 3. In Part 3, use is sometimes made of a general description such as '... compounds' or '... salts'. In A: this case, the supplier is required to state on the label the correct name, due account being taken of section 1.1.1.4.

B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/

IOELV: Substance with a community indicative occupational exposure limit value

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2 EC No 231-714-2	Ox. Liq. 3; H272: C ≥ 65 % Skin Corr. 1A; H314: C ≥ 20 % Skin Corr. 1B; H314: 5 % ≤ C < 20 %	-	2,65 ^{mg} / _l /4h	inhalation: va- pour
Beryllium acet- ate basic	CAS No 19049-40-2 EC No 242-785-4	-	-	100 ^{mg} / _{kg} >0,05 ^{mg} / _l /4h	oral inhalation: dust/ mist
Beryllium nitrate	CAS No 13597-99-4 EC No 237-062-5	-	-	100 ^{mg} / _{kg}	oral

United Kingdom (en) Page 4 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % $\rm HNO_3$ - 100 mg/l

article number: 6811

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
cobalt dinitrate	CAS No 10141-05-6 EC No 233-402-1	Carc. 1B; H350i: C ≥ 0,01 %	M-factor (acute) = 10 M-factor (chronic) = 10	-	
nickel dinitrate	CAS No 13138-45-9 EC No 236-068-5	Skin Irrit. 2; H315: C ≥ 20 % Skin Sens. 1; H317: C ≥ 0,01 % STOT RE 1; H372: C ≥ 1 % STOT RE 2; H373: 0,1 % ≤ C < 1 %	M-factor (acute) = 1 M-factor (chronic) = 1	1.620 ^{mg} / _{kg} >1,5 ^{mg} / _l /4h	oral inhalation: dust/ mist
Cadmium nitrate	CAS No 10325-94-7 EC No 233-710-6	Carc. 1B; H350: C ≥ 0,01 %	M-factor (acute) = 10 M-factor (chronic) = 10	147 ^{mg} / _{kg} 1.100 ^{mg} / _{kg} >1,5 ^{mg} / _I /4h	oral dermal inhalation: dust/ mist
Lead(II) nitrate	CAS No 10099-74-8 EC No 233-245-9	Repr. 1A; H360D: C ≥ 0,3 % Repr. 2; H361f: C ≥ 2,5 % STOT RE 2; H373: C ≥ 0,5 %	M-factor (acute) = 10	500 ^{mg} / _{kg} >1,5 ^{mg} / _l /4h	oral inhalation: dust/ mist

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Risk of blindness, Gastric perforation, Risk of serious damage to eyes, Allergic reactions, Irritation

United Kingdom (en) Page 5 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % $\rm HNO_3$ - 100 mg/l

article number: 6811

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

United Kingdom (en) Page 6 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % HNO_3 - 100 mg/l

article number: 6811

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use extractor hood (laboratory). Handle and open container with care. Avoid exposure. Clear contaminated areas thoroughly.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	beryllium, inorganic compounds		IOELV		0,0006					i	2019/ 983/EU
EU	lead, inorganic com- pounds		IOELV		0,03					i	2024/ 869/EU
EU	nickel compounds	13138- 45-9	IOELV		0,1					i	2022/ 431/EU
EU	nitric acid	7697-37- 2	IOELV			1	2,6				2006/15/ EC
GB	beryllium com- pounds		WEL		0,002					Be	EH40/ 2005
GB	lead compounds		OEL-NIR		0,15					Pb	CLWR- NIR
GB	lead compounds		OEL		0,15					Pb	CLWR

United Kingdom (en) Page 7 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % HNO₃ - 100 mg/l

article number: 6811

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	nickel, soluble com- pounds	13138- 45-9	WEL		0,1					Ni, exNi(C O)4, H	EH40/ 2005
GB	nitric acid	7697-37- 2	WEL			1	2,6				EH40/ 2005

Notation

Be

Calculated as Be (beryllium)
Ceiling value is a limit value above which exposure should not occur
Except nickel carbonyl
Absorbed through the skin

Ceiling-C exNi(CO)4 H Inhalable fraction Ni Pb STEL Calculated as Ni (nickel) Calculated as Pb (lead)

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) TWA

Biological limit values

Coun try	Name of agent	CAS No	Parameter	Nota tion	Identi- fier	Value	Material	Source
EU	lead, inorganic compounds		lead	Pb- bio-5, Pb- med-5	BBLV	300 μg/l	whole blood	2024/ 869/EU
GB	lead compounds		lead	Pb- bio-2, Pb- med- 2, wmn< 45y	AL_NIR	250 μg/l	whole blood	CLWR- NIR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 2, wmn< 45y	AL	250 μg/l	whole blood	CLWR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 3, wmn> 45y, men	AL_NIR	400 μg/l	whole blood	CLWR- NIR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 3, wmn> 45y, men	AL	400 μg/l	whole blood	CLWR

United Kingdom (en) Page 8 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % HNO₃ - 100 mg/l

article number: 6811

Coun try	Name of agent	CAS No	Parameter	Nota tion	Identi- fier	Value	Material	Source
GB	lead compounds		lead	Pb- bio-2, Pb- med- 4, young	AL_NIR	500 μg/l	whole blood	CLWR- NIR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 4, young	AL	500 μg/l	whole blood	CLWR

Notation

Pb-bio-2 Biological monitoring: (a) in respect of an employee other than a young person or a woman of reproductive capacity, at least every 6 months, but where the results of the measurements for individuals or for groups of workers have shown on the previous two consecutive occasions on which monitoring was carried out a lead in air exposure greater than 0.075 mg/m 3 but less than 0.100 mg/m 3 and where the blood-lead concentration of any individual employee is less than 30 μ g/dl, the frequency of monitoring may be reduced to once a year; or (b) in respect of any young person or a woman of reproductive capacity, at such intervals as the relevant doctor shall specify, be-

ing not greater than 3 months

Pb-bio-5 Biological monitoring must include measuring the blood lead level (PbB) using absorption spectrometry or a method giving equivalent results. Until 31 December 2028, the binding biological limit value is: 30 µg Pb/100 ml

Medical surveillance: in respect of a woman of reproductive capacity, 20 g/dl (blood-lead concentration) or 20 g Ph-med-2

Pb/g creatinine (urinary lead concentration)
Medical surveillance: in respect of any other employee, 35 μg/dl (blood-lead concentration) or 40 μg Pb/g creatin-Pb-med-3 ine (urinary lead concentration) suspension level: in respect of a woman of reproductive capacity, 60 μg/dl (blood-lead concentration) or 110 μg

Pb/g creatinine (urinary lead concentration) Medical surveillance: in respect of any other employee, 35 µg/dl (blood-lead concentration) or 40 µg Pb/g creatin-

Ph-med-4 ine (urinary lead concentration)

suspension level: in respect of a young person, 50 μg/dl (blood-lead concentration) or 110 μg Pb/g creatinine (urinary lead concentration)

Pb-med-5

Medical surveillance is carried out if exposure to a concentration of lead in air is greater than 0,015 mg/m3, calculated as a time-weighted average over 40 hours per week, or a blood lead level greater than 9 µg Pb/100 ml blood is measured in individual workers. Medical surveillance is also carried out with regard to female workers of childbearing age whose blood lead level exceeds 4,5 µg Pb/100 ml blood or the national reference value of the general population not occupationally exposed to lead, if such a value exists.

Women of reproductive capacity (women < 45 years)

Women of non-reproductive capacity, men (women > 45 years)

wmn<45v

wmn>45ý,

men young

Adolescents (young person < 18 years)

Relevant DNELs of components

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Cadmium nitrate	10325-94-7	DNEL	4 μg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects

Relevant PNECs of components

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Cadmium nitrate	10325-94-7	PNEC	0,19 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Cadmium nitrate	10325-94-7	PNEC	1,14 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Cadmium nitrate	10325-94-7	PNEC	20 ^{µg} / _I	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)

Page 9 / 27 United Kingdom (en)

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % HNO_3 - 100 mg/l

article number: 6811

Relevant PNECs	of components
----------------	---------------

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Cadmium nitrate	10325-94-7	PNEC	1,8 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Cadmium nitrate	10325-94-7	PNEC	0,64 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Cadmium nitrate	10325-94-7	PNEC	0,9 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection. Wear face protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

United Kingdom (en) Page 10 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % HNO_3 - 100 mg/l

article number: 6811

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: NO-P3 (against nitrous gases and particles, colour code: Blue/White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless - light yellow

Odour faintly perceptible

Melting point/freezing point ~0 °C at 1.013 mPa

Boiling point or initial boiling point and boiling ~100 °C at 1.013 mPa

range

Flammability non-combustible

Lower and upper explosion limit not determined

Flash point not determined

Auto-ignition temperature not determined

Decomposition temperature not relevant

pH (value) <2

Kinematic viscosity not determined

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure 23 hPa at 20 °C

Density and/or relative density

Density $\sim 1 \, {\rm g}/{\rm cm}^3$ at 20 °C

Relative vapour density Information on this property is not available.

Particle characteristics not relevant (liquid)

United Kingdom (en) Page 11 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % $\rm HNO_3$ - 100 mg/l

article number: 6811

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

Corrosive to metals category 1: corrosive to metals

Other safety characteristics:

Miscibility completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

Substance or mixture corrosive to metals.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Ammonia (NH3), Bases, Metals, Reducing agents, Strong alkali, Organic solvents

10.4 Conditions to avoid

Keep away from heat.

10.5 Incompatible materials

different metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

United Kingdom (en) Page 12 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % $\rm HNO_3$ - 100 mg/l

article number: 6811

Acute toxicity estimate (ATE) of components

Name of substance	CAS No	Exposure route	ATE
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: vapour	2,65 ^{mg} / _l /4h
Beryllium acetate basic	19049-40-2	oral	100 ^{mg} / _{kg}
Beryllium acetate basic	19049-40-2	inhalation: dust/mist	>0,05 ^{mg} / _l /4h
Beryllium nitrate	13597-99-4	oral	100 ^{mg} / _{kg}
nickel dinitrate	13138-45-9	oral	1.620 ^{mg} / _{kg}
nickel dinitrate	13138-45-9	inhalation: dust/mist	>1,5 ^{mg} / _I /4h
Cadmium nitrate	10325-94-7	oral	147 ^{mg} / _{kg}
Cadmium nitrate	10325-94-7	dermal	1.100 ^{mg} / _{kg}
Cadmium nitrate	10325-94-7	inhalation: dust/mist	>1,5 ^{mg} / _I /4h
Lead(II) nitrate	10099-74-8	oral	500 ^{mg} / _{kg}
Lead(II) nitrate	10099-74-8	inhalation: dust/mist	>1,5 ^{mg} / _l /4h

Acute toxicity of components

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: va- pour	LC50	>2,65 ^{mg} / _l /4h	rat
nickel dinitrate	13138-45-9	oral	LD50	1.620 ^{mg} / _{kg}	rat
Cadmium nitrate	10325-94-7	oral	LD50	147 ^{mg} / _{kg}	rat
Lead(II) nitrate	10099-74-8	oral	LD50	>2.000 ^{mg} / _{kg}	rat
Lead(II) nitrate	10099-74-8	dermal	LD50	>2.000 ^{mg} / _{kg}	rat

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

May cause cancer by inhalation.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

United Kingdom (en) Page 13 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % HNO_3 - 100 mg/l

article number: 6811

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

If inhaled

corrosive to the respiratory tract, cough, Dyspnoea

If on skin

causes severe burns, causes poorly healing wounds, May produce an allergic reaction, pruritis, localised redness

Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components Name of sub-**CAS No Endpoint Value Exposure Species** stance time Cadmium nitrate 10325-94-7 LC50 58,16 ^{µg}/_I aquatic invertebrates 48 h 10325-94-7 Cadmium nitrate EC50 1.900 ^{µg}/_I aquatic invertebrates 24 h Cadmium nitrate 10325-94-7 ErC50 70 ^{µg}/_I 72 h algae 107 ^{µg}/_I Lead(II) nitrate 10099-74-8 LC50 fish 96 h 10099-74-8 ErC50 35,9 µg/1 48 h Lead(II) nitrate algae

United Kingdom (en) Page 14 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % $\rm HNO_3$ - 100 mg/l

article number: 6811

Aquatic toxicity (chronic)	of components
----------------------------	---------------

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Cadmium nitrate	10325-94-7	LC50	1.500 ^{µg} / _l	fish	4 d
Cadmium nitrate	10325-94-7	EC50	8,1 ^{µg} / _l	fish	100 d

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

HP 6 acute toxicity

HP 7 carcinogenić

HP 8 corrosive

United Kingdom (en) Page 15 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % HNO_3 - 100 mg/l

article number: 6811

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

ADRRID UN 3264
IMDG-Code UN 3264
ICAO-TI UN 3264

14.2 UN proper shipping name

ADRRID CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

IMDG-Code CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

ICAO-TI Corrosive liquid, acidic, inorganic, n.o.s.

Technical name (hazardous ingredients) Nitric acid ...% [C ≤ 70 %], Beryllium acetate basic

8

14.3 Transport hazard class(es)

ADRRID 8 IMDG-Code 8

ICAO-TI **14.4 Packing group**

ADRRID III
IMDG-Code III
ICAO-TI III

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

Particulars in the transport document UN3264, CORROSIVE LIQUID, ACIDIC, INORGAN-

IC, N.O.S., (contains: Nitric acid ...% [$C \le 70$ %],

Beryllium acetate basic), 8, III, (E)

Classification code C1
Danger label(s) 8

United Kingdom (en) Page 16 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % HNO_3 - 100 mg/l

article number: 6811



Special provisions (SP)	274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Tunnel restriction code (TRC)	Е
Hazard identification No	80
Emergency Action Code	2X

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code C1

Danger label(s) 8



Special provisions (SP) 274

Excepted quantities (EQ) E1

Limited quantities (LQ) 5 L

Transport category (TC) 3

Hazard identification No 80

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

Particulars in the shipper's declaration UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (contains: Nitric acid ...% $[C \le 70 \%]$,

Beryllium acetate basic), 8, III

Marine pollutant -

Danger label(s) 8



Special provisions (SP) 223, 274

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L

EmS F-A, S-B

Stowage category A

Segregation group 1 - Acids

United Kingdom (en) Page 17 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % HNO_3 - 100 mg/l

article number: 6811

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Corrosive liquid, acidic, inorganic, n.o.s.

Particulars in the shipper's declaration UN3264, Corrosive liquid, acidic, inorganic, n.o.s.,

(contains: Nitric acid ...% [C ≤ 70 %], Beryllium

acetate basic), 8, III

Danger label(s) 8



Special provisions (SP) A3
Excepted quantities (EQ) E1
Limited quantities (LQ) 1 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/18/EU (Seveso III)							
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes				
	not assigned						

Deco-Paint Directive

VOC content	0 %
VOC content (Water content was discounted)	0 g/l

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content (Water content was discounted)	0 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Water Framework Directive (WFD)

List of pollutants (WFD)

List of policialities (TT-2)								
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks				
Beryllium nitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)					

United Kingdom (en) Page 18 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % $\rm HNO_3$ - 100 $\rm mg/l$

article number: 6811

st of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Beryllium nitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Beryllium nitrate	Metals and their compounds		a)	
Lead(II) nitrate	lead compounds		b)	
Lead(II) nitrate	lead compounds	7439-92-1	c)	
Lead(II) nitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
Lead(II) nitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Lead(II) nitrate	Metals and their compounds		a)	
cobalt dinitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
cobalt dinitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
cobalt dinitrate	Metals and their compounds		a)	
Cadmium nitrate	cadmium compounds		b)	HAZ
Cadmium nitrate	Cadmium and its compounds (de- pending on water hardness classes)	7440-43-9	c)	
Cadmium nitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
Cadmium nitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	

United Kingdom (en) Page 19 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % HNO₃ - 100 mg/l

article number: 6811

List of	pollutants	(WFD)
---------	------------	-------

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Cadmium nitrate	Metals and their compounds		a)	
nickel dinitrate	nickel compounds		b)	
nickel dinitrate	nickel compounds	7440-02-0	c)	
nickel dinitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
nickel dinitrate	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrinerelated functions in or via the aquatic environment		a)	
nickel dinitrate	Metals and their compounds		a)	
Beryllium acetate basic	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrinerelated functions in or via the aquatic environment		a)	
Beryllium acetate basic	Metals and their compounds		a)	

Legend

a) b) Indicative list of the main pollutants

List of priority substances in the field of water policy Environmental Quality Standards for Priority Substances and certain other pollutants Identified as priority hazardous substance

c) HAZ

Regulation on the marketing and use of explosives precursors

plosives precursors which are subject to restrictions							
Name of substance	CAS No	Wt%	Type of registration	Re- marks	Limit value	Upper limit value for the pur- pose of licens ing ur der Ar icle 5(3)	
Nitric acid% [C ≤ 70 %]	7697-37-2	5	Annex I		3 % w/w	10 % w/	

Legend

Substances which shall not be made available to members of the general public on their own, or in mixtures or substances including them, except if the concentration is equal to or lower than the limit values set out below Annex I

Additional statements

If the product is passed on to third parties, in accordance with Article 7 "Notification of the supply chain" of Regulation EU 2019/1148, the information obligation is subject to the entire supply chain and all other provisions mentioned in Article 7 on restricted and regulated raw materials.

United Kingdom (en) Page 20 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % HNO₃ - 100 mg/l

article number: 6811

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

Name of substance	Name acc. to inventory	CAS No	Wt%	Category / subcat- egory	Use limita- tion
Lead(II) nitrate	lead compounds		0,015	i(2)	sr
Cadmium nitrate	cadmium compounds		0,022	i(1) i(2)	sr sr
Cadmium nitrate	cadmium compounds		0,022	i	sr

Legend

Category: i - industrial chemical

Sub-category: i(1) - industrial chemical for professional use Sub-category: i(2) - industrial chemical for public use

i(1) i(2)

Use limitation: severe restriction (for the sub-category or sub-categories concerned) according to Union legislation

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

Substance of Very High Concern (SVHC) acc. to GB REACH and HSE

Name of substance	CAS No	Listed in	Remarks
Lead(II) nitrate	10099-74-8	Candidate list	Repr. A57c
cobalt dinitrate	10141-05-6	Candidate list	Carc. A57a Repr. A57c
Cadmium nitrate	10325-94-7	Candidate list	Carc. A57a Muta. A57b STOT-re A57f-hh

Legend

Candidate Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV

Carcinogenic (Article 57a) Muta. A57b Mutagenic (Article 57b)

Repr. A57c Toxic for reproduction (Article 57c)
STOT-re Specific target organ toxicity after i

Specific target organ toxicity after repeated exposure (Article 57(f) - human health)

Restrictions according to GB REACH, Annex 17

United Kingdom (en) Page 21 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



28

Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % $\rm HNO_3$ - 100 mg/l

article number: 6811

Dangerous substances with restrictions (GB REACH, Annex 17)						
Name of substance	Name acc. to inventory	CAS No	No			
Multi-Element ICP-MS Standard Solution ROTI®Star 21 elements in 5 % HNO3, 100 mg/l	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3			
Beryllium nitrate	carcinogenic		28			
Lead(II) nitrate	toxic for reproduction		30			
Lead(II) nitrate	Lead compounds		63			
Lead(II) nitrate	Lead compounds		72			
cobalt dinitrate	carcinogenic		28			
cobalt dinitrate	toxic for reproduction		30			
Cadmium nitrate	Cadmium compounds		23			
Cadmium nitrate	Cadmium compounds		72			
Cadmium nitrate	carcinogenic		28			
Cadmium nitrate	germ cell mutagenic (mutagenic)		29			
nickel dinitrate	Nickel compounds		27			
nickel dinitrate	carcinogenic		28			
nickel dinitrate	toxic for reproduction		30			
	1					

Other information

Beryllium acetate basic

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

carcinogenic

National inventories

Country	Inventory	Status
AU	AIIC	not all ingredients are listed
CA	DSL	not all ingredients are listed
CA	NDSL	not all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	not all ingredients are listed

United Kingdom (en) Page 22 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % HNO₃ - 100 mg/l

article number: 6811

Country	Inventory	Status
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	not all ingredients are listed
VN	NCI	all ingredients are listed

Legend

AIIC CICR CSCL-ENCS DSL ECSI Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS)

DSL Domestic Substances List (DSL)
ECSI EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC Inventory of Existing Chemical Substances Produced or Imported in China INSQ National Inventory of Chemical Substances
ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI Korea Existing Chemicals Inventory
NCI National Chemical Inventory
NDSL Non-domestic Substances List (NDSL)
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.
TCSI Taiwan Chemical Substance Inventory
TSCA Toxic Substance Control Act

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.1	The most important adverse physicochemical, human health and environmental effects: Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.	The most important adverse physicochemical, human health and environmental effects: Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Spillage and fire water can cause pollution of watercourses.	yes
2.2		Hazard statements: change in the listing (table)	yes
2.3	Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance at a concentration of ≥ 0,1%.	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1	VOC content: 0 % 0 ^g / _l	VOC content: 0 %	yes
15.1		VOC content (Water content was discounted): 0 ^g / _l	yes

United Kingdom (en) Page 23 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % $\rm HNO_3$ - 100 $\rm mg/l$

article number: 6811

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
15.1	Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)	Directive on the restriction of the use of certain hazardous substances in electrical and electron- ic equipment (RoHS): none of the ingredients are listed	yes
15.1		Hazardous substances in electrical and electron- ic equipment (RoHS): change in the listing (table)	yes
15.1	Regulation concerning the establishment of a European Pollutant Release and Transfer Re- gister (PRTR)		yes
15.1		Pollutant release and transfer registers (PRTR): change in the listing (table)	yes
15.1		List of pollutants (WFD): change in the listing (table)	yes
15.1		Explosives precursors which are subject to re- strictions: change in the listing (table)	yes
15.1		Regulation concerning the export and import of hazardous chemicals (PIC): change in the listing (table)	yes
15.1		National regulations(GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list	yes
15.1		Substance of Very High Concern (SVHC) acc. to GB REACH and HSE: change in the listing (table)	yes
15.1		Restrictions according to GB REACH, Annex 17	yes
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
2019/983/EU	Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
2022/431/EU	Directive (EU) 2022/431 of the European Parliament and of the Council of 9 March 2022 amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
2024/869/EU	Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)

United Kingdom (en) Page 24 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % $\rm HNO_3$ - 100 $\rm mg/l$

article number: 6811

Abbr.	Descriptions of used abbreviations
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLWR	Control of Lead at Work Regulations
CLWR-NIR	Control of Lead at Work Regulations (Northern Ireland)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HSE	Health and Safety Executive
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value

United Kingdom (en) Page 25 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % $\rm HNO_3$ - 100 mg/l

article number: 6811

Abbr.	Descriptions of used abbreviations
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
Met. Corr.	Substance or mixture corrosive to metals
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
Muta.	Germ cell mutagenicity
NLP	No-Longer Polymer
OEL	Workplace exposure limit
Ox. Liq.	Oxidising liquid
Ox. Sol.	Oxidising solid
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
Resp. Sens.	Respiratory sensitisation
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

United Kingdom (en) Page 26 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % $\rm HNO_3$ - 100 mg/l

article number: 6811

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H340	May cause genetic defects.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H350i	May cause cancer by inhalation.
H360D	May damage the unborn child.
H360Df	May damage the unborn child. Suspected of damaging fertility.
H360F	May damage fertility.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 27 / 27