

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



2-Methyltetrahydrofuran SOLVAGREEN® ≥99 %, extra pure

article number: **6845**

Version: **3.0 en**

Replaces version of: 02.03.2024

Version: (2)

date of compilation: 28.04.2021

Revision: 18.09.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

| | |
|---------------------------------|--|
| Identification of the substance | 2-Methyltetrahydrofuran SOLVAGREEN® ≥99 %, extra pure |
| Article number | 6845 |
| Registration number (REACH) | 01-2119968920-28-xxxx |
| EC number | 202-507-4 |
| CAS number | 96-47-9 |

1.2 Relevant identified uses of the substance or mixture and uses advised against

| | |
|---------------------------|---|
| Relevant identified uses: | Laboratory chemical Laboratory and analytical use |
| Uses advised against: | Do not use for private purposes (household). Food, drink and animal feedingstuffs. |

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone: +49 (0) 721 - 56 06 0

Telefax: +49 (0) 721 - 56 06 149

e-mail: sicherheit@carlroth.de

Website: www.carlroth.de

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

e-mail (competent person): sicherheit@carlroth.de

1.4 Emergency telephone number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

| Section | Hazard class | Cat-egory | Hazard class and category | Hazard statement |
|---------|-----------------------------------|-----------|---------------------------|------------------|
| 2.6 | Flammable liquid | 2 | Flam. Liq. 2 | H225 |
| 3.10 | Acute toxicity (oral) | 4 | Acute Tox. 4 | H302 |
| 3.2 | Skin corrosion/irritation | 2 | Skin Irrit. 2 | H315 |
| 3.3 | Serious eye damage/eye irritation | 1 | Eye Dam. 1 | H318 |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



2-Methyltetrahydrofuran SOLVAGREEN® ≥99 %, extra pure

article number: 6845

Supplemental hazard information

| Code | Supplemental hazard information |
|--------|---------------------------------|
| EUH019 | may form explosive peroxides |

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word **Danger**

Pictograms

GHS02, GHS05,
GHS07



Hazard statements

H225 Highly flammable liquid and vapour
H302 Harmful if swallowed
H315 Causes skin irritation
H318 Causes serious eye damage

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P233 Keep container tightly closed
P240 Ground and bond container and receiving equipment
P280 Wear protective gloves/eye protection

Precautionary statements - response

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Supplemental hazard information

EUH019 May form explosive peroxides.

Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**

Hazard pictogram(s):



H318 Causes serious eye damage.

P280 Wear protective gloves/eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

EUH019 May form explosive peroxides.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



2-Methyltetrahydrofuran SOLVAGREEN® ≥99 %, extra pure

article number: 6845

Labelling of packages where the contents do not exceed 10 ml

Signal word: Not required

Hazard pictogram(s):



Hazard statements: Not required

Precautionary statements: Not required

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.

SECTION 3: Composition/information on ingredients

3.1 Substances

| | |
|-------------------|----------------------------------|
| Name of substance | 2-Methyltetrahydrofuran |
| Molecular formula | C ₅ H ₁₀ O |
| Molar mass | 86,14 g/mol |
| REACH Reg. No | 01-2119968920-28-xxxx |
| CAS No | 96-47-9 |
| EC No | 202-507-4 |

To stabilise:

| Name of substance | Identifier | Wt% |
|--------------------------|--|------|
| Butylated hydroxytoluene | CAS No 128-37-0 EC No 204-881-4 | <0,1 |

Substance, Specific Conc. Limits, M-factors, ATE

| Specific Conc. Limits | M-Factors | ATE | Exposure route |
|-----------------------|-----------|------------|----------------|
| - | - | >300 mg/kg | oral |

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



2-Methyltetrahydrofuran SOLVAGREEN® ≥99 %, extra pure

article number: 6845

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Irritation, Risk of serious damage to eyes, Risk of blindness, Vomiting, Headache, Cough, Dyspnoea, Drowsiness, Narcosis, Unconsciousness

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings!
water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



2-Methyltetrahydrofuran SOLVAGREEN® ≥99 %, extra pure

article number: 6845

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage. Incompatible materials: see section 10. Keep/store away from oxidizing substances.

Protect against external exposure, such as

UV-radiation/sunlight, contact with air/oxygen

Consideration of other advice:

Ground/bond container and receiving equipment.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



2-Methyltetrahydrofuran SOLVAGREEN® ≥99 %, extra pure

article number: 6845

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

Human health values

| Relevant DNELs and other threshold levels | | | | |
|---|-------------------------|------------------------------------|-------------------|----------------------------|
| Endpoint | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
| DNEL | 200,2 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| DNEL | 200,2 mg/m ³ | human, inhalatory | worker (industry) | acute - systemic effects |
| DNEL | 30,52 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |
| DNEL | 30,52 mg/kg bw/day | human, dermal | worker (industry) | acute - systemic effects |

| Relevant DNELs of components | | | | | | |
|------------------------------|----------|----------|-----------------------|------------------------------------|-------------------|----------------------------|
| Name of substance | CAS No | Endpoint | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
| Butylated hydroxytoluene | 128-37-0 | DNEL | 19 mg/kg bw/day | human, dermal | worker (industry) | acute - systemic effects |
| Butylated hydroxytoluene | 128-37-0 | DNEL | 18 mg/m ³ | human, inhalatory | worker (industry) | acute - systemic effects |
| Butylated hydroxytoluene | 128-37-0 | DNEL | 3,5 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| Butylated hydroxytoluene | 128-37-0 | DNEL | 0,5 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |

| Relevant PNECs of components | | | | | | |
|------------------------------|----------|----------|-----------------|--------------------|------------------------------|------------------------------|
| Name of substance | CAS No | Endpoint | Threshold level | Organism | Environmental compartment | Exposure time |
| Butylated hydroxytoluene | 128-37-0 | PNEC | 8,33 mg/kg | aquatic organisms | water | short-term (single instance) |
| Butylated hydroxytoluene | 128-37-0 | PNEC | 1,99 µg/l | aquatic organisms | water | intermittent release |
| Butylated hydroxytoluene | 128-37-0 | PNEC | 0,199 µg/l | aquatic organisms | freshwater | short-term (single instance) |
| Butylated hydroxytoluene | 128-37-0 | PNEC | 0,02 µg/l | aquatic organisms | marine water | short-term (single instance) |
| Butylated hydroxytoluene | 128-37-0 | PNEC | 0,17 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| Butylated hydroxytoluene | 128-37-0 | PNEC | 99,6 µg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| Butylated hydroxytoluene | 128-37-0 | PNEC | 9,96 µg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| Butylated hydroxy- | 128-37-0 | PNEC | 47,69 µg/kg | terrestrial organ- | soil | short-term (single |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



2-Methyltetrahydrofuran SOLVAGREEN® ≥99 %, extra pure

article number: 6845

| Relevant PNECs of components | | | | | | |
|------------------------------|--------|-----------|-----------------|-----------|---------------------------|--------------------------|
| Name of substance | CAS No | End-point | Threshold level | Organisms | Environmental compartment | Exposure time (instance) |
| toluene | | | | isms | | |

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggles with side protection.

Skin protection



• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

Butyl caoutchouc (butyl rubber)

• material thickness

0,7 mm

• breakthrough times of the glove material

>10 minutes (permeation: level 1), >480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C, colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



2-Methyltetrahydrofuran SOLVAGREEN® ≥99 %, extra pure

article number: 6845

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|--|--|
| Physical state | liquid |
| Colour | colourless |
| Odour | like ether |
| Melting point/freezing point | <-20 °C at 1.013 hPa (ECHA) |
| Boiling point or initial boiling point and boiling range | 78 °C at 1.013 hPa (ECHA) |
| Flammability | flammable liquid in accordance with GHS criteria |
| Lower and upper explosion limit | 1,2 vol% (LEL) - 5,7 vol% (UEL) |
| Flash point | -10 °C at 101,3 kPa (ECHA) |
| Auto-ignition temperature | 260 °C at 100,9 kPa (ECHA) |
| Decomposition temperature | not relevant |
| pH (value) | not determined |
| Kinematic viscosity | 0,576 mm ² /s at 20 °C |
| Dynamic viscosity | 0,4954 cP at 20 °C |

Solubility(ies)

Water solubility 140 g/l (ECHA)

Partition coefficient

Partition coefficient n-octanol/water (log value): 1,1 (pH value: 7, 20 °C) (ECHA)

Vapour pressure 140 hPa at 25 °C

Density and/or relative density

Density 0,86 g/cm³ at 20 °C

Relative vapour density 2,97 (air = 1)

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard classes: There is no additional information.

Other safety characteristics:

Temperature class (EU, acc. to ATEX) T3

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



2-Methyltetrahydrofuran SOLVAGREEN® ≥99 %, extra pure

article number: 6845

Maximum permissible surface temperature on the equipment: 200°C

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition. Vapours may form explosive mixtures with air. May form explosive peroxides.

If heated

Risk of ignition.

10.2 Chemical stability

Reactivity if exposed to air. May cause decomposition by long-term light influence.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Bases, Strong acid

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

Rubber articles, plastics

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5. Peroxides.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Harmful if swallowed.

| Acute toxicity | | | | | |
|--------------------|----------|---------------|---------|--------|--------|
| Exposure route | Endpoint | Value | Species | Method | Source |
| inhalation: vapour | LC50 | 6.000 mg/l/4h | rat | | TOXNET |
| oral | LD50 | >300 mg/kg | rat | | ECHA |
| dermal | LD50 | >2.000 mg/kg | rat | | ECHA |

| Acute toxicity of components | | | | | |
|------------------------------|----------|----------------|----------|--------------|---------|
| Name of substance | CAS No | Exposure route | Endpoint | Value | Species |
| Butylated hydroxytoluene | 128-37-0 | oral | LD50 | >6.000 mg/kg | rat |
| Butylated hydroxytoluene | 128-37-0 | dermal | LD50 | >2.000 mg/kg | rat |

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



2-Methyltetrahydrofuran SOLVAGREEN® ≥99 %, extra pure

article number: 6845

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

vomiting, nausea

• If in eyes

Causes serious eye damage, risk of blindness

• If inhaled

drowsiness, narcosis, unconsciousness, cough, headache, Dyspnoea

• If on skin

causes skin irritation

• Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

| Aquatic toxicity (acute) | | | | |
|--------------------------|-----------|-----------------------|--------|---------------|
| Endpoint | Value | Species | Source | Exposure time |
| LC50 | >100 mg/l | fish | ECHA | 96 h |
| EC50 | >139 mg/l | aquatic invertebrates | ECHA | 48 h |
| ErC50 | >104 mg/l | algae | ECHA | 72 h |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



2-Methyltetrahydrofuran SOLVAGREEN® ≥99 %, extra pure

article number: 6845

Aquatic toxicity (acute) of components

| Name of sub-stance | CAS No | Endpoint | Value | Species | Exposure time |
|---------------------------|----------|----------|------------|-----------------------|---------------|
| Butylated hydroxy-toluene | 128-37-0 | LC50 | >0,57 mg/l | fish | 96 h |
| Butylated hydroxy-toluene | 128-37-0 | EC50 | 0,48 mg/l | aquatic invertebrates | 48 h |
| Butylated hydroxy-toluene | 128-37-0 | ErC50 | >0,4 mg/l | algae | 72 h |

Aquatic toxicity (chronic)

| Endpoint | Value | Species | Source | Exposure time |
|----------|-------------|-----------------------|--------|---------------|
| EC50 | >1.000 mg/l | microorganisms | ECHA | 3 h |
| NOEC | ≥120 mg/l | aquatic invertebrates | ECHA | 21 d |

Aquatic toxicity (chronic) of components

| Name of sub-stance | CAS No | Endpoint | Value | Species | Exposure time |
|---------------------------|----------|----------|------------|-----------------------|---------------|
| Butylated hydroxy-toluene | 128-37-0 | EC50 | 0,096 mg/l | aquatic invertebrates | 21 d |
| Butylated hydroxy-toluene | 128-37-0 | NOEC | 0,053 mg/l | fish | 30 d |
| Butylated hydroxy-toluene | 128-37-0 | LOEC | 0,14 mg/l | fish | 30 d |

12.2 Persistence and degradability

Theoretical Oxygen Demand: 2,6 mg/mg
Theoretical Carbon Dioxide: 2,555 mg/mg

Process of degradability

| Process | Degradation rate | Time |
|------------------|------------------|------|
| oxygen depletion | 2 % | 28 d |

Degradability of components

| Name of substance | CAS No | Process | Degradation rate | Time | Method | Source |
|--------------------------|----------|----------------|------------------|------|--------|--------|
| Butylated hydroxytoluene | 128-37-0 | biotic/abiotic | <10 % | 20 d | | |

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

| | |
|---------------------------|---------------------------------|
| n-octanol/water (log KOW) | 1,1 (pH value: 7, 20 °C) (ECHA) |
|---------------------------|---------------------------------|

Bioaccumulative potential of components

| Name of substance | CAS No | BCF | Log KOW | BOD5/COD |
|--------------------------|----------|-------|---------|----------|
| Butylated hydroxytoluene | 128-37-0 | 598,4 | 5,1 | |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



2-Methyltetrahydrofuran SOLVAGREEN® ≥99 %, extra pure

article number: 6845

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

HP 3 flammable

HP 15 waste capable of exhibiting a hazardous property listed above not directly displayed by the original waste

HP 4 irritant - skin irritation and eye damage

HP 6 acute toxicity

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

| | |
|-----------|---------|
| ADR | UN 2536 |
| IMDG-Code | UN 2536 |
| ICAO-TI | UN 2536 |

14.2 UN proper shipping name

| | |
|-----------|-----------------------|
| ADR | METHYLTETRAHYDROFURAN |
| IMDG-Code | METHYLTETRAHYDROFURAN |
| ICAO-TI | Methyltetrahydrofuran |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



2-Methyltetrahydrofuran SOLVAGREEN® ≥99 %, extra pure

article number: 6845

14.3 Transport hazard class(es)

| | |
|-----------|---|
| ADR | 3 |
| IMDG-Code | 3 |
| ICAO-TI | 3 |

14.4 Packing group

| | |
|-----------|----|
| ADR | II |
| IMDG-Code | II |
| ICAO-TI | II |

14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) Additional information

| | |
|---------------------------------------|---|
| Proper shipping name | METHYLTETRAHYDROFURAN |
| Particulars in the transport document | UN2536, METHYLTETRAHYDROFURAN, 3, II, (D/E) |
| Classification code | F1 |
| Danger label(s) | 3 |



| | |
|-------------------------------|-----|
| Excepted quantities (EQ) | E2 |
| Limited quantities (LQ) | 1 L |
| Transport category (TC) | 2 |
| Tunnel restriction code (TRC) | D/E |
| Hazard identification No | 33 |

International Maritime Dangerous Goods Code (IMDG) - Additional information

| | |
|--|--|
| Proper shipping name | METHYLTETRAHYDROFURAN |
| Particulars in the shipper's declaration | UN2536, METHYLTETRAHYDROFURAN, 3, II, -10°C C.C. |
| Marine pollutant | - |
| Danger label(s) | 3 |



| | |
|-------------------------|---|
| Special provisions (SP) | - |
|-------------------------|---|

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



2-Methyltetrahydrofuran SOLVAGREEN® ≥99 %, extra pure

article number: 6845

| | |
|--------------------------|----------|
| Excepted quantities (EQ) | E2 |
| Limited quantities (LQ) | 1 L |
| EmS | F-E, S-D |
| Stowage category | B |

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

| | |
|--|--------------------------------------|
| Proper shipping name | Methyltetrahydrofuran |
| Particulars in the shipper's declaration | UN2536, Methyltetrahydrofuran, 3, II |
| Danger label(s) | 3 |



| | |
|--------------------------|-----|
| Excepted quantities (EQ) | E2 |
| Limited quantities (LQ) | 1 L |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

| Dangerous substances with restrictions (REACH, Annex XVII) | | | | |
|--|--|--------|-------------|----|
| Name of substance | Name acc. to inventory | CAS No | Restriction | No |
| 2-Methyltetrahydrofuran | this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC | | R3 | 3 |
| 2-Methyltetrahydrofuran | flammable / pyrophoric | | R40 | 40 |

Legend

- R3
1. Shall not be used in:
 - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
 - tricks and jokes,
 - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
 2. Articles not complying with paragraph 1 shall not be placed on the market.
 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
 - can be used as fuel in decorative oil lamps for supply to the general public, and
 - present an aspiration hazard and are labelled with H304.
 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
 - (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
 - (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter fluid may lead to life threatening lung damage";
 - (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.;
- R40
1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
 - metallic glitter intended mainly for decoration,
 - artificial snow and frost,
 - 'whoopee' cushions,
 - silly string aerosols,
 - imitation excrement,
 - horns for parties,

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



2-Methyltetrahydrofuran SOLVAGREEN® ≥99 %, extra pure

article number: 6845

Legend

- decorative flakes and foams,
- artificial cobwebs,
- stink bombs.

2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:

'For professional users only'.

3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).

4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

not listed

Seveso Directive

| 2012/18/EU (Seveso III) | | | |
|-------------------------|---------------------------------------|---|-------|
| No | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the application of lower and upper-tier requirements | Notes |
| P5c | flammable liquids (cat. 2, 3) | 5.000 50.000 | 51) |

Notation

51) Flammable liquids, categories 2 or 3 not covered by P5a and P5b

Deco-Paint Directive

| | |
|-------------|---------|
| VOC content | 100 % |
| VOC content | 860 g/l |

Industrial Emissions Directive (IED)

| | |
|-------------|---------|
| VOC content | 100 % |
| VOC content | 860 g/l |

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

not listed

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



2-Methyltetrahydrofuran SOLVAGREEN® ≥99 %, extra pure

article number: 6845

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

| Country | Inventory | Status |
|---------|------------|------------------------------|
| AU | AIIC | substance is listed |
| CA | DSL | substance is listed |
| CN | IECSC | substance is listed |
| EU | ECSI | substance is listed |
| EU | REACH Reg. | substance is listed |
| JP | ISHA-ENCS | substance is listed |
| KR | KECI | substance is listed |
| MX | INSQ | substance is listed |
| NZ | NZIoC | substance is listed |
| PH | PICCS | substance is listed |
| TW | TCSI | substance is listed |
| US | TSCA | substance is listed (ACTIVE) |
| VN | NCI | substance is listed |

Legend

| | |
|------------|---|
| AIIC | Australian Inventory of Industrial Chemicals |
| DSL | Domestic Substances List (DSL) |
| ECSI | EC Substance Inventory (EINECS, ELINCS, NLP) |
| IECSC | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ | National Inventory of Chemical Substances |
| ISHA-ENCS | Inventory of Existing and New Chemical Substances (ISHA-ENCS) |
| KECI | Korea Existing Chemicals Inventory |
| NCI | National Chemical Inventory |
| NZIoC | New Zealand Inventory of Chemicals |
| PICCS | Philippine Inventory of Chemicals and Chemical Substances (PICCS) |
| REACH Reg. | REACH registered substances |
| TCSI | Taiwan Chemical Substance Inventory |
| TSCA | Toxic Substance Control Act |

15.2 Chemical safety assessment

According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) | Safety-relevant |
|---------|---------------------------|---|-----------------|
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.2 | | Hazard pictogram(s): | yes |
| 2.2 | | Hazard pictogram(s): change in the listing (table) | yes |
| 2.2 | | Labelling of packages where the contents do not exceed 10 ml | yes |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



2-Methyltetrahydrofuran SOLVAGREEN® ≥99 %, extra pure

article number: 6845

| Section | Former entry (text/value) | Actual entry (text/value) | Safety-relevant |
|---------|---------------------------|--|-----------------|
| 2.2 | | Signal word: Not required | yes |
| 2.2 | | Hazard pictogram(s): | yes |
| 2.2 | | Hazard pictogram(s): change in the listing (table) | yes |
| 2.2 | | Hazard statements: Not required | yes |
| 2.2 | | Precautionary statements: Not required | yes |
| 15.1 | | Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table) | yes |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-----------|---|
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road) |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BOD | Biochemical Oxygen Demand |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |
| COD | Chemical oxygen demand |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) |
| ED | Endocrine disruptor |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| ErC50 | ≅ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



2-Methyltetrahydrofuran SOLVAGREEN® ≥99 %, extra pure

article number: 6845

| Abbr. | Descriptions of used abbreviations |
|---------|---|
| | (EC) No 1272/2008 |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| LEL | Lower explosion limit (LEL) |
| LOEC | Lowest Observed Effect Concentration |
| log KOW | n-Octanol/water |
| NLP | No-Longer Polymer |
| NOEC | No Observed Effect Concentration |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| SVHC | Substance of Very High Concern |
| UEL | Upper explosion limit (UEL) |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.
Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.
Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|-------------------------------------|
| H225 | Highly flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.