according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Cyclohexane ≥99,5 %, p.a., ACS, ISO

article number: **6886** Version: **4.0 en** Replaces version of: 2022-01-11 Version: (3)

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

Identification of the substance	<b>Cyclohexane</b> ≥99,5 %, p.a., ACS, ISO
Article number	6886
Registration number (REACH)	01-2119463273-41-xxxx
Index number in CLP Annex VI	601-017-00-1
EC number	203-806-2
CAS number	110-82-7

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

#### **1.3** Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

#### e-mail (competent person):

### sicherheit@carlroth.de

#### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	+353 1 809 2166	https:// www.poisons.ie/

date of compilation: 2018-05-03 Revision: 2024-03-02

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Cyclohexane ≥99,5 %, p.a., ACS, ISO

#### article number: 6886

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	2	Flam. Liq. 2	H225
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.8D	Specific target organ toxicity - single exposure (narcotic effects, drowsiness)	3	STOT SE 3	H336
3.10	Aspiration hazard	1	Asp. Tox. 1	H304
4.1A	Hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	Hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16

### The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of watercourses.

#### 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word	Danger

#### **Pictograms**



#### Hazard statements

H225	Highly flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H336	May cause drowsiness or dizziness
H410	Very toxic to aquatic life with long lasting effects

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P210	Keep away from heat, sparks, open flames, hot surfaces. No smoking
P273	Avoid release to the environment

#### **Precautionary statements - response**

P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting
P302+P352	IF ON SKIN: Wash with plenty of soap and water

#### **Precautionary statements - storage**

P403+P233 Store in a well-ventilated place. Keep container tightly closed

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

### Cyclohexane ≥99,5 %, p.a., ACS, ISO

#### article number: 6886

Labelling of packages where the contents do not exceed 125 ml Signal word: Danger

Symbol(s)



H304 H336 May be fatal if swallowed and enters airways. May cause drowsiness or dizziness.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

#### 2.3 Other hazards

#### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance	Cyclohexane
Molecular formula	$C_6H_{12}$
Molar mass	84,16 <sup>g</sup> / <sub>mol</sub>
REACH Reg. No	01-2119463273-41-xxxx
CAS No	110-82-7
EC No	203-806-2
Index No	601-017-00-1

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

#### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

#### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

#### **Following ingestion**

Call a physician immediately. Observe aspiration hazard if vomiting occurs.



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Cyclohexane ≥99,5 %, p.a., ACS, ISO

article number: 6886

### 4.2 Most important symptoms and effects, both acute and delayed

Irritation, Nausea, Gastrointestinal complaints, Vomiting, Aspiration hazard, Vertigo, Drowsiness, Dizziness, Narcosis

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

#### Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Cyclohexane ≥99,5 %, p.a., ACS, ISO

article number: 6886

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Provision of sufficient ventilation.

#### Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

#### Measures to protect the environment

Avoid release to the environment.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice:

Ground/bond container and receiving equipment.

#### Ventilation requirements

Use local and general ventilation.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Cyclohexane ≥99,5 %, p.a., ACS, ISO

#### article number: 6886

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 **Control parameters**

### National limit values

### **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	cyclohexane	110-82-7	IOELV	200	700						2006/15/ EC
IE	cyclohexane	110-82-7	OELV	200	700						S.I. No. 619 of 2001

#### Notation

Ceiling-C STEL

Ceiling value is a limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

TWA

### Human health values

Relevant DNELs and other threshold levels							
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time			
DNEL	700 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects			
DNEL	1.400 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects			
DNEL	700 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects			
DNEL	1.400 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects			
DNEL	2.016 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects			

#### **Environmental values**

Relevant PNECs and other threshold levels							
End- point	Threshold level	Organism	Environmental com- partment	Exposure time			
PNEC	0,207 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)			
PNEC	0,207 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)			
PNEC	3,24 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)			
PNEC	16,68 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)			
PNEC	16,68 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)			
PNEC	3,38 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)			

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Cyclohexane ≥99,5 %, p.a., ACS, ISO

article number: 6886

#### 8.2 Exposure controls

### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection.

#### Skin protection



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

#### • material thickness

0,4 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

#### **Respiratory protection**



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Cyclohexane ≥99,5 %, p.a., ACS, ISO

### article number: 6886

## **SECTION 9: Physical and chemical properties**

9.1	Information on basic physical and chemical properties			
	Physical state	liquid		
	Colour	colourless		
	Odour	mild sweet		
	Melting point/freezing point	6 – 7 °C		
	Boiling point or initial boiling point and boiling range	80 – 81 °C		
	Flammability	flammable liquid in accordance with GHS criteria		
	Lower and upper explosion limit	1,3 vol% (LEL) - 8,4 vol% (UEL)		
	Flash point	-20 °C at 1.014 hPa (ECHA)		
	Auto-ignition temperature	260 °C (ECHA)		
	Decomposition temperature	not relevant		
	pH (value)	not determined		
	Kinematic viscosity	1,26 <sup>mm²</sup> / <sub>s</sub> at 20 °C		
	Dynamic viscosity	0,98 mPa s at 20 °C		
	Solubility(ies)			
	Water solubility	<0,1 <sup>g</sup> / <sub>l</sub> at 20 °C		
	Partition coefficient			
	Partition coefficient n-octanol/water (log value):	3,44 (pH value: 7, 25 °C) (ECHA)		
	Soil organic carbon/water (log KOC)	2,89 (ECHA)		
	Vapour pressure	124 hPa at 24 °C		
	Density and/or relative density			
	Density	0,78 <sup>g</sup> / <sub>cm³</sub> at 20 °C		
	Relative vapour density	2,91 (air = 1)		
	Particle characteristics	not relevant (liquid)		
	Other safety parameters			
	Oxidising properties	none		
9.2	Other information			
	Information with regard to physical hazard classes:	There is no additional information.		

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Cyclohexane ≥99,5 %, p.a., ACS, ISO

article number: 6886

Other safety characteristics:

Temperature class (EU, acc. to ATEX)

T3 Maximum permissible surface temperature on the equipment: 200°C

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

It's a reactive substance. Risk of ignition. Vapours may form explosive mixtures with air.

#### If heated

Risk of ignition.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### **10.3** Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Nitrogen oxides (NOx)

#### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### 10.5 Incompatible materials

Rubber articles, different plastics

**10.6 Hazardous decomposition products** Hazardous combustion products: see section 5.

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

### Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>5.000 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA
inhalation: vapour	LC50	>32.880 <sup>mg</sup> / <sub>m³</sub> /4h	rat		ECHA
dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rabbit		ECHA

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Cyclohexane ≥99,5 %, p.a., ACS, ISO

article number: 6886

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### **Aspiration hazard**

May be fatal if swallowed and enters airways.

### Symptoms related to the physical, chemical and toxicological characteristics

### • If swallowed

gastrointestinal complaints, nausea, vomiting, aspiration hazard

### • If in eyes

essentially non-irritating

### • If inhaled

irritant effects, vertigo, dizziness, fatigue, narcosis

#### • If on skin

causes skin irritation

### • Other information

none

### **11.2 Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

### 11.3 Information on other hazards

There is no additional information.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
LC50	4,53 <sup>mg</sup> / <sub>l</sub>	fish	ECHA	96 h
EC50	0,9 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	48 h
ErC50	9,317 <sup>mg</sup> / <sub>l</sub>	algae	ECHA	72 h

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Cyclohexane ≥99,5 %, p.a., ACS, ISO

#### article number: 6886

### 12.2 Persistence and degradability

Theoretical Oxygen Demand: 3,422 <sup>mg</sup>/<sub>mg</sub> Theoretical Carbon Dioxide: 3,138 <sup>mg</sup>/<sub>mg</sub>

#### Process of degradability

Process	Degradation rate	Time
biotic/abiotic	77 %	28 d

### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	3,44 (pH value: 7, 25 °C) (ECHA)
BCF	167 (ECHA)

#### 12.4 Mobility in soil

Henry's law constant	14.900 <sup>Pa m³</sup> / <sub>mol</sub> at 20 °C (ECHA)
The Organic Carbon normalised adsorption coefficient	2,89 (ECHA)

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

#### 12.7 Other adverse effects

Data are not available.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

### Cyclohexane ≥99,5 %, p.a., ACS, ISO

article number: 6886

#### Properties of waste which render it hazardous

- HP 3 flammable
- HP 4
- irritant skin irritation and eye damage specific target organ toxicity (STOT)/aspiration toxicity HP 5
- HP 14 ecotoxic

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SEC	TION 14: Transport information	
14.1	UN number or ID number	
	ADRRID	UN 1145
	IMDG-Code	UN 1145
	ICAO-TI	UN 1145
14.2	UN proper shipping name	
	ADRRID	CYCLOHEXANE
	IMDG-Code	CYCLOHEXANE
	ICAO-TI	Cyclohexane
14.3	Transport hazard class(es)	
	ADRRID	3
	IMDG-Code	3
	ICAO-TI	3
14.4	Packing group	
	ADRRID	II
	IMDG-Code	II
	ICAO-TI	II
14.5	Environmental hazards	hazardous to the aquatic environment
14.6	Special precautions for user	
	Provisions for dangerous goods (ADR) should be co	• •
14.7	Maritime transport in bulk according to IMO instruments	

The cargo is not intended to be carried in bulk.

#### Information for each of the UN Model Regulations 14.8

#### Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name	CYCLOHEXANE
Particulars in the transport document	UN1145, CYCLOHEXANE, 3, II, (D/E), environment- ally hazardous
Classification code	F1
Danger label(s)	3, "Fish and tree"



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Cyclohexane ≥99,5 %, p.a., ACS, ISO

article number: 6886

Environmental hazards	<b>Yes</b> (hazardous to the aquatic environment)
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Tunnel restriction code (TRC)	D/E
Hazard identification No	33
Regulations concerning the International information	Carriage of Dangerous Goods by Rail (RID)Additional
Classification code	F1
Danger label(s)	3, "Fish and tree"
Environmental hazards	Yes Hazardous to water
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Hazard identification No	33
International Maritime Dangerous Goods	Code (IMDG) - Additional information
Proper shipping name	CYCLOHEXANE
Particulars in the shipper's declaration	UN1145, CYCLOHEXANE, 3, II, -20°C c.c., MARINE POLLUTANT
Marine pollutant	<b>Yes</b> (hazardous to the aquatic environment)
Danger label(s)	3, "Fish and tree"
Special provisions (SP)	-
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
EmS	F-E, S-D
Stowage category	E

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Cyclohexane ≥99,5 %, p.a., ACS, ISO

article number: 6886

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information			
Proper shipping name	Cyclohexane		
Particulars in the shipper's declaration	UN1145, Cyclohexane, 3, II		
Environmental hazards	<b>Yes</b> (hazardous to the aquatic environment)		
Danger label(s)	3		
Excepted quantities (EQ)	E2		
Limited quantities (LQ)	1 L		

## SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

#### **Restrictions according to REACH, Annex XVII**

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	Νο
Cyclohexane	cyclohexane	110-82-7	R57	57
Cyclohexane	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
Cyclohexane	flammable / pyrophoric		R40	40
Cyclohexane	substances in tattoo inks and perman- ent make-up		R75	75

Legend R3

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes,

games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
Articles not complying with paragraph 1 shall not be placed on the market.
Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they

can be used as fuel in decorative oil lamps for supply to the general public, and
present an aspiration hazard and are labelled with H304.
4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and pack-

aging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:

(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';

<sup>1.</sup> Shall not be used in:

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Cyclohexane ≥99,5 %, p.a., ACS, ISO

#### article number: 6886

#### Legend R40

- 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following: - metallic glitter intended mainly for decoration,
- artificial snow and frost,
- 'whoopee' cushions,
- silly string aerosols,

- imitation excrement, horns for parties, decorative flakes and foams,
- artificial cobwebs,
- stink bombs.

Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: 'For professional users only'.

3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2). 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to

R57

the requirements indicated. 1. Shall not be placed on the market for the first time after 27 June 2010, for supply to the general public, as a con-stituent of neoprene-based contact adhesives in concentrations equal to or greater than 0,1 % by weight in package

Neoprene-based contact adhesives containing cyclohexane and not conforming to paragraph 1 shall not be placed on the market for supply to the general public after 27 December 2010.

3. Without prejudice to other Community legislation concerning the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that neoprene-based contact adhesives containing cyclohexane in concentrations equal to or greater than 0,1 % by weight that are placed on the market for supply to the general public after 27 December 2010 are visibly, legibly and indelibly marked as follows:

- This product is not to be used for carpet laying.'.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

### Cyclohexane ≥99,5 %, p.a., ACS, ISO



#### article number: 6886



graph. 8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Cyclohexane ≥99,5 %, p.a., ACS, ISO

#### article number: 6886

#### Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

#### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

#### **Seveso Directive**

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes	
E1	environmental hazards (hazardous to the aquatic en- vironment, cat. 1)	100 200	56)	

#### Notation

56) Hazardous to the Aquatic Environment in category Acute 1 or Chronic 1

#### **Deco-Paint Directive**

VOC content	100 %
VOC content	780 <sup>g</sup> /l

#### Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	780 <sup>g</sup> /l

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

#### Water Framework Directive (WFD)

not listed

#### Regulation on the marketing and use of explosives precursors

not listed

#### **Regulation on drug precursors**

not listed

#### Regulation on substances that deplete the ozone layer (ODS)

not listed

### Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Cyclohexane ≥99,5 %, p.a., ACS, ISO

article number: 6886

## Regulation on persistent organic pollutants (POP)

not listed

#### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
JP	ISHA-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

#### Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

#### 15.2 Chemical safety assessment

According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Cyclohexane ≥99,5 %, p.a., ACS, ISO

article number: 6886

## **SECTION 16: Other information**

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety relev- ant
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3	Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.		yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8		Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID)Addition- al information	yes
14.8		Classification code: F1	yes
14.8		Danger label(s): 3, "Fish and tree"	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Environmental hazards: Yes Hazardous to water	yes
14.8		Excepted quantities (EQ): E2	yes
14.8		Limited quantities (LQ): 1 L	yes
14.8		Transport category (TC): 2	yes
14.8		Hazard identification No: 33	yes
15.1	VOC content: 100 % , 780 <sup>g</sup> / <sub>l</sub>	VOC content: 100 %	yes
15.1		VOC content: 780 <sup>g</sup> / <sub>l</sub>	yes
15.1		National inventories: change in the listing (table)	yes
15.2	Chemical Safety Assessment: No Chemical Safety Assessment has been car- ried out for this substance.	Chemical safety assessment: According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.	yes

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

# ® Roth

### Cyclohexane ≥99,5 %, p.a., ACS, ISO

### article number: 6886

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in imple mentation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern ing the International Carriage of Dangerous Goods by Road)
BCF	Bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an ident fier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval
LEL	Lower explosion limit (LEL)
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Cyclohexane ≥99,5 %, p.a., ACS, ISO

#### article number: 6886

Abbr.	Descriptions of used abbreviations
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
S.I. No. 619 of 2001	Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

#### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.