

Dimethyl sulfoxide ≥99,5 %, for synthesis

article number: 7029 date of compilation: 29.09.2015 Revision: 03.03.2024 Version: 6.0 en

Replaces version of: 05.05.2021

Version: (5)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 **Product identifier**

Identification of the substance **Dimethyl sulfoxide** ≥99,5 %, for synthesis

Article number 7029

Registration number (REACH) 01-2119431362-50-xxxx

EC number 200-664-3 CAS number 67-68-5 Alternative name(s) **DMSO**

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 **Emergency telephone number**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

This substance does not meet the criteria for classification in accordance with Regulation No 1272/ 2008/EC.

2.2 **Label elements**

Labelling according to Regulation (EC) No 1272/2008 (CLP)

not required

Other hazards 2.3

This material is combustible, but will not ignite readily.

Page 1 / 14 Malta (en)



Dimethyl sulfoxide ≥99,5 %, for synthesis

article number: 7029

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Dimethyl sulfoxide

Molecular formula C₂H₆OS

Molar mass 78,13 ^g/_{mol}

REACH Reg. No 01-2119431362-50-xxxx

CAS No 67-68-5 EC No 200-664-3

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

none

Malta (en) Page 2 / 14



Dimethyl sulfoxide ≥99,5 %, for synthesis

article number: 7029

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂), Sulphur oxides (SOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Provide adequate ventilation. Do not breathe vapour/spray. Eliminate all ignition sources if safe to do so.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Malta (en) Page 3 / 14



Dimethyl sulfoxide ≥99,5 %, for synthesis

article number: 7029

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Protect against external exposure, such as

humidity, contact with air/oxygen

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

Human health values

Relevant DNELs and other threshold levels

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	484 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	265 mg/m³	human, inhalatory	worker (industry)	chronic - local effects
DNEL	200 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects

Malta (en) Page 4 / 14



Dimethyl sulfoxide ≥99,5 %, for synthesis

article number: 7029

Environmental values

Relevant PNECs and other threshold levels				
End- point	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	17 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
PNEC	1,7 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
PNEC	11 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	13,4 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	3,02 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

type of material

Butyl caoutchouc (butyl rubber)

material thickness

≥0,3 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Malta (en) Page 5 / 14



Dimethyl sulfoxide ≥99,5 %, for synthesis

article number: 7029

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid
Colour clear

Odour odourless

Melting point/freezing point 18,5 °C (ECHA)

Boiling point or initial boiling point and boiling

range

Flammability

ige

this material is combustible, but will not ignite readily

Lower and upper explosion limit 2,6 vol% (LEL) - 28,5 vol% (UEL)

Flash point 87 °C at 1.013 hPa (ECHA)

Auto-ignition temperature 300 – 302 °C at 1.013 hPa (ECHA) (auto-ignition

temperature (liquids and gases))

189 °C at 1.013 hPa (ECHA)

Decomposition temperature 189 °C (ECHA) pH (value) not determined Kinematic viscosity 1,945 $^{\text{mm}^2}$ /s at 20 °C

Dynamic viscosity 2,14 mPa s at 20 °C

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): -1,35 (pH value: 7, 20 °C) (ECHA)

Soil organic carbon/water (log KOC) 0,645 (ECHA)

Vapour pressure 0,417 mmHg at 20 °C

Density and/or relative density

Density $1,1 \text{ g/}_{\text{cm}^3}$ at 20 °C (ECHA)

Relative vapour density 2,7 (air = 1)

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

Malta (en) Page 6 / 14



Dimethyl sulfoxide ≥99,5 %, for synthesis

article number: 7029

9.2 Other information

Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics:

Miscibility completely miscible with water

Temperature class (EU, acc. to ATEX)

Maximum permissible surface temperature on

the equipment: 300°C

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

If heated

Vapours may form explosive mixtures with air.

10.2 Chemical stability

Hygroscopic.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Chlorates, Potassium, Sodium, Nitrate, Perchlorates, Permanganates, Nitric acid, Acid chlorides, inorganic, Strong acid, Phosphorus oxides (PxOy), => Explosive properties

10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: 189 °C.

10.5 Incompatible materials

Rubber articles, different plastics

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

This substance does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	28.300 ^{mg} / _{kg}	rat		ECHA
dermal	LD50	40.000 ^{mg} / _{kg}	rat		ECHA

Malta (en) Page 7 / 14



Dimethyl sulfoxide ≥99,5 %, for synthesis

article number: 7029

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

Data are not available.

• If in eyes

slightly irritant but not relevant for classification

• If inhaled

Data are not available.

• If on skin

Frequently or prolonged contact with skin may cause dermal irritation

Other information

Other adverse effects: Liver and kidney damage, Headache, Nausea

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

11.3 Information on other hazards

There is no additional information.

Malta (en) Page 8 / 14



Dimethyl sulfoxide ≥99,5 %, for synthesis

article number: 7029

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

Endpoint	Value	Species	Source	Exposure time
LC50	>25 ^g / _l	fish	ECHA	96 h
EC50	24,6 ^g / _l	aquatic invertebrates	ECHA	48 h
ErC50	17 ^g / _l	algae	ECHA	72 h

Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
EC50	100 ^{mg} / _l	microorganisms	ECHA	30 min

12.2 Persistence and degradability

Theoretical Oxygen Demand: 1,843 $^{\rm mg}/_{\rm mg}$ Theoretical Carbon Dioxide: 1,127 $^{\rm mg}/_{\rm mg}$

Process of degradability

Process	Degradation rate	Time
oxygen depletion	0 %	0 d

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	-1,35 (pH value: 7, 20 °C) (ECHA)
BCF	3,16 (ECHA)

12.4 Mobility in soil

Henry's law constant	0,001 ^{Pa m³} / _{mol} at 21 °C (ECHA)
The Organic Carbon normalised adsorption coefficient	0,645 (ECHA)

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

12.7 Other adverse effects

Data are not available.

Malta (en) Page 9 / 14



Dimethyl sulfoxide ≥99,5 %, for synthesis

article number: 7029

SECTION 13: Disposal considerations

13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1	UN number or ID number	not subject to transport regulations

14.2 UN proper shipping name not assigned

14.3 Transport hazard class(es) none

14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

International Maritime Dangerous Goods Code (IMDG) - Additional information Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

Malta (en) Page 10 / 14



Dimethyl sulfoxide ≥99,5 %, for synthesis

article number: 7029

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

not listed

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

Seveso Directive

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes	
	not assigned			

Deco-Paint Directive

VOC content	100 %
VOC content	1.100 ^g / _l

Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	1.100 ^g / _I

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

not listed

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

Malta (en) Page 11 / 14



Dimethyl sulfoxide ≥99,5 %, for synthesis

article number: 7029

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS) AIIC

CICR CSCL-ENCS

DSL ECSI IECSC

Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances
Korea Existing Chemical Inventory
National Chemical Inventory
National Chemical Inventory
National Chemical Inventory
National Chemical Inventory INSQ

New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS) NZIoC

PEICCS Philippine Inventory of City Prices
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory
Train Substance Control Act

15.2 Chemical safety assessment

According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.

Page 12 / 14 Malta (en)



Dimethyl sulfoxide ≥99,5 %, for synthesis

article number: 7029

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3	Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.		yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8	Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information: Not subject to ADR, RID and ADN.		yes
15.1	VOC content: 100 % 1.100 ^g / _l	VOC content: 100 %	yes
15.1		VOC content: 1.100 ⁹ / _l	yes
15.1		Other information: Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	yes
15.1		National inventories: change in the listing (table)	yes
15.2	Chemical Safety Assessment: No Chemical Safety Assessment has been car- ried out for this substance.	Chemical safety assessment: According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
BCF	Bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor

Malta (en) Page 13 / 14



Dimethyl sulfoxide ≥99,5 %, for synthesis

article number: 7029

Abbr.	Descriptions of used abbreviations
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
SVHC	Substance of Very High Concern
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Malta (en) Page 14 / 14